
**Glass in building — Glazing and
airborne sound insulation — Product
descriptions, determination of
properties and extension rules**

*Verre dans la construction — Vitrages et isolation aux bruits aériens
— Descriptions de produits, détermination des propriétés et règles
d'extension*

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 22897:2023

<https://standards.iteh.ai/catalog/standards/iso/7a449007-ca11-4a90-9e1b-0c3e2d2d077c/iso-22897-2023>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 22897:2023

<https://standards.iteh.ai/catalog/standards/iso/7a449007-ca11-4a90-9e1b-0c3e2d2d077c/iso-22897-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols	3
5 Glass products	3
5.1 Basic glasses	3
5.2 Processed glasses	3
5.2.1 Strengthened glasses	3
5.2.2 Thermally toughened safety glasses	3
5.2.3 Laminated glasses	4
5.2.4 Coated glasses	4
5.2.5 Insulating glass units	4
5.2.6 Mirrors, painted glass, filmed glass, acid etched glass and sand blasted glass	4
6 Test methods	4
7 Sound insulation rating and classification	4
7.1 Sound insulation rating	4
7.2 Statement of acoustic performance of glass	4
7.3 Specification of glazing requirements	5
8 Extension rules	5
8.1 General	5
8.2 Basic and special basic glasses	5
8.3 Surface treatments and coatings	5
8.4 Laminated glass and laminated safety glass	6
8.4.1 All types of laminated glass	6
8.4.2 Laminated glass with acoustic polyvinyl butyral	6
8.4.3 Laminated glass with non-acoustic polyvinyl butyral	6
8.5 Insulating glass units	6
8.6 Mirrors, painted glass, enamelled glass and filmed glass	7
9 Typical performance data	7
Annex A (informative) Characterization of acoustic polyvinyl butyral interlayers	10
Bibliography	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 160, *Glass in building*.

This second edition cancels and replaces the first edition (ISO 22897:2003), which has been technically revised.

The main changes are as follows:

- the calibration procedure has been removed and reference is now made to ISO 10140-1:2021, Annex D;
- the extension rules have been expanded;
- [Table 1](#) with typical performance data has been extended;
- [Annex A](#) on the characterization of polyvinyl butyral interlayers has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Glass in building — Glazing and airborne sound insulation — Product descriptions, determination of properties and extension rules

1 Scope

This document establishes a method to determine and assess sound insulation performances of all transparent, translucent and opaque glass products, for basic, special basic or processed glass products, when intended to be used in glazed assemblies in buildings, and which exhibit properties of acoustic protection, either as a prime or supplementary characteristic.

This document refers to laboratory measurement method described in ISO 10140-1:2021, Annex D and defines extension rules that can be applied without further testing. It also provides typical performance data for a range of common glass products that can be used in the absence of measured data.

All the considerations of this document relate to panes of glass or glass products alone. Incorporation of them into windows can cause changes in acoustic performance as a result of other influences, e.g. frame design, frame material, glazing material or method, mounting method, air tightness. Measurements of the sound insulation of complete windows (glass and frame) can be undertaken to resolve such issues.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 717-1, *Acoustics — Rating of sound insulation in buildings and of building elements — Part 1: Airborne sound insulation*

ISO 10140-1:2021, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 1: Application rules for specific products*

ISO 10140-2, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 2: Measurement of airborne sound insulation*

ISO 10140-3, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 3: Measurement of impact sound insulation*

ISO 10140-4, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 4: Measurement procedures and requirements*

ISO 10140-5, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 5: Requirements for test facilities and equipment*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 717-1, ISO 10140 (all parts) and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1
glass product

product manufactured from glass, i.e. basic glass, special basic glass, processed glass, for use in buildings and constructions

3.2
monolithic glass

single pane of glass, that includes annealed, strengthened or toughened (by heat or chemical treatment), and coated glasses

Note 1 to entry: This term excludes *laminated glass* (3.4) and *laminated safety glass* (3.5).

3.3
insulating glass unit
IGU

assembly consisting of at least two panes of glass, separated by one or more spacers, hermetically sealed along the periphery, mechanically stable and durable

3.4
laminated glass

assembly consisting of one sheet of glass with one or more sheets of glass and/or plastics glazing sheet material joined together with one or more *interlayers* (3.6)

[SOURCE: ISO 12543-1:2021, 3.1.1, modified — Note 1 to entry has been deleted.]

3.5
laminated safety glass

laminated glass (3.4) classified in accordance with a soft body impact standard where in the case of breakage the *interlayer* (3.6) serves to retain the glass fragments, limits the size of opening, offers residual resistance and reduces the risk of cutting or piercing injuries

Note 1 to entry: In this document, the expression "laminated glass" covers both laminated glass and laminated safety glass.

[SOURCE: ISO 12543-1:2021, 3.1.2, modified — Note 1 to entry has been replaced.]

3.6
interlayer

one or more layer or material acting as an adhesive and separator between panes of glass and/or plastics glazing sheet material

[SOURCE: ISO 12543-1:2021, 3.2.7, modified — "plies" has been replaced with "panes" in the definition and Notes 1 and 2 to entry have been deleted.]

3.7
acoustic interlayer

interlayer (3.6) that increases the sound reduction index of the *laminated glass* (3.4)

Note 1 to entry: The interlayer may be evaluated according to ISO 16940.

3.8
loss factor

parameter used to describe the damping characteristic of a *laminated glass* (3.4)

3.9
insert

constituent included in the cavity of an insulating glass unit

EXAMPLE Georgian bars and blinds.