

SLOVENSKI STANDARD SIST EN 50121-1:2001

01-februar-2001

Nadomešča:

SIST ENV 50121-1:1998

Železniške naprave – Elektromagnetna združljivost – 1. del: Splošno

Railway applications - Electromagnetic compatibility -- Part 1: General

Bahnanwendungen - Elektromagnetische Verträglichkeit -- Teil 1: Allgemeines

iTeh STANDARD PREVIEW

Applications ferroviaires - Compatibilité électromagnétique -- Partie 1: Généralités (standards.iteh.ai)

Ta slovenski standard je istoveten z:TEN EN 50121-1:2000

https://standards.iteh.ai/catalog/standards/sist/d0f9d767-9770-4a6b-b75b-free for the control of the control

8a7ecc10b785/sist en 50121 1 2001

ICS:

33.100.01 Elektromagnetna združljivost Electromagnetic compatibility

na splošno in general

45.020 Železniška tehnika na Railway engineering in

splošno general

SIST EN 50121-1:2001 en

SIST EN 50121-1:2001

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 50121-1:2001

https://standards.iteh.ai/catalog/standards/sist/d0f9d767-9770-4a6b-b75b-8a7ecc10b785/sist-en-50121-1-2001

EUROPEAN STANDARD

EN 50121-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2000

ICS 29.020; 29.280; 45.020

English version

Railway applications - Electromagnetic compatibility Part 1: General

Applications ferroviaires -Compatibilité électromagnétique Partie 1: Généralités Bahnanwendungen -Elektromagnetische Verträglichkeit Teil 1: Allgemeines

iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2000-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat of the any CENELEC member 770-4a6b-b75b-8a7ecc 10b785/sist-en-50121-1-2001

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Page 2 EN 50121-1:2000

Foreword

This European standard was prepared by the Technical Committee CENELEC TC 9X, Electrical and electronic applications for railways.

The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50121-1 on 2000-04-01.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2001-04-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2003-04-01

Annexes designated "normative" are part of the body of the standard. Annexes designated "informative" are given only for information. In this standard, annex A is informative and annex B is normative.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 50121-1:2001</u> https://standards.iteh.ai/catalog/standards/sist/d0f9d767-9770-4a6b-b75b-8a7ecc10b785/sist-en-50121-1-2001

Page 3 EN 50121-1:2000

Contents

Introduction			4
1	Scope		5
2	Normative references		
3	Definitions		
4	Performance criteria		6
5	Management of EMC		7
Annex	A (informative)	The railway system	8
	B (normative)	Management of EMC at the interface between railway infrastructure and trains	

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 50121-1:2001</u> https://standards.iteh.ai/catalog/standards/sist/d0f9d767-9770-4a6b-b75b-8a7ecc10b785/sist-en-50121-1-2001 Page 4 EN 50121-1:2000

Introduction

The railway EMC set of product-specific European Standards is intended, in the main, to permit compliance with the EMC Directive. It consists of five parts described at the end of this introduction.

The set of standards specifies the limits for the electromagnetic (EM) emission of the railway as a whole to the outside world and of the EM emission and immunity for equipment operating within the railway but which must be compatible with the emission limits set for the railway as a whole. The frequency covered by the Standards is in the range of d.c. to 400 GHz. At present testing is not defined for frequencies exceeding 1 GHz. The limits for EMC phenomena are set so that the railway as a whole satisfies the EU Directive 89/336 on electromagnetic compatibility, and so that EMC is achieved between the various parts of the railway. Throughout the set of the standards the immunity levels are chosen to ensure a reasonable level of EMC with other apparatus within the local railway Environment and with emissions which enter the railway from the outside world. Limits are also placed on EM emission by railways into the outside world.

The immunity and emission levels do not of themselves guarantee that integration of the apparatus will necessarily be satisfactory. The standard cannot cover all the possible configurations of apparatus, but the test levels are sufficient to achieve satisfactory EMC in the majority of cases. In exceptional circumstances, for instance near a "special location" (as defined in the EMC Directive) which has unusually high levels of EM interference, the system may require additional measures to be taken to ensure proper operation. The resolution of this is a matter for discussion between the equipment supplier and the project manager, infrastructure controller or equivalent.

The railway apparatus is assembled into large systems and installations, such as trains and signalling control centres. Details are given in annex A. It is not, therefore, possible to establish immunity tests and limits for these large assemblies. The immunity levels for the apparatus will normally ensure reliable operation, but it is necessary to prepare an EMC management plan, to deal with specific circumstances. For example, the passage of the railway line close to a higher power radio transmitter which produces abnormally high field strengths. Special conditions may have to be applied for railway equipment which has to work near such a transmitter and these will be accepted as National Conditions for the specification.

The series of Standards EN 50121, Railway applications - Electromagnetic compatibility, contains the following parts:

Part 1: General

This part gives a description of the electromagnetic behaviour of a railway; it specifies the performance criteria for the whole set. A management process to achieve EMC at the interface between the railway infrastructure and trains is provided.

Part 2: Emission of the whole railway system to the outside world

This part sets the emission limits from the railway to the outside world at radio frequencies. It defines the applied test methods and gives information on typical field strength values at traction and radio frequency (cartography).

Part 3-1: Rolling stock - Train and complete vehicle

This part specifies the emission and immunity requirements for all types of rolling stock. It covers traction stock and trainsets, as well as independent hauled stock.

The scope of this part of the Standard ends at the interface of the stock with its respective energy inputs and outputs.

Part 3-2: Rolling stock - Apparatus

This part applies to emission and immunity aspects of EMC for electrical and electronic apparatus intended for use on railway rolling stock.

Page 5 EN 50121-1:2000

Part 4: Emission and immunity of the signalling and telecommunications apparatus

This part specifies limits for electromagnetic emission and immunity for signalling and telecommunications apparatus.

Part 5: Emission and immunity of fixed power supply installations and apparatus

This part applies to emission and immunity aspects of EMC for electrical and electronic apparatus and components intended for use in railway fixed installations associated with power supply.

EN 50121-1 and EN 50121-2 are product family standards which take precedence over generic standards.

EN 50121-3-1, EN 50121-3-2, EN 50121-4, and EN 50121-5 are product standards.

1 Scope

1.1 This part 1 of the European standards series EN 50121 outlines the structure and the content of the whole set.

Annex A describes the characteristics of the railway system which affect electromagnetic compatibility (EMC) behaviour. Annex B specifies a management process for achieving EMC at the interface between the railway infrastructure, as defined in the EU Directive 91/440/EEC, and trains.

The objective of the whole set of standards is to specify the EM emission and immunity requirements for railway products, and for the railway as an installation.

Phenomena excluded from the set are Nuclear EM pulse abnormal operating conditions and the induction effects of direct lightning strike catalog/standards/sist/d019d767-9770-4a6b-b75b-8a7ecc10b785/sist-en-50121-1-2001

Emission limits at the railway boundary do not apply to intentional transmitters within the railway boundaries.

The biological effects of non-ionising radiation as well as apparatus for medical assistance, such as pacemakers, are not considered here.

1.2 This European Standard is supplemented by the following specific standards:

EN 50121-2	Railway applications - Electromagnetic compatibility Part 2: Emission of the whole railway system to the outside world
EN 50121-3-1	Railway applications - Electromagnetic compatibility Part 3-1: Rolling stock - Train and complete vehicle
EN 50121-3-2	Railway applications - Electromagnetic compatibility Part 3-2: Rolling stock - Apparatus
EN 50121-4	Railway applications - Electromagnetic compatibility Part 4: Emission and immunity of the signalling and telecommunications apparatus
EN 50121-5	Railway applications - Electromagnetic compatibility Part 5: Emission and immunity of fixed power supply installations and apparatus

Page 6 EN 50121-1:2000

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate place in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 61000-6-2 Electromagnetic compatibility (EMC)

Part 6-2: Generic standards - Immunity for industrial environments

(IEC 61000-6-2)

IEC 60050(161) International Electrotechnical Vocabulary (IEV)

Chapter 161: Electromagnetic compatibility

3 Definitions

For the purpose of this European Standard definitions related to EMC and to relevant phenomena may be found in IEC 60050-161.

Other parts of this European Standard may contain specific definitions/

(standards.iteh.ai)

4 Performance criteria

NOTE This clause is based on EN 61000-6-2. SIST EN 50121-1:2001

https://standards.iteh.ai/catalog/standards/sist/d0f9d767-9770-4a6b-b75b-

The variety and the diversity of the apparatus within the scope of this set of standards makes it difficult to define precise criteria for the evaluation of the immunity test results.

If, as a result of the application of the tests defined in this set of standards, the apparatus becomes dangerous or unsafe, the apparatus shall be deemed to have failed the test.

A functional description and a definition of performance criteria, during or as a consequence of the EMC testing, shall be provided by the manufacturer and noted in the test report, based on the following criteria:

Performance criterion A: The apparatus shall continue to operate as intended during and after the test. No degradation of performance or loss of function is allowed below a performance level specified by the manufacturer, when the apparatus is used as intended. The performance level may be replaced by a permissible loss of performance. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, either of these may be derived from the product description and documentation, and from what the user may reasonably expect from the apparatus if used as intended.

Performance criterion B: The apparatus shall continue to operate as intended after the test. No degradation of performance or loss of function is allowed below a performance level specified by the manufacturer, when the apparatus is used as intended. The performance level may be replaced by a permissible loss of performance. During the test, degradation of performance is however allowed. No change of actual operating state or stored data is allowed. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, either of these may be derived from the product description and documentation, and from what the user may reasonably expect from the apparatus if used as intended.

Performance criterion C: Temporary loss of function is allowed, provided the function is self-recoverable or can be restored by the operation of the controls.

Page 7 EN 50121-1:2000

5 Management of EMC

The railway is a complex installation with moving sources of electromagnetic energy and the application of the EMC standards in the EN 50121 series is not a guarantee of satisfactory performance. There may be cases where apparatus has to be positioned in restricted spaces or added to an existing assembly, with the possible creation of environments of unusual severity. All cases shall be considered with respect to a formal plan for the management of EMC. This plan should be established at as early a stage of the project as is possible and Annex B gives detail of a management plan.

NOTE Annex B is normative with a limited scope; however, operation outside the scope should consider whether the use of the management plan could be beneficial.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 50121-1:2001</u> https://standards.iteh.ai/catalog/standards/sist/d0f9d767-9770-4a6b-b75b-8a7ecc10b785/sist-en-50121-1-2001