
**Electronic fee collection — System
architecture for vehicle-related
tolling —**

**Part 3:
Data dictionary**

*Perception de télépéage — Architecture de systèmes pour le péage lié
aux véhicules —
Partie 3: Dictionnaire de données*

[ISO 17573-3:2023](https://standards.iteh.ai/catalog/standards/sist/13d8661f-ba90-4b29-ad00-ccb87770b3d6/iso-17573-3-2023)

<https://standards.iteh.ai/catalog/standards/sist/13d8661f-ba90-4b29-ad00-ccb87770b3d6/iso-17573-3-2023>



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 17573-3:2023

<https://standards.iteh.ai/catalog/standards/sist/13d8661f-ba90-4b29-ad00-ccb87770b3d6/iso-17573-3-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	vi
Introduction.....	vii
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Abbreviated terms.....	4
5 EFC common data object definitions.....	5
5.1 General.....	5
5.2 Subtypes of simple data types.....	6
5.2.1 AccountStatus.....	6
5.2.2 ActualNumberOfPassengers.....	6
5.2.3 Altitude.....	6
5.2.4 Axles.....	7
5.2.5 CabType.....	7
5.2.6 ChassisType.....	7
5.2.7 Co2EmissionClass.....	8
5.2.8 Co2EmissionValue.....	9
5.2.9 Co2EmissionValueLoad.....	9
5.2.10 Co2Scheme.....	9
5.2.11 ContractAuthenticator.....	9
5.2.12 ContractSerialNumber.....	9
5.2.13 CopValue.....	10
5.2.14 CountryCode.....	10
5.2.15 DetectionMode.....	10
5.2.16 EmissionUnit.....	11
5.2.17 EngineCharacteristics.....	11
5.2.18 EquipmentIccId.....	13
5.2.19 EquipmentObuId.....	13
5.2.20 EquipmentStatus.....	14
5.2.21 EuroValue.....	14
5.2.22 DistanceUnit.....	14
5.2.23 IssuerIdentifier.....	15
5.2.24 Latitude.....	15
5.2.25 LocalVehicleClassId.....	15
5.2.26 LocationClassId.....	15
5.2.27 Longitude.....	16
5.2.28 PaymentSecurityData.....	16
5.2.29 PayUnit.....	16
5.2.30 PersonalAccountNumber.....	17
5.2.31 RearWheelsSteeringType.....	17
5.2.32 ReceiptAuthenticator.....	18
5.2.33 ReceiptDistance.....	18
5.2.34 ResultFin.....	18
5.2.35 ReceiptIccId.....	19
5.2.36 ReceiptObuId.....	19
5.2.37 ResultOp.....	19
5.2.38 ReceiptServiceSerialNumber.....	21
5.2.39 ReceiptText.....	21
5.2.40 StationType.....	21
5.2.41 SuspensionType.....	21
5.2.42 TariffClassId.....	22
5.2.43 Time.....	22

5.2.44	TimeClassId	22
5.2.45	TimeUnit	22
5.2.46	TrailerType	23
5.2.47	TyreConfiguration	23
5.2.48	UserClassId	23
5.2.49	VehicleAuthenticator	24
5.2.50	VehicleClass	24
5.2.51	VehicleCurrentMaxTrainWeight	24
5.2.52	VehicleTechnicalPermissibleMaxLadenMass	24
5.2.53	VehicleTotalDistance	25
5.2.54	VehicleUsageCategoryType	25
5.2.55	VehicleWeightLaden	26
5.2.56	WeekDay	26
5.3	Single level data types	26
5.3.1	AbsolutePosition2d	26
5.3.2	AbsolutePosition3d	27
5.3.3	AxleWeightLimit	27
5.3.4	AxleWeightLimits	27
5.3.5	DateCompact	28
5.3.6	DieselEmissionValues	28
5.3.7	DriverCharacteristics	28
5.3.8	Distance	28
5.3.9	Duration	29
5.3.10	EngineDetails	29
5.3.11	EuVehicleGroup	29
5.3.12	ExhaustEmissionValues	29
5.3.13	FutureCharacteristics	30
5.3.14	NumberOfAxles	30
5.3.15	Obeld	31
5.3.16	Particulate	31
5.3.17	PassengerCapacity	31
5.3.18	PaymentFee	31
5.3.19	Period	32
5.3.20	Provider	32
5.3.21	RelativePosition3d	32
5.3.22	SessionClass	32
5.3.23	SessionLocation	33
5.3.24	SignedValue	33
5.3.25	SoundLevel	33
5.3.26	TariffClassDescription	33
5.3.27	TimeCompact	34
5.3.28	TrailerDetails	34
5.3.29	WheelsConfiguration	34
5.4	Two-level data types	35
5.4.1	AxlesWeightLimits	35
5.4.2	ChargeObjectId	35
5.4.3	ContractValidity	35
5.4.4	DateAndTime	36
5.4.5	EnvironmentalCharacteristics	36
5.4.6	InitialVehicleRegistrationDate	36
5.4.7	Lpn	36
5.4.8	PaymentMeans	37
5.4.9	PaymentMeansBalance	38
5.4.10	Point	38
5.4.11	PurseBalance	38
5.4.12	TrailerCharacteristics	38
5.4.13	ValidityOfContract	39
5.4.14	VehicleAxlesNumber	39

5.4.15	VehicleDimensions	39
5.4.16	VehicleIdentificationNumber	39
5.4.17	VehicleWeightLimits	40
5.5	Three-level data types	40
5.5.1	EfcContextMark	40
5.5.2	ReceiptContract	40
5.5.3	ReceiptData	41
5.5.4	ReceiptFinancialPart	42
5.5.5	ReceiptServicePart	42
5.5.6	UserId	43
5.5.7	VehicleAxles	43
5.5.8	VehicleSpecificCharacteristics	43
5.6	Complex data types	44
5.6.1	AggregatedSingleTariffClassSession	44
5.6.2	DetectedChargeObject	45
5.6.3	VehicleDescription	46
Annex A (normative) EFC common data type definitions		47
Bibliography		48

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 17573-3:2023

<https://standards.iteh.ai/catalog/standards/sist/13d8661f-ba90-4b29-ad00-ccb87770b3d6/iso-17573-3-2023>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 278, *Intelligent transport systems*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition cancels and replaces the first edition (ISO/TS 17573-3:2021), which has been technically revised.

The main changes are as follows:

- CO₂ emission class data types have been added to underpin the revised Directive 1999/62/EC^[15] (i.e. Eurovignette directive regarding the charging of vehicles for the use of certain infrastructure), updated by Directive (EU) 2022/362;^[21]
- a second level of version identifier (i.e. minor version) of the abstract syntax notation one (ASN.1) module has been added to provide enhanced support to standards that import data types from this document.

A list of all parts in the ISO 17573 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is a part of the ISO 17573 series which defines the system architecture for vehicle-related tolling. ISO 17573-1 gives a reference model for the system architecture. ISO/TS 17573-2 provides a collection of terms and definitions within the field of electronic fee collection (EFC) and road user charging that are used in the different documents published in ISO and CEN under the general title, *Electronic fee collection*.

This document (ISO 17573-3) provides a data dictionary that contains the definitions of ASN.1 (data) types and the associated semantics.

The document is intended to be used as a reference by editors of ISO and CEN documents in EFC and in related areas of standardization (such as Intelligent transport systems, ITS).

It is foreseen that the library of ASN.1 (data) types contained in this document will be augmented with additional definitions as these become available.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 17573-3:2023

<https://standards.iteh.ai/catalog/standards/sist/13d8661f-ba90-4b29-ad00-ccb87770b3d6/iso-17573-3-2023>

Electronic fee collection — System architecture for vehicle-related tolling —

Part 3: Data dictionary

1 Scope

This document specifies the syntax and semantics of data objects in the field of electronic fee collection (EFC). The definitions of data types and assignment of semantics are provided in accordance with the abstract syntax notation one (ASN.1) technique, as specified in ISO/IEC 8824-1. This document defines:

- ASN.1 (data) types within the fields of EFC;
- ASN.1 (data) types of a more general use that are used more specifically in standards related to EFC.

This document does not seek to define ASN.1 (data) types that are primarily related to other fields that operate in conjunction with EFC, such as cooperative intelligent transport systems (C-ITS), the financial sector, etc.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 17573-2, *Electronic fee collection — System architecture for vehicle related tolling — Part 2: Vocabulary*

ISO 612, *Road vehicles — Dimensions of motor vehicles and towed vehicles — Terms and definitions*

ISO 3166-1, *Codes for the representation of names of countries and their subdivisions — Part 1: Country code*

ISO 1176, *Road vehicles — Masses — Vocabulary and codes*

ISO 4217, *Codes for the representation of currencies*

ISO/IEC 7812-1, *Identification cards — Identification of issuers — Part 1: Numbering system*

ISO/IEC 7812-2, *Identification cards — Identification of issuers — Part 2: Application and registration procedures*

ISO/IEC 8824-1, *Information technology — Abstract Syntax Notation One (ASN.1) — Part 1: Specification of basic notation*

ISO/IEC 8859-1, *Information technology — 8-bit single-byte coded graphic character sets — Part 1: Latin alphabet No. 1*

ISO/IEC 8859-2, *Information technology — 8-bit single-byte coded graphic character sets — Part 2: Latin alphabet No. 2*

ISO/IEC 8859-3, *Information technology — 8-bit single-byte coded graphic character sets — Part 3: Latin alphabet No. 3*

ISO/IEC 8859-4, *Information technology — 8-bit single-byte coded graphic character sets — Part 4: Latin alphabet No. 4*

ISO/IEC 8859-5, *Information technology — 8-bit single-byte coded graphic character sets — Part 5: Latin/Cyrillic alphabet*

ISO/IEC 8859-6, *Information technology — 8-bit single-byte coded graphic character sets — Part 6: Latin/Arabic alphabet*

ISO/IEC 8859-7, *Information technology — 8-bit single-byte coded graphic character sets — Part 7: Latin/Greek alphabet*

ISO/IEC 8859-8, *Information technology — 8-bit single-byte coded graphic character sets — Part 8: Latin/Hebrew alphabet*

ISO/IEC 8859-9, *Information technology — 8-bit single-byte coded graphic character sets — Part 9: Latin alphabet No. 5*

ISO/IEC 8859-10, *Information technology — 8-bit single-byte coded graphic character sets — Part 10: Latin alphabet No. 6*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TS 17573-2 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 BITSTRING
<type> *simple type* (3.14) whose distinguished values are an ordered sequence of zero, one or more bits

[SOURCE: ISO/IEC 8824-1:2021, 3.8.7, modified — Term modified from "BITSTRING type" to "BITSTRING" and domain "<type>" added.]

3.2 CHOICE
<type> type defined by referencing a list of distinct types; each value of the choice type is derived from the value of one of the *component types* (3.4)

Note 1 to entry: Each value of the choice type is derived from the value of one of the component types.

[SOURCE: ISO/IEC 8824-1:2021, 3.8.14, modified — Term modified from "CHOICE type" to "CHOICE" and domain "<type>" added. Note 1 to entry also added.]

3.3 complex data type
one type that has more than *three levels* (3.17)

3.4 component type
one of the types referenced when defining a *CHOICE* (3.2), *SET* (3.12), *SEQUENCE* (3.10), *SET OF* (3.13), or *SEQUENCE OF* (3.11)

[SOURCE: ISO/IEC 8824-1:2021, 3.8.15]

3.5**data type**

categorization of an abstract set of possible values, characteristics, and set of operations for an attribute

[SOURCE: ISO/IEC 25012:2008, 4.7 — modified, NOTE removed.]

3.6**INTEGER**

<type> *simple type* (3.14) with distinguished values which are the positive and negative whole numbers, including zero (as a single value)

[SOURCE: ISO/IEC 8824-1:2021, 3.8.48, modified — Term modified from "INTEGER type" to "INTEGER" and domain "<type>" added.]

3.7**object**

well-defined piece of information, definition or specification which requires a name in order to identify its use in an instance of communication

[SOURCE: ISO/IEC 8824-1:2021, 3.8.52]

3.8**OCTET STRING**

<type> *simple type* (3.14) whose distinguished values are an ordered sequence of zero, one or more octets, each octet being an ordered sequence of eight bits

[SOURCE: ISO/IEC 8824-1:2021, 3.8.55, modified — Term modified from "OCTET STRING type" to "OCTET STRING" and domain "<type>" added.]

3.9**parent type**

type that is being constrained when defining a *subtype* (3.16), and which governs the subtype notation

[SOURCE: ISO/IEC 8824-1:2021, 3.8.58, modified — Term modified from "parent type (of a subtype)" to "parent type".]

3.10**SEQUENCE**

<type> type defined by referencing a fixed, ordered list of types (some of which can be declared to be optional)

Note 1 to entry: Each value of the SEQUENCE type is an ordered list of values, one from each *component type* (3.4).

[SOURCE: ISO/IEC 8824-1:2021, 3.8.67, modified — Term modified from "SEQUENCE types" to "SEQUENCE" and domain "<type>" added. Second part of original definition moved to Note 1 to entry.]

3.11**SEQUENCE-OF**

<type> type defined by referencing a single *component type* (3.4)

Note 1 to entry: Each value in the SEQUENCE-OF type is an ordered list of zero, one or more values of the component type.

[SOURCE: ISO/IEC 8824-1:2021, 3.8.68, modified — Term modified from "SEQUENCE-OF types" to "SEQUENCE" and domain "<type>" added. Second part of original definition moved to Note 1 to entry.]

3.12**SET**

<type> type defined by referencing a fixed, unordered, list of types (some of which may be declared to be optional)

Note 1 to entry: Each value in the SET type is an unordered list of values, one from each *component type* (3.4).

Note 2 to entry: Where a component type is declared to be optional, a value of the SET type need not contain a value of that component type.

[SOURCE: ISO/IEC 8824-1:2021, 3.8.72, modified — Term modified from "SET types" to "SET" and domain "<type>" added. Second part of original definition moved to Note 1 to entry. Note 1 to entry updated as Note 2 to entry.]

3.13

SET-OF

<type> types defined by referencing a single *component type* (3.4)

Note 1 to entry: Each value in the SET-OF type is an unordered list of zero, one or more values of the component type.

[SOURCE: ISO/IEC 8824-1:2021, 3.8.73, modified — Term modified from "SET-OF types" to "SET-OF" and domain "<type>" added. Second part of original definition moved to Note 1 to entry.]

3.14

simple type

type defined by directly specifying the set of their values

[SOURCE: ISO/IEC 8824-1:2021, 3.8.74]

3.15

single-level data type

data type (3.5) which is a *SEQUENCE* (3.10), or *SEQUENCE OF* (3.11) defined by referencing a *simple type* (3.14) or a *subtype* (3.16) of a simple type

3.16

subtype

<parent type> type whose values are a subset (or the complete set) of the values of some other type (the *parent type*) (3.9)

[SOURCE: ISO/IEC 8824-1:2021, 3.8.76, modified — Term modified from "subtype (of a parent type)" to "subtype" and domain "<parent type>" added.]

3.17

three-level data type

data type (3.5) which is a *CHOICE* (3.2), *SEQUENCE* (3.10), or *SEQUENCE OF* (3.11) defined by referencing a *two-level data type* (3.18)

3.18

two-level data type

data type (3.5) which is a *CHOICE* (3.2), *SEQUENCE* (3.10), or *SEQUENCE OF* (3.11) defined by referencing a *single-level data type* (3.15)

4 Abbreviated terms

ASN.1	abstract syntax notation one
BCD	binary coded decimal
CO	carbon monoxide
CO ₂	carbon dioxide
DSRC	dedicated short-range communication
EFC	electronic fee collection

GLONASS	global navigation satellite system of the Russian Federation
GNSS	global navigation satellite system
GPS	global positioning system
GTRF	global terrestrial reference system
HC	hydrocarbon
ICC	integrated circuit(s) card
ITRF	international terrestrial reference frame
ITRS	international terrestrial reference system
JGS	Japan satellite navigation geodetic system
LAC	localization augmentation communication
NO _x	nitrogen oxides
OBE	on-board equipment
OBU	on-board unit
QZSS	quasi-zenith satellite system
RSE	roadside equipment
TSP	toll service provider
VAT	value-added tax

5 EFC common data object definitions

5.1 General

In this clause, the structure of all EFC common data objects is described. The formal definition provided in [Annex A](#) in terms of data type definitions applies. In addition to the structure description, each data object is also given a semantics.

Each one of the common data types defined herein is used by more than one document in the suite of CEN or ISO documents in the field of EFC. These documents may also define their own data types when no one of the common data types defined herein satisfies their need.

The definitions of the EFC common data types are ordered according to their data type level:

- first subtypes based on simple data types (e.g. INTEGER or OCTET STRING),
- then two-level data types,
- then three-level data types,
- then complex data types.

Data types are ordered alphabetically within each level.

5.2 Subtypes of simple data types

5.2.1 AccountStatus

The data type `AccountStatus` shall be of the simple type as specified in [Table 1](#).

Table 1 — AccountStatus

Subtype	Parent type	Semantics
-	INTEGER	<p><code>AccountStatus</code> provides the status of the user's account. The following semantics are assigned:</p> <ul style="list-style-type: none"> — <code>ok</code>: The amount stored in the account is above or equal to the predefined threshold; — <code>low</code>: The amount stored in the account has fallen below a predefined threshold; — <code>empty</code>: The amount stored in the account is zero; — <code>negative</code>: The amount stored in the account has fallen below zero.

5.2.2 ActualNumberOfPassengers

The data type `ActualNumberOfPassengers` shall be of the subtype as specified in [Table 2](#).

Table 2 — ActualNumberOfPassengers

Subtype	Parent type	Semantics
<code>Int1Unsigned</code>		<p><code>ActualNumberOfPassengers</code> represents the actual number of passengers (i.e. persons) present in the vehicle, including the driver.</p> <p>This information can affect the applicability of tolls or the value of the tariff to be applied, e.g. in High Occupancy Tolling or High Occupancy Vehicle lanes.</p>

5.2.3 Altitude

The data type `Altitude` shall be of the simple type as specified in [Table 3](#).

Table 3 — Altitude

Subtype	Parent type	Semantics
Int2Signed		<p>Altitude provides the ellipsoidal height (in units of 0,25 m) above or below the WGS84^[5] ellipsoid of the geographical point. The range in m is from -8 192,00 to +8 191,75.</p> <p>NOTE WGS84^[10] represents a broadly adopted global geodetic reference system for the Earth for practical applications of mapping, geo-positioning and navigation. Other terrestrial reference frames exist, notably the International Terrestrial Reference Frame (ITRF, the latest edition currently being ITRF 2020). It is possible to convert between the most commonly used terrestrial reference frames and the differences between them are typically in the order of centimetres. The international terrestrial reference frame is becoming increasingly recognized and used as the primary reference frame. All recent and up-to-date Global Navigation Satellite System (GNSS)-specific terrestrial reference frames (WGS 84 for GPS, PZ-90 for GLONASS, the GTRF for Galileo, CGCS2000 for BeiDou, and the JGS for QZSS) are aligned to a primary ITRS^[11] realization, according to ISO 19161-1:2020, Annex C.</p>

5.2.4 Axles

The data type `Axles` shall be of the simple type as specified in [Table 4](#).

Table 4 — Axles

Subtype	Parent type	Semantics
-	INTEGER	Axles provides the number of axles of either the tractor or trailer including drop axles.

5.2.5 CabType

The data type `CabType` shall be of the simple constrained type as specified in [Table 5](#).

Table 5 — CabType

Subtype	Parent type	Semantics
-	INTEGER	<p>CabType provides information about the cabin type of a vehicle according to Regulation (EU) 2019/1242,^[18] Annex I.</p> <p>The following semantics are assigned:</p> <ul style="list-style-type: none"> — <code>dayCab</code>: A type of cabin that is not a sleeper cabin; — <code>sleeperCab</code>: A type of cabin that has a compartment behind the driver's seat intended to be used for sleeping as reported in accordance with Regulation (EU) 2018/956,^[20] Annex I, Part B, Data no. 84.

5.2.6 ChassisType

The data type `ChassisType` shall be of the simple constrained type as specified in [Table 6](#).