

SLOVENSKI STANDARD SIST EN 300 955 V7.0.1:2003

01-december-2003

8][]hƯb]`WY^]b]`hY`Y_caib]_UV¶/g_]`g]ghYa`fZUhU&ŽŁ'Ë`8cdc`b]`bU`ghcf]hYj. cVjYgh]`c`c`WYb]`f5C7Ł'Ë`Ghcdb/U'`fk,GA`\$(",*žfUh`]]WU'+'\$'%z]nXU/U%-,Ł

Digital cellular telecommunications system (Phase 2+) (GSM); Advice of Charge (AoC) supplementary services; Stage 3 (GSM 04.86 version 7.0.1 Release 1998)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten z: https://standards.iten.avcatalog/standards/sist/621d2a8e-tea/-4c28-b304-6871761789dd/sist-en-300-955-v7-0-1-2003

<u>ICS:</u>

33.070.50 Globalni sistem za mobilno telekomunikacijo (GSM)

Global System for Mobile Communication (GSM)

SIST EN 300 955 V7.0.1:2003

en

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 300 955 V7.0.1:2003</u> https://standards.iteh.ai/catalog/standards/sist/62fd2a8e-fea7-4c28-b5b4-6871761789dd/sist-en-300-955-v7-0-1-2003

ETSI EN 300 955 V7.0.1 (2000-01)

European Standard (Telecommunications series)

Digital cellular telecommunications system (Phase 2+); Advice of Charge (AoC) supplementary services; Stage 3 (GSM 04.86 version 7.0.1 Release 1998)



2

Reference REN/SMG-030486Q7

Keywords

Digital cellular telecommunications system, Global System for Mobile communications (GSM)

ETSI

Postal address F-06921 Sophia Antipolis Cedex - FRANCE **Teh STAN Office** address 650 Route des Lucioles - Sophia Antipolis Valbonne - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16 Siret N° 348 623 562 00017 0 NAF 742 C Association à but non lucratif enregistree à la https://standards.Solus-Préfecture de Grasse (06) N° 7803/88 7-4c28-b5b4-

6871761789dd/sist-en-300-955-v7-0-1-2003

Internet

secretariat@etsi.fr Individual copies of this ETSI deliverable can be downloaded from http://www.etsi.org If you find errors in the present document, send your comment to: editor@etsi.fr

Important notice

This ETSI deliverable may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

> © European Telecommunications Standards Institute 2000. All rights reserved.

Contents

Intelle	ectual Property Rights	4		
Foreword4				
0 0.1 0.2	Scope References Abbreviations	5		
1	Advice of Charge (Information) (AoCI)	7		
1.1	Normal operation with successful outcome			
1.1.1	Call re-establishment	7		
1.1.2	MS originated call	7		
1.1.3	MS terminated call			
1.1.4	Change of charging information	8		
1.2	Normal operation with unsuccessful outcome			
1.3	Activation, deactivation and invocation			
1.4	Interrogation, registration and erasure	8		
2	Advice of Charge (Charging) (AoCC)	8		
2.1	Normal operation with successful outcome			
2.1.1	Call re-establishment	9		
2.1.2	MS originated call	9		
2.1.3	MS terminated call			
2.1.4	Change of charging information	9		
2.2	Normal operation with unsuccessful outcome. A.K.L.P.K.K.V.I.K.W.	.10		
2.3	Accumulated Call Meter is equal to or greater than ACMmax	.10		
2.4	Accumulated Call Meter is equal to or greater than ACMmax. Activation, deactivation and invocation Carcos Iten.al) Interrogation, registration and erasure.	.10		
2.5				
Annex A (informative): https://standards.iten.arcatalog/standards/sist/o210288-fea7-4028-0504-				
Histor	ry	.12		

4

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://www.etsi.org/ipr).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by the Special Mobile Group (SMG).

The present document specifies the procedures used at the radio interface for normal operation, registration, erasure, activation, deactivation, invocation and interrogation of charging supplementary services within the digital cellular telecommunications system.

The specification from which the present document has been derived was originally based on CEPT documentation, hence the presentation of the present document may not be entirely in accordance with the ETSI/PNE rules.

The contents of the present document is subject to continuing work within SMG and may change following formal SMG approval. Should SMG modify the contents of the present document it will be re-released with an identifying change of release date and an increase in version number as follows: (standards.iteh.ai)

Version 7.x.y

where:

SIST EN 300 955 V7.0.1:2003

https://standards.iteh.ai/catalog/standards/sist/62fd2a8e-fea7-4c28-b5b4-

- 7 indicates Release 1998 of GSM Phases2td/sist-en-300-955-v7-0-1-2003
- x the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- y the third digit is incremented when editorial only changes have been incorporated in the specification.

National transposition dates				
Date of adoption of this EN:	31 December 1999			
Date of latest announcement of this EN (doa):	31 March 2000			
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 September 2000			
Date of withdrawal of any conflicting National Standard (dow):	30 September 2000			

0 Scope

The present document specifies the procedures used at the radio interface (reference point Um as defined in GSM 04.02) for normal operation, registration, erasure, activation, deactivation, invocation and interrogation of charging supplementary services. The provision and withdrawal of supplementary services is an administrative matter between the mobile subscriber and the service provider and causes no signalling on the radio interface.

In GSM 04.10 the general aspects of the specification of supplementary services at the layer 3 radio interface are given.

GSM 04.80 specifies the formats and coding for the supplementary services.

Definitions and descriptions of supplementary services are given in GSM 02.04 and GSM 02.8x and GSM 02.9x-series. GSM 02.24 and 02.86 are related to the charging supplementary services.

Technical realization of supplementary services is described in GSM 03.11 and GSM 03.8x and GSM 03.9x-series. GSM 03.86 is related to the charging supplementary services.

The procedures for Call Control, Mobility Management and Radio Resource management at the layer 3 radio interface are defined in GSM 04.07 and GSM 04.08.

The following supplementary services belong to the charging supplementary services and are described in the present document:

- Advice of Charge (Information) (AoCI) (clause 1);
- Advice of Charge (Charging) (AoCC) (clause 2).

iTeh STANDARD PREVIEW References

0.1 References (standards.iteh.ai)

The following documents contain provisions which, through reference in this text, constitute provisions of the present document. SIST EN 300 955 V7.0.1:2003

References are either specific (identified by date of publication, edition number, version number, etc.) or The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
- For this Release 1998 document, references to GSM documents are for Release 1998 versions (version 7.x.y).
- [1] GSM 01.04: "Digital cellular telecommunications system (Phase 2+); Abbreviations and acronyms".
- [2] GSM 02.04: "Digital cellular telecommunications system (Phase 2+); General on supplementary services".
- [3] GSM 02.24: "Digital cellular telecommunications system (Phase 2+); Description of Charge Advice Information (CAI)".
- [4] GSM 02.81: "Digital cellular telecommunications system (Phase 2+); Line identification supplementary services Stage 1".
- [5] GSM 02.82: "Digital cellular telecommunications system (Phase 2+); Call Forwarding (CF) supplementary services Stage 1".

SIST EN 300 955 V7.0.1:2003

(GSM 04.86 ve	rsion 7.0.1 Release 1998)	6	ETSI EN 300 955 V7.0.1 (2000-01)
[6]	GSM 02.83: "Digital cellular Hold (HOLD) supplementary		Phase 2+); Call Waiting (CW) and Call
[7]	GSM 02.84: "Digital cellular supplementary services - Stag		(Phase 2+); MultiParty (MPTY)
[8]	GSM 02.85: "Digital cellular supplementary services - Stag	•	(Phase 2+); Closed User Group (CUG)
[9]	GSM 02.86: "Digital cellular supplementary services - Stag	-	(Phase 2+); Advice of Charge (AoC)
[10]	GSM 02.88: "Digital cellular supplementary services - Stag		(Phase 2+); Call Barring (CB)
[11]	GSM 02.90: "Digital cellular Services Data (USSD) - Stag		(Phase 2+); Unstructured Supplementary
[12]	GSM 03.02: "Digital cellular	telecommunications system ((Phase 2+); Network architecture".
[13]	GSM 03.11: "Digital cellular supplementary services".	telecommunications system ((Phase 2+); Technical realization of
[14]	GSM 03.81: "Digital cellular supplementary services - Stag		(Phase 2+); Line identification
[15]	supplementary services - Stag	ge 2".	(Phase 2+); Call Forwarding (CF)
[16]	GSM 03.83: "Digital cellular Hold (HOLD) supplementary	telecommunications system (services - Stage 2"	Phase 2+); Call Waiting (CW) and Call
[17]	supplementary services - Sta	<u>gEN 300 955 V7.0.1:2003</u>	(Phase 2+); MultiParty (MPTY)
[18]		•	(Phase 2+); Closed User Group (CUG)
[19]	GSM 03.86: "Digital cellular supplementary services - Stag		(Phase 2+); Advice of Charge (AoC)
[20]	GSM 03.88: "Digital cellular supplementary services - Stag	r telecommunications system (ge 2".	(Phase 2+); Call Barring (CB)
[21]	GSM 03.90: "Digital cellular services operation - Stage 2".		(Phase 2+); Unstructured supplementary
[22]	GSM 04.02: "Digital cellular Network (PLMN) access refe	-	(Phase 2+); GSM Public Land Mobile
[23]	GSM 04.07: "Digital cellular signalling layer 3; General as	•	(Phase 2+); Mobile radio interface
[24]	GSM 04.08: "Digital cellular 3 specification".	telecommunications system ((Phase 2+); Mobile radio interface layer
[25]		r telecommunications system (pecification; General aspects".	(Phase 2+); Mobile radio interface layer
[26]		r telecommunications system (ecification; Formats and codin	(Phase 2+); Mobile radio interface layer g".

(GSM 04.86 version 7.0.1 Release 1998)

7

0.2 Abbreviations

Abbreviations used in the present document are listed in GSM 01.04.

1 Advice of Charge (Information) (AoCI)

1.1 Normal operation with successful outcome

On every successful request for an applicable telecommunications service, the served Mobile Station (MS) will be provided with charging information.

The network sends the Charge Advice Information (CAI) to the MS according to GSM 02.24, GSM 02.86 and GSM 03.86. With this information the MS is able to calculate the units associated with the requested service in real time. In the case where the served mobile is to be charged for multi party calls, separate processes within the MS are used to calculate units appropriate to each call. For unit calculation, each call is treated in the same way as a normal "two-party" call. Any change in the charging rate during a call may be indicated to the MS.

1.1.1 Call re-establishment

When the MS detects a radio link failure, the Chargeable Duration (CDUR) shall be suspended.

If a call re-establishment procedure is attempted, the MS shall resume the CDUR when:

- an MM connection has been successfully completed; and **PREVIEW**
- a TCH has been successfully seized in the appropriate mode. a)

1.1.2 MS originated call <u>SIST EN 300 955 V7.0.1:2003</u>

https://standards.iteh.ai/catalog/standards/sist/62fd2a8e-fea7-4c28-b5b4-

For an MS originated call, charging information is transferred to the MS as shown in figure 1.1. The charging information is acknowledged in a FACILITY message only if the MS supports the AoCI functionality specified in GSM 02.24 and GSM 02.86. AoCI refers to the Advice of Charge (Information) service.

MS

SETUP

Network

----->

etc.

CONNECT/FACILITY

Facility (Invoke = ForwardChargeAdvice (AoCI, ChargingInformation))

FACILITY/DISCONNECT

Facility (Return result)

Figure 1.1: Notification to the served mobile subscriber of the charging information in case of an originated call set up

1.1.3 MS terminated call

For an MS terminated call, where required, charging information is transferred to the MS as shown in figure 1.2. The charging information is acknowledged only if the MS supports the AoCI functionality specified in GSM 02.24 and GSM 02.86.