
INTERNATIONAL STANDARD



3320

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Fluid power systems and components – Cylinder bores and piston rod diameters – Metric series

Transmissions hydrauliques et pneumatiques – Alésages des vérins et diamètres des tiges de piston – Série métrique

First edition – 1975-11-01

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 3320:1975](#)

<https://standards.iteh.ai/catalog/standards/sist/1dab72a8-9c06-4aa7-884e-ac146450178f/iso-3320-1975>

UDC 621.8.032 : 62-181

Ref. No. ISO 3320-1975 (E)

Descriptors : hydraulic equipment, pneumatic equipment, hydraulic cylinders, pneumatic cylinders, bores, piston-rods, dimensions, metric system.

Price based on 2 pages

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3320 was drawn up by Technical Committee ISO/TC 131, *Fluid power systems and components*, and circulated to the Member Bodies in December 1973.

It has been approved by the Member Bodies of the following countries :

Australia	India	Sweden
Austria	Ireland	Switzerland
Belgium	Italy	Thailand
Brazil	Japan	Turkey
Czechoslovakia	New Zealand	United Kingdom
Finland	Romania	U.S.A.
Germany	South Africa, Rep. of	U.S.S.R.
Hungary	Spain	Yugoslavia

The Member Bodies of the following countries expressed disapproval of the document on technical grounds :

France
Poland

~~This International Standard cancels and replaces ISO Recommendations R 1939-1970 and R 2091-1971, of which it constitutes a technical revision.~~

Fluid power systems and components – Cylinder bores and piston rod diameters – Metric series

iTeh STANDARD PREVIEW (standards.iteh.ai)

0 INTRODUCTION

In fluid power systems, power is transmitted and controlled through a fluid (liquid or gas) under pressure within an enclosed circuit.

One component of such systems is the fluid power cylinder. This is a device which converts power into linear mechanical force and motion. It consists of a movable element, i.e. a piston and piston rod, operating within a cylindrical bore.

This International Standard is one of two relating to fluid power cylinder bores and piston rod diameters. The other, relating to an inch series, is ISO 3321, *Fluid power systems and components – Cylinder bores and piston rod diameters – Inch series*.

For future design purposes the metric series is to be preferred to the inch series.

1 SCOPE AND FIELD OF APPLICATION

This International Standard establishes a metric series of cylinder bores and piston rod diameters for application to hydraulic and pneumatic fluid power cylinders.

2 REFERENCE

ISO ..., *Fluid power – Vocabulary*.¹⁾

3 DEFINITIONS

3.1 cylinder : A device which converts fluid power into linear mechanical force and motion.

3.2 cylinder bore : The internal diameter of the cylinder.

3.3 piston rod : The element transmitting mechanical force and motion from the piston.

3.4 For definitions of other terms used, see ISO ...

1) In preparation.

4 DIMENSIONS


Refer to the figure for identification of bore and rod dimensions.

Select cylinder bores and piston rod diameters from the dimensions shown in table 1 and table 2.

5 IDENTIFICATION STATEMENT (Reference to this International Standard)

Use the following statement in test reports, catalogues and sales literature when electing to comply with this International Standard :

“Cylinder bores and piston rod diameters selected in accordance with ISO 3320, *Fluid power systems and components – Cylinder bores and piston rod diameters – Metric series*”.



d_1 = cylinder bore

d_2 = piston rod diameter

FIGURE – Identification of bore and rod dimensions

TABLE 1 – Cylinder bores

Dimensions in millimetres

d_1	8	10	12	16	20	25	32	40	50
	63	80	100	125	160	200	250	320	400

NOTE – An extension upwards of the diameter ranges may, if required, be made using the R 10 series of preferred numbers.

[ISO 3320:1975](https://standards.iteh.ai/catalog/standards/sist/1dab72a8-9c06-4aa7-884e-ac146450178f/iso-3320-1975)

<https://standards.iteh.ai/catalog/standards/sist/1dab72a8-9c06-4aa7-884e-ac146450178f/iso-3320-1975>

TABLE 2 – Piston rod diameters

Dimensions in millimetres

d_2	4	5	6	8	10	12	14	16	18	20	22	25
	28	32	36	40	45	50	56	63	70	80	90	100
	110	125	140	160	180	200	220	250	280	320	360	

NOTE – An extension upwards of the diameter ranges may, if required, be made using the R 20 series of preferred numbers.