



Designation: **E2430 – 05 (Reapproved 2013) E2430/E2430M – 13**

# Standard Specification For Expanded Polystyrene (“EPS”) Thermal Insulation Boards For Use In Exterior Insulation and Finish Systems (“EIFS”)<sup>1</sup>

This standard is issued under the fixed designation **E2430/E2430M**; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

## 1. Scope

1.1 This specification is for flat, uncoated expanded polystyrene thermal insulation boards for use in exterior insulation and finish systems (EIFS).

1.2 EIFS producers may have requirements in addition to, or different than, those in this specification.

1.3 The values stated in either SI units or inch-pound units are to be regarded separately as standard. The values given in parentheses are mathematical conversions to inch-pound units that are provided for information only and are not considered stated in each system may not be exact equivalents; therefore, each system shall be used independently of the other. Combining values from the two systems may result in non-conformance with the standard.

1.4 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

## 2. Referenced Documents

2.1 *ASTM Standards:*<sup>2</sup>

[C578 Specification for Rigid, Cellular Polystyrene Thermal Insulation](#)

[E631 Terminology of Building Constructions](#)

[E2110 Terminology for Exterior Insulation and Finish Systems \(EIFS\)](#)

## 3. Terminology

3.1 For general terminology regarding EIFS and building in general, see Terminology [E2110](#) (for EIFS terms) and Terminology [E631](#) (for buildings in general).

## 4. Ordering Information

4.1 The following information shall be provided when shipping materials under this specification.

4.1.1 Thickness, width and length,

4.1.2 Number of pieces,

4.1.3 Shipping address,

4.1.4 Required delivery date,

4.1.5 Billing information,

4.1.6 Certificate of compliance with this specification, and

4.1.7 EIFS producer name and product name for which insulation is to be used.

## 5. Requirements

5.1 The thermal insulation boards shall meet the following requirements.

5.1.1 Insulation boards shall meet the properties listed in Table 1 of Specification [C578](#) for Type I.

<sup>1</sup> This specification is under the jurisdiction of ASTM Committee [E06](#) on Performance of Buildings and is the direct responsibility of Subcommittee [E06.58](#) on Exterior Insulation and Finish Systems (EIFS).

Current edition approved March 15, 2013; Sept. 1, 2013. Published April 2013; September 2013. Originally approved in 2005. Last previous edition approved in 2005 as E2430 – 05–05 (2013). DOI: 10.1520/E2430-05R13; 10.1520/E2430\_E2430M-13.

<sup>2</sup> For referenced ASTM standards, visit the ASTM website, [www.astm.org](http://www.astm.org), or contact ASTM Customer Service at [service@astm.org](mailto:service@astm.org). For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.