



FINAL DRAFT International Standard

ISO/FDIS 9241-5

Ergonomics of human-system interaction —

Part 5: Workstation layout and postural requirements

Ergonomie de l'interaction homme-système —

*Partie 5: Aménagement du poste de travail et exigences relatives
aux postures*

ISO/TC 159/SC 4

Secretariat: **BSI**

Voting begins on:
2024-04-17

Voting terminates on:
2024-06-12

[ISO/FDIS 9241-5](https://standards.iteh.ai/catalog/standards/iso/32cbd22e-dbd1d-44cd-bde8-1a1a42d17cad/iso-fdis-9241-5)

<https://standards.iteh.ai/catalog/standards/iso/32cbd22e-dbd1d-44cd-bde8-1a1a42d17cad/iso-fdis-9241-5>

ISO/CEN PARALLEL PROCESSING

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 9241-5

<https://standards.iteh.ai/catalog/standards/iso/32cbd22e-db1d-44cd-bde8-1a1a42d17cad/iso-fdis-9241-5>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Guiding principles	4
4.1 General considerations	4
4.2 Versatility and flexibility	4
4.3 Fit	5
4.4 Postural change	5
4.5 User information	5
4.6 Maintainability-adaptability	5
5 Design requirements and recommendations	6
5.1 General	6
5.2 Postures	6
5.2.1 Design reference posture(s)	6
5.2.2 Sitting postures	7
5.2.3 Standing and sit and stand postures	7
5.2.4 Intermediate postures between sitting and standing — Perching	7
5.3 Ease of adjustment	9
5.4 Support surfaces	10
5.4.1 General considerations and recommendations	10
5.4.2 Clearances under worksurfaces	10
5.4.3 Viewing distances and angles of view	11
5.4.4 Finish of the worksurface	12
5.4.5 Safety and stability aspects of workstations	13
5.4.6 Energy loss to contact surfaces	13
5.5 Work chair	13
5.5.1 General considerations	13
5.5.2 Parameters related to fit	13
5.5.3 Dynamic aspects of seating	14
5.5.4 Back support	15
5.5.5 Arm support	15
5.6 Additional support elements	16
5.6.1 Document holders	16
5.6.2 Footrest	16
5.6.3 Support for the hands, wrists and forearms	16
5.6.4 Workstations with monitor arm	17
5.7 Layout of workstations within the workspace	17
5.7.1 General considerations	17
5.7.2 Cable management	18
6 Conformity	18
7 Measurement	18
7.1 Support surfaces	18
7.2 Safety and stability aspects of workstations	19
7.3 Seat height	19
7.4 Castors	19
7.5 Layout of workstations within the workspace	19
Annex A (informative) Anthropometric data needed for workstation design and selection	20
Bibliography	27

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 159, *Ergonomics*, Subcommittee SC 4, *Ergonomics of human-system interaction*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 122, *Ergonomics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 9241-5:1998), which has been technically revised.

The main changes are as follows:

- Expansion and correction of Clause 3.
- Additional information added to Clause 4.
- Additional requirements and recommendations given in Clause 5.
- Revision of Annex A.

A list of all parts in the ISO 9241 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The purpose of this document is to promote and enhance performance and comfort while minimizing risks to users' safety and health. Users of interactive systems typically adopt a range of postures, such as seated with leaning, upright or reclining torso, standing, or a combination. Workplaces which accommodate such usage can encourage movement, promote comfort and reduce physical, mental and visual problems.

This document is intended for use by product and workstation designers and implementers.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/FDIS 9241-5](https://standards.iteh.ai/catalog/standards/iso/32cbd22e-db1d-44cd-bde8-1a1a42d17cad/iso-fdis-9241-5)

<https://standards.iteh.ai/catalog/standards/iso/32cbd22e-db1d-44cd-bde8-1a1a42d17cad/iso-fdis-9241-5>

Ergonomics of human-system interaction —

Part 5: Workstation layout and postural requirements

1 Scope

This document specifies ergonomic guiding principles which apply to the requirements, design and procurement of workstation equipment for using interactive systems with visual displays.

In particular, the general principles and requirements specified in this document apply to the technical design of furniture and equipment constituting the workplace. They are intended for use by product and workstation designers and implementers.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9241-11:2018, *Ergonomics of human-system interaction — Part 11: Usability: Definitions and concepts*

ISO 9241-302:2008, *Ergonomics of human-system interaction — Part 302: Terminology for electronic visual displays*

CIE S 017:2020, *ILV: International Lighting Vocabulary*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 angle of view

angle between the line of sight and the line orthogonal to the surface of the display at the point where the line of sight intersects the image surface of the display

[SOURCE: ISO 9241-302:2008, 3.3.5, modified — Definition revised.]

3.2 anthropometric data

data relating to the study and measurement of the physical dimensions of the human body

3.3 armrest

support for the lower arms

3.4

back rest

part of a work chair which provides support for the back

3.5

castor

wheeled component on the bottom of furniture to facilitate appropriate movement on the floor surface

3.6

design reference posture

posture specified for the purpose of workstation design to define relative positions and dimensions

3.7

deviation

alteration from the neutral position

3.8

dynamic posture

body position which changes with relative movements of the limbs or other parts of the human body in relation to one another or with respect to a fixed object (e.g. a workstation)

3.9

extension

movement that increases the angle between two adjacent bones

Note 1 to entry: Dorsal pertains to the back of the hand, and palmar pertains to the palm.

Note 2 to entry: Hand extension is the movement of the hand in the dorsal direction.

Note 3 to entry: Neck extension (cervical extension) is the movement of the head backward.

3.10

flexion

movement that decreases the angle between two adjacent bones

Note 1 to entry: Palmar pertains to the palm of the hand.

Note 2 to entry: Hand flexion is the movement of the hand in the palmar direction.

Note 3 to entry: Neck flexion is the movement of lowering the chin down to the chest.

3.11

gloss

mode of appearance by which reflected highlights of objects are perceived as superimposed on the surface due to the directionally selective properties of that surface

[SOURCE: CIE S 017:2020, 17-24-080]

3.12

gloss unit

measure for quantifying the gloss of a surface

3.13

interactive system

combination of hardware and/or software and/or services and/or people that users interact with in order to achieve specific goals

Note 1 to entry: This includes, where appropriate, packaging, user documentation, online and human help, support and training.

[SOURCE: ISO 9241-11:2018, 3.1.5]

3.14

kyphosis

convex curvature of the thoracic spine

3.15

intended user population

group of human beings for which a product or a workstation is designed

EXAMPLE

Male and female workers of South-East Asian origin, aged between 45 and 65 years.

3.16

line-of-sight angle

angle between a horizontal line and the visual axis of the eye
Note 1 to entry: The visual axis of the eye is the line connecting the point of fixation and the centre of the pupil.

3.17

lordosis

concave curvature of the spine

3.18

lumbar

region of the back between the thorax and the pelvis

3.19

popliteal

back of the knee

3.20

posture

overall position of the body, or body parts in relation to each other, with respect to the workplace and its components

3.21

reference plane

surface designed to support the feet

Note 1 to entry: If not otherwise indicated, the reference plane is the ground. Any other level higher or lower than ground level may be used as a reference plane for the calculation of the height of support surfaces.

3.22

static posture

adoption of a body position which is fixed over time and where there is muscle contraction without motion

3.23

task analysis

analytical process employed to determine the specific behaviours required of people when operating equipment or doing work

Note 1 to entry: The task analysis is not a risk assessment of the workplace according to legal requirements.

3.24

workplace

arrangement of workstations allocated to one person to complete a work task

3.25

workspace

volume of space allocated to one or more persons in the work system to complete a work task

3.26

worksurface

surface on which equipment and task materials are used

3.27**workstation**

assembly comprising display equipment, with or without a central processing unit, which can be provided with either or all of the following:

- keyboard;
- input device;
- software determining the operator-machine-interface

and includes optional accessories, peripherals and the immediate work environment

4 Guiding principles**4.1 General considerations**

Workplace design should be based on the task requirements. Therefore, it should be preceded by an analysis of the tasks that it is to support. Such an analysis should give information about the different tasks and subtasks which are performed and about the use of related equipment. It should also identify the relative priority given to different information sources within the user's task, with respect to placement of displays, equipment location and job aids. For example, in many data-entry tasks, viewing of the hard copy has greater priority than viewing of the display. For many other tasks, the visual display is the main source of information and needs to be placed accordingly.

The task analysis should take into account:

- a) major tasks and their interrelationships: frequency, importance, position of visual objects, duration and type of use of all associated equipment and their interrelationships;
- b) the position and use of the hands: implications for posture, reach and device manipulation by the relative positioning of the equipment and task materials, frequency, duration and complexity of movements.

Task analysis should also reference type of work, for example individual or collaborative, as well as whether it is a shared workspace.

For the design and selection of workplaces, the following five interrelated principles apply:

- versatility-flexibility;
- fit;
- postural change;
- user information;
- maintainability-adaptability.

Clause 4 provides general principles and guidelines underlying the requirements and recommendations given in [Clause 5](#).

4.2 Versatility and flexibility

Workstations should enable the intended user population to perform a range of tasks comfortably and efficiently. In addition, workstation design should be appropriate for the range of tasks to be performed at the workstation, taking into account user characteristics (e.g. keyboard skills, anthropometric variation and user preferences). It should also be dependent upon usage times, such that the longer the time spent at the interactive system, the more important is the observance of good workstation design.

4.3 Fit

Selection and design of furniture and equipment necessitates a fit to be achieved between a range of task requirements and the needs of users. The concept of fit concerns the extent to which furniture and equipment (e.g. work chairs, worksurfaces, visual display units, input devices) can accommodate individual users' needs.

Good fit is needed for the intended user population, including users sharing workstations and users with special needs. Fit can be accomplished by furniture built for a specified use (or user) or provided in a range of sizes and forms or by adjustability and combinations thereof.

Since workstations cannot be custom-made for individual users, except under special circumstances, some alternative forms of ensuring a good fit are needed. The extent to which the workstation provides a good fit between the requirements of users and their work should be of primary consideration.

There is an important limitation regarding the fit estimates achieved when using percentile values to define workspace parameters; for example, the use of 5th to 95th percentile anthropometric values as suggested in 5.4.2. The range between the minimal 5th percentile value and the maximal 95th percentile value always accommodates at least 90 % of the intended users for that single dimension. However, combining two or more dimensions defined by percentile values generally reduces the percentage of users accommodated. For example, a chair seat has dimensions of height, length and width. Each dimension can accommodate 90 % of the users separately, but the actual fit or accommodation on all three variables at the same time is almost always less than 90 %, theoretically ranging approximately between 70 % and 90 %. For further discussion of the limitations of percentile values in multivariate designs, see Reference [11]. For an introduction to some multivariate techniques used to estimate multivariate fit, see ISO/TR 9241-514.

4.4 Postural change

The workplace organization, the task and the furniture should encourage voluntary postural changes.

Postures adopted by users and the need for changes in posture are markedly influenced by work organization and, in particular, task requirements.

4.5 User information

Users should be informed why and how the furniture and other devices (e.g. support for the visual display unit) should be adjusted.

Where specific skills are required for achieving a comfortable and efficient workplace, adequate user information and training in such skills should be provided. For example, in adjusting work chair or worksurface heights or finding a satisfactory viewing distance. The design of furniture should be intuitive and minimize the need for training and for user information.

Guidance and training on these factors should be given to users to ensure that they are fully acquainted with the design and functioning of the workplace and feel competent and confident to use the workplace properly. In particular, training should ensure that users are familiar with the mechanisms of adjustment and how to decide when furniture adjustment is needed for the individual user and task.

4.6 Maintainability-adaptability

Requirements for task performance, in addition to workplace design, should also take into account factors such as maintenance, accessibility and the ability of the workplace to adapt to changing requirements.

Workstation designers should take into account whether access for maintenance can be accomplished easily and how disruption to ongoing task performance can be minimized.

Workstation design should also facilitate the adaptation of furniture and equipment in response to changing requirements and circumstances.