



FINAL DRAFT International Standard

ISO/FDIS 6182-18

Fire protection — Automatic sprinkler system —

Part 18:

Requirements and test methods for flexible sprinkler hose

*Protection contre l'incendie — Systèmes d'extinction
automatiques du type sprinkler —*

*Partie 18: Exigences et méthodes d'essai pour sprinkler à tuyau
flexible*

[ISO/FDIS 6182-18](https://standards.iteh.ai/ISO/FDIS-6182-18)

ISO/TC 21/SC 5

Secretariat: **ANSI**

Voting begins on:
2025-05-20

Voting terminates on:
2025-07-15

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT,
WITH THEIR COMMENTS, NOTIFICATION OF ANY
RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE
AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS
BEING ACCEPTABLE FOR INDUSTRIAL, TECHNO-
LOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT
INTERNATIONAL STANDARDS MAY ON OCCASION HAVE
TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL
TO BECOME STANDARDS TO WHICH REFERENCE MAY BE
MADE IN NATIONAL REGULATIONS.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 6182-18

<https://standards.iteh.ai/catalog/standards/iso/b7ee7788-9e2d-4486-bad9-1c04a06984d0/iso-fdis-6182-18>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Product consistency	3
5 Requirements	3
5.1 Nominal sizes	3
5.2 Rated working pressure	3
5.3 Dimensions	3
5.3.1 Flexible hose length	3
5.3.2 Inlet fitting	3
5.3.3 Outlet fitting	3
5.3.4 End connections	3
5.3.5 Minimum inside diameter	3
5.4 Materials	4
5.5 Tolerance	5
5.6 Performance	5
5.6.1 Dimensional examination	5
5.6.2 Change of length	5
5.6.3 Leakage	5
5.6.4 Hydrostatic strength	5
5.6.5 Vacuum	5
5.6.6 Pressure cycling	5
5.6.7 U-bend fatigue	6
5.6.8 Arc bend fatigue	6
5.6.9 Anchoring components mechanical strength	6
5.6.10 Vibration	6
5.6.11 High pressure flow	6
5.6.12 Pressure loss (equivalent length determination)	6
5.6.13 High temperature exposure	6
5.6.14 Low temperature exposure	6
5.6.15 Salt spray corrosion	7
5.6.16 Moist ammonia air stress cracking	7
5.6.17 Stress corrosion cracking	7
5.6.18 Metallic coating thickness	7
6 Test methods	7
6.1 Dimensional examination test	7
6.2 Change of length test	7
6.3 Leakage test	7
6.4 Hydrostatic strength test	8
6.5 Vacuum test	8
6.6 Pressure cycling test	8
6.6.1 Test option 1	8
6.6.2 Test option 2	8
6.7 U-bend fatigue test	9
6.8 Arc bend fatigue test	9
6.9 Anchoring components mechanical strength test	10
6.10 Vibration test	11
6.11 High pressure flow test	12
6.12 Pressure/Friction loss test	12
6.13 High temperature exposure test	13
6.14 Low temperature exposure test	13
6.15 Salt spray corrosion test	14

ISO/FDIS 6182-18:2025(en)

6.16	Moist ammonia air stress cracking test.....	14
6.17	Stress corrosion cracking test.....	15
6.18	Metallic coating thickness test.....	15
6.18.1	General.....	15
6.18.2	Gravimetric determination of the mass per area.....	15
6.18.3	Measurement of coating thickness by X-ray spectrometry	15
6.18.4	Magnetic determination of coating thickness.....	16
6.18.5	Other methods.....	16
7	Markings	16
8	Manufacturer's installation instructions	16
9	Manufacturer's quality control testing and requirements	17
	Annex A (normative) Tolerances	18
	Bibliography	19

iTeh Standards (<https://standards.itih.ai>) Document Preview

ISO/FDIS 6182-18

<https://standards.itih.ai/catalog/standards/iso/b7ee7788-9e2d-4486-bad9-1c04a06984d0/iso-fdis-6182-18>