

# FINAL DRAFT International Standard

### **ISO/FDIS 21456**

Determination of the residual stress of TGO layer in thermal barrier coating by photoexcitation fluorescence piezoelectric spectroscopy

(https://standards.iteh Document Preview

ISO/TC 107

Secretariat: KATS

Voting begins on: **2024-12-13** 

Voting terminates on: 2025-02-07

**ISO/FDIS 21456** 

https://standards.iteh.ai/catalog/standards/iso/7b43efa3-656e-4(cc-83e6-1190e96ab7db/iso-fdis-21456

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

## iTeh Standards (https://standards.iteh.ai) Document Preview

**ISO/FDIS 21456** 

https://standards.iteh.ai/catalog/standards/iso/7b43efa3-656e-40cc-83e6-1190e96ab7db/iso-fdis-21456



#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	tents	Page
Forew	vord	iv
Intro	duction	<b>v</b>
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principle 4.1 General 4.2 Principle of measuring residual stress by photo-excited fluorescence piezoelectric spectroscopy	3
5	Test methods  5.1 General  5.2 Test specimen  5.3 PFPS device calibration  5.4 Setting of detection conditions  5.5 Sample focusing  5.6 Detection of Raman peaks  5.7 Data acquisition	3 4 4 4
6	Calculation of stress	4
7	Reliability	
8	Test report ITeh Standards	7
Annex	x A (informative) Example of the determination of the residual stress of the TGO layer in TBC by photoexcited fluorescence piezoelectric spectrum	9
Biblio	graphy Document Preview	11

**ISO/FDIS 21456** 

https://standards.iteh.ai/catalog/standards/iso/7b43efa3-656e-40cc-83e6-1190e96ab7db/iso-fdis-21456

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <a href="https://www.iso.org/patents">www.iso.org/patents</a>. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 107, Metallic and other inorganic coatings.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

**ISO/FDIS 21456** 

https://standards.iteh.ai/catalog/standards/iso/7b43efa3-656e-40cc-83e6-1190e96ab7db/iso-fdis-21456

#### Introduction

The thermally grown oxide (TGO) layer of a thermal barrier coating (TBC) is the fundamental cause of interface crack and eventual spalling failure of the ceramic layer. Therefore, the TGO layer and its interfaces with each layer are risky areas for TBC failure and peeling. The residual stress in the TGO of a TBC can be determined using the photoexcitation fluorescence piezoelectric spectroscopy (PFPS) method. This provides an important basis for the lifetime evaluation of TBC and to understand the failure mechanism of the TBC.

This method to test the residual stress in the TGO layer is a non-destructive testing method, unlike the curvature and drilling methods, which cause damage to the sample. Unlike x-ray diffraction, the penetration depth is only tens of micrometers.

The inclusion of Cr<sup>3+</sup> in the TGO of a TBC is a prerequisite for testing the residual stress of the TGO layer of TBC by photoexcited fluorescence piezoelectric spectroscopy. No matter what method is used to prepare the TBC system, the bond coat contains a Cr element.

The size, shape and composition of the substrate material are not specified and differentiated. In addition, the preparation method of the TBC is not specified and differentiated.

The residual stress of the TGO layer is one of the main factors causing the failure of the TBC. However, no standard document is available for the test method process and the result of the photoexcited fluorescence piezoelectric spectroscopy test of residual stress in the TGO layer of the TBC. Therefore, it is necessary to develop a standardized and unified test method process that is conducive to the formation, simulation and testing of residual stress in the TGO layer of the TBC and even the prediction of the service life of the TBC.

iTeh Standards (https://standards.iteh.ai) Document Preview

**ISO/FDIS 21456** 

https://standards.iteh.ai/catalog/standards/iso//b43efa3-656e-40cc-83e6-1190e96ab/db/iso-fdis-21456

## iTeh Standards (https://standards.iteh.ai) Document Preview

**ISO/FDIS 21456** 

https://standards.iteh.ai/catalog/standards/iso/7b43efa3-656e-40cc-83e6-1190e96ab7db/iso-fdis-21456