

Designation: F2532 - 06 F2532 - 13

Standard Guide for Determining Net Environmental Benefit of Dispersant Use¹

This standard is issued under the fixed designation F2532; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (\$\epsilon\$) indicates an editorial change since the last revision or reapproval.

1. Scope

- 1.1 This guide covers considerations in <u>determiningassessing</u> net environmental benefit of dispersant use on oil spills. The purpose of this guide is to minimize environmental and socioeconomic impacts of oil spills.
- 1.2 Net environmental benefit analysis (NEBA) of all response options should be conducted as part of oil spill contingency planning.
- 1.3 There are many methods to control or cleanup oil spills. Dispersants All spill response options should be given equal consideration with other spill response options.consideration.
- 1.4 Only general guidance is provided here. It is assumed that the crude or fuel oil is dispersible. The dispersant is assumed to be <u>relatively</u> effective, applied correctly, and in compliance with relevant government regulations. Differences between commercial dispersants or between different oils are not considered in this guide.
 - 1.5 This guide applies to marine and estuarine environments only.
 - 1.6 When making dispersant use decisions, appropriate government authorities should be consulted as required by law.
- 1.7 This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

2. Referenced Documents

2.1 ASTM Standards:²

F1788 Guide for In-Situ Burning of Oil Spills on Water: Environmental and Operational Considerations
F2205 Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments

3. Significance and Use

- 3.1 Net Environmental Benefit Analysis (NEBA) <u>when applied to oil spill response</u>, is the process of considering advantages and disadvantages of different spill response options (including no response) to arrive at a no response baseline) and comparing them to identify a spill response decision resulting in the lowest overall environmental and socioeconomic <u>impacts.impacts from an oil spill and the response to that spill.</u>
- 3.2 Spill response will likely involve some combination of response options. There are no response methods that are completely effective or risk-free. NEBA should be conducted with appropriate regulatory agencies and other organizations as part of spill response contingency planning. NEBA is important for pre-spill planning since some response options have a limited window of opportunity.

4. Net Environmental Benefit Analysis for Oil Spill Response

4.1 The objective of NEBA is to choose the oil spill response option that will result in the lowest overall negative impact on the environment. The NEBA should focus on local and regional areas of concern and should result in decisions based on what is best for a specific location. With NEBA comes the recognition that, regardless of the response option chosen, some impact will

¹ This guide is under the jurisdiction of ASTM Committee F20 on Hazardous Substances and Oil Spill Response and is the direct responsibility of Subcommittee F20.13 on Treatment.

Current edition approved April 1, 2006 Dec. 1, 2013. Published April 2006 January 2014. Originally approved in 2006. Last previous edition approved in 2006 as F2532–06. DOI: 10.1520/F2532-06.10.1520/F2532-13.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.



occur. Tables 1 and 2 Table 1 and Table 2 and Appendix X1 and Appendix X4 provide considerations for use in the NEBA process. Appendix X2 and Appendix X3 present an ecological risk assessment method for determining the net environmental benefit of dispersant use.

- 4.2 The NEBA process involves several tasks (1, 2).³
- 4.2.1 Gather information on habitats and species of concern, physical and chemical characteristics of the spilled oil, shoreline geomorphology, potential socioeconomic impacts, and spill response options. Resource trustees, area contingency plans, and environmental sensitivity maps are good sources of information.
- 4.2.2 Consider the relative importance of natural resources. resources and their vulnerability and sensitivity to oiling in the region and time period of interest.
 - 4.2.3 Review oil spill case histories and experimental data relevant to the spill location and response options being assessed.
- 4.2.4 Compare advantages and disadvantages of response options including no response (see <u>Table 1</u>). <u>Computer models. can</u> be used to evaluate tradeoffs of dispersant use. The models can estimate the volume of water adversely affected by physically or

TABLE 1 Pros and Cons of Spill Response Options

D M. II I	TABLE 1 Pros and Cons of Spill Response Options		
Response Method	Advantages	Disadvantages	
No response (monitor only)	appropriate for spills that do not threaten shorelines used when other response options may cause more damage than natural removal	can be politically unacceptable potential wildlife exposure wind direction could shift resulting in oil stranding onshore	
	used when environmental conditions do not allow use of other response methods	wind direction could shift resulting in oil stranding crishole	
Mechanical on-water	removes oil from environment allows recycling and proper disposal of recovered oil	wind, waves, and currents can limit containment and recovery debris and viscous oil problematic	
recovery	(https://standard	limited recovery of spilled oil due to encounter rates in large spills storage and disposal of recovered oil may be limited equipment and labor intensive	
Dispersants	prevents or reduces oiling of wildlife	time frame for effective use may be limited due to	
	prevents or reduces oil stranding onshore	slick thickness, weathering, emulsification	
	reduced or no storage and disposal of oil	less effective on high viscosity oils or in highly	
	reduces or prevents formation of mousse	emulsified oil	
	enhances natural degradation processes	oil concentrations in water column typically	
	rapid treatment of large areas reduces adherence of oil to suspended particulates and inhibits	greater when dispersant used than when oil is naturally dispersed resulting in increased impacts	
	sedimentation of oil and alog/standards/sist/78be73a8-a0a	on organisms in upper 10 m of water column	
	a sedimentation of oil catalog standards/SISU / OUC / 3a0-ava	exclusion zones may be created based on water	
		depth, distance from shore, limited water	
		circulation, presence of marine sanctuary or water	
		intakes, etc.	
		can be politically unacceptable	
Di		Oil is left in the continuous at	
Dispersants	prevents or reduces oiling of wildlife	Oil is left in the environment	
	prevents or reduces oil stranding onshore	time frame for effective use may be limited due to	
	reduced or no storage and disposal of oil	slick thickness, weathering, emulsification	
	reduces or prevents formation of mousse	less effective on high viscosity oils or in highly	
	rapid treatment of large areas	emulsified oil	
	See Guide F2205.	oil concentrations in water column typically greater when dispersant used than when oil is	
		naturally dispersed resulting in increased impacts	
		on organisms in upper 10 m of water column	
		exclusion zones may be created based on water	
		depth, distance from shore, limited water	
		circulation, presence of marine sanctuary or water	
		intakes, etc.	
		can be politically unacceptable	
		Treated oil may resurface	
		Treated oil is hard to recover with skimmers	
In-situ Burning	reduced or no storage and disposal of oil	time frame for effective use may be limited due to slick thickness and	
situ Durilling	may prevent or reduce oil stranding onshore	emulsification	
	prevents or reduces oiling of wildlife	wind, waves, and currents may make ignition difficult	
	See Guide F1788	weathered oil difficult to ignite	
	300 Galac I 1700	2 to 3 mm minimum slick thickness for ignition	
		air pollution issues (smoke)	
		can have burn residues that sink	
		can be politically unacceptable	

³ The boldface numbers in parentheses refer to the list of references at the end of this standard.



TABLE 2 Risk Considerations for Dispersant Use

Oil Location	Risk Drivers	Priorities
Nater surface	oil type persistence size of oil slick advection time/distance before oil comes ashore	birds, marine mammals, sea turtles, endangered/protected species
Water column	oil type oil concentrations advection depth dilution potential rate of water exchange exposure duration food web contamination proximity to water intakes season life stages of species of concern biological recovery time	commercial or subsistence fisheries coral reefs seagrass beds endangered/protected species tourist/recreational areas
Shoreline	oil type persistence season extent of oiled shoreline oil thickness natural cleansing (wave and tidal action) shoreline accessibility	intertidal communities marshes mangroves bird concentration areas marine mammals endangered/protected species tourist/recreational areas
<u>Shoreline</u>	biological recovery time oil type persistence season extent of oiled shoreline oil thickness natural cleansing (wave and tidal action) shoreline accessibility biological recovery time	intertidal communities marshes mangroves bird concentration areas endangered/protected species tourist/recreational areas subsistence harvesting mariculture fish spawning areas archeological/historical sites

chemically dispersed oil and the surface area impacted by floating oil. Adverse effects are based on toxicity to aquatic organisms and density of wildlife species present in the spill area. Different model scenarios can be run in order to evaluate tradeoffs of dispersant use or non-use.

- 4.2.5 Predict potential environmental impacts for chosen response method.option.
- 4.2.6 Weigh advantages and disadvantages of response options in relation to ecological value and human use of impacted area.
- 4.2.7 Choose the optimum response method.
- 4.3 Conflicts during the NEBA process are inevitable (1, 2). Conflicts may arise regarding protection of one species or ecological habitat over another. Conflicts may occur between environmental and socioeconomic interests. It is desirable that agreements are reached before a spill occurs. Some examples of potential conflicts are presented here.
- 4.3.1 Dispersing oil can decrease the potential for birds becoming oiled from surface slicks. Dispersant use can increase the exposure of aquatic organisms to oil in the water column.
- 4.3.2 Dispersing oil can decrease the potential for adverse effects to marshes threatened by stranding oil. Dispersants can increase the potential for adverse affects to seagrass beds exposed to chemically dispersed oil.
- 4.3.3 Dispersing oil can decrease the potential for adverse effects to mangroves threatened by stranding oil. Oil chemically dispersed in the water column can cause adverse effects to coral reef organisms.

5. Keywords

5.1 benefit analysis; dispersant; ecological risk assessment; NEBA

APPENDIXES

(Nonmandatory Information)

X1. FACTORS TO CONSIDER WITH DISPERSANT USE

Accessibility to the oil spill Amount of oil spilled Aquatic toxicity of chemica

Aquatic toxicity of chemically dispersed oil

Areas of socioeconomic importance

Commercial fisheries or subsistence fishing in spill area

Critical ecological habitats (feeding, migratory, nesting, spawning etc.) in

spill area

Designated exclusion zones for certain response methods

Effectiveness of other response methods

Equipment and trained personnel readily available

Expected environmental recovery time for each response option

Expected time of oil stranding onshore or entering an environmentally

sensitive area

How quickly can equipment be deployed?

Meteorological conditions (wind speed and direction, inclement weather)

Oceanographic conditions (salinity, wave height, current velocity/direction,

tides, water depth)

Oil type, viscosity, weathered state

Presence of sensitive archaeological or historical sites

Regulatory approvals in place

Safety issues

Shoreline type and vulnerability

Shoreline accessibility

Slick thickness

Threatened/endangered species

Vulnerability of valued habitat or species to oiling

Window of opportunity for each response method

Note X1.1—The above factors are not weighted equally and will vary depending on regional priorities.

X2. ECOLOGICAL RISK ASSESSMENT METHOD FOR DISPERSANT USE PLANNING

(3, 4, 2, 5, 6, 7)

ASTM F2532-13

X2.1 Phase 1 Problem Formulation (Refer to Appendix X1) a8-a0af-4e08-9084-74f08aadabe2/astm-f2532-13

- X2.1.1 Identify stakeholders.
- X2.1.2 Identify ecological resources of concern.
- X2.1.3 Create spill scenarios
- X2.1.4 Identify endpoints for ecosystem protection and recovery.
- X2.1.5 Identify response options and scenarios to be evaluated.
- X2.1.6 Identify potential effects of response options alone, response options in combination with oil, and oil alone.
- X2.1.7 Develop conceptual model of the ecosystem affected.

X2.2 Phase 2 Analysis (Refer to X3.1)

X2.2.1 Characterize ecological effects (toxicity, physical effects) and environmental data for various response options alone, response options in combination with oil, and oil alone.