



FINAL DRAFT International Standard

ISO/FDIS 23505

Petroleum and liquid petroleum products — Calibration of spherical tanks — External electro-optical distance-ranging method

*Pétrole et produits pétroliers liquides — Jaugeage des réservoirs
sphériques — Méthode par mesurage électro-optique externe de
la distance*

ISO/TC 28/SC 2

Secretariat: **BSI**

Voting begins on:
2025-05-16

Voting terminates on:
2025-07-11

Itch Standards
standards.itch.ai
Document Preview

ISO/FDIS 23505

<https://standards.itch.ai/catalog/standards/iso/e61753c2-c887-41de-9f5e-51d9cc7ab0cb/iso-fdis-23505>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 23505

<https://standards.iteh.ai/catalog/standards/iso/e61753c2-c887-41de-9f5e-51d9cc7ab0cb/iso-fdis-23505>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Precautions	2
6 Equipment	2
7 General considerations	3
8 Determination of the number and location of stations	3
9 Determination of the number and position of tangential target points	4
10 Calibration procedure	5
10.1 Instrument set-up	5
10.2 Establishment of the reference target point	5
10.3 Measurement procedure	6
10.4 Measurement of the height of the spherical tank on the vertical centre line	8
11 Other measurements	9
12 Calculation and development of capacity tables	9
12.1 General requirements	9
12.2 Calculation of the inner radius of the spherical tank	10
12.2.1 Spherical radius at tangential target point	10
12.2.2 Spherical radius obtained at the station	10
12.2.3 Outer radius of spherical tank	10
12.2.4 Average wall thickness of spherical tank	10
12.2.5 Inner radius of spherical tank	11
12.2.6 Inner radius of spherical tank at reference temperature	11
12.3 Calculation of the total internal height of the spherical tank on the vertical centre line	11
12.4 Inspection of calibration data	12
12.5 Calculation of the total volume of the spherical tank at reference temperature and working pressure	12
12.6 Calculation of partial volume of spherical tank at reference temperature and working pressure	13
Annex A (informative) Calibration uncertainties	14
Annex B (informative) Effect of thermal changes on spherical tank shells	23
Annex C (normative) Certificate of calibration	24
Bibliography	25

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 28 *Petroleum and related products, fuels and lubricants from natural or synthetic sources*, Subcommittee SC 2, *Measurement of petroleum and related products*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/FDIS 23505

<https://standards.iteh.ai/catalog/standards/iso/e61753c2-c887-41de-9f5e-51d9cc7ab0cb/iso-fdis-23505>

Petroleum and liquid petroleum products — Calibration of spherical tanks — External electro-optical distance-ranging method

1 Scope

This document specifies a method for the calibration of spherical tanks with a radius greater than 1 m by means of external measurements using an electro-optical distance-ranging instrument (EODR). It also specifies the subsequent calculation and the compilation of tank capacity tables.

This document applies to spherical tanks built above ground, that are non-insulated, single-shell and with a radial variation up to 1 %. The method specified in this document can also apply to spherical tanks built above the deck when the carrying ship is in the dock.

This document does not apply to the calibration of spheroidal tanks.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4512, *Petroleum and liquid petroleum products — Equipment for measurement of liquid levels in storage tanks — Manual methods*

ISO 7507-1:2003, *Petroleum and liquid petroleum products — Calibration of vertical cylindrical tanks — Part 1: Strapping method*

ISO 7507-4:2010, *Petroleum and liquid petroleum products — Calibration of vertical cylindrical tanks — Part 4: Internal electro-optical distance-ranging method*

ISO 7507-5, *Petroleum and liquid petroleum products — Calibration of vertical cylindrical tanks — Part 5: External electro-optical distance-ranging method*

IEC 60825-1, *Safety of laser products — Part 1: Equipment classification and requirements*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 7507-1, ISO 7507-5 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 station

position from which measurements of angles and slope distance are made