ISO/TC 197

Secretariat:-\_SCC

Date: 2025-XX-XX03-28

Gaseous hydrogen — Fuelling stations —

Part 5:

Dispenser hoses and hose assemblies

(https://standards.iteh.ai)
Document Preview

ISO/FDIS 19880-5

FDIS stage

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: + 41 22 749 01 11

EmailE-mail: copyright@iso.org Website: www.iso.org

Published in Switzerland

# iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 19880-5

https://standards.iteh.ai/catalog/standards/iso/6c178153-874b-4257-bef8-4480db816ad4/iso-fdis-19880-5

# **Contents**

Foreword	<u></u> vi
Introduction	<u></u> vii
1 Scope	1
2 Normative references	2
3 Terms and definitions	3
4 Classification	
5 Materials and construction	
6 Dimensions and tolerances	
8 Marking	
9 Instruction manual	
10 Test report	<u></u> 31
Annex A (normative) Type tests and routine tests	32
Annex B (informative) Production acceptance tests	34
Annex C (normative) Hydrogen impulse test	35
Bibliography	
(https://standards.iten.ar)	
Foreword Document Preview	vii
Introduction	
Gaseous hydrogen — Fuelling stations — Part 5: Dispenser Hoses and hose assemblies 1—Scope	dis-19880-5
Figure 1 —Scope and definition of Hose assembly and fitting	
2—Normative references	
3—Terms and definitions	<del>3</del>
4—Classification	<del>7</del>
Table 1 — Hose assembly pressure levels	<del>8</del>
5—Materials and construction	
5.1—General	
5.2 Lining5.3 Reinforcement	<del>8</del>
5.4 Cover	
5.5—Static electricity dissipation	
5.5.1—General	
5.5.2—External surface	
5.5.3—Internal surface	<del>9</del>
6—Dimensions and tolerances	<del>9</del>
Table 2 — Typical diameters and concentricity of hoses	<u>9</u>
7—Performance requirements and testing	

<del>7.1</del> —	-General	10
7.2	Leakage test	10
7.2.1	-General	10
7.2.2	Type tests - Method A	10
	2 3 — Schematic apparatus for Method A	
Figure	23 — Schematic apparatus for Method A	11
	Routine tests - Method B	
	Hydrostatic strength	
	Proof pressure test	
	-Ultimate strength	
	-Electrical conductivity	
	Tensile test of hose assembly	
7.5.1	General	<del>13</del>
Figure	24 — Tensile test of hose assembly	12
0	Test method	
	Vertical load strength	
	-vertical load strength	
<b>Figure</b>	25 — Example of abnormal load	14
7.6.2	Test method	14
7.7	Torsion strength	15
	-General	
Figure	e 6 — Torsion strength	16
<del>7.7.2</del>	Test method	<del>16</del>
7.8—	Pressure cycle test (Hydraulic-pressure impulse test)	<del>16</del>
	- General - Control - Cont	
	-Apparatus	
	Test fluid	
7.8.4	Test temperature	<del>16</del>
7.8.5	-Test piece	<del>16</del>
Figure	e 7 — Test piece for pressure cycle test	17
	Procedure	o-tdis-1 <b>2</b> 80-5
	e 8 — Pressure pulse wave	
7.9	Hydrogen impulse test	19
7.10-	-Corrosion test	19
7.10.1	-General	<u>19</u>
7.10.2	-Test conditions	<u>19</u>
7.11-	Minimum bend radius	19
	3 — Typical minimum bend radius	
	-Hose permeation	
	-General	
<del>7.12.2</del>	-Test Method 1	20
Figure	9 — Schematic apparatus for Method 1	21
	-Test Method 2	
	Ozone resistance	
	- Ultraviolet light and water exposure test	
	-Offraviolet light and water exposure test -Applicability and verification	
	-Test conditions	
	-Length of exposure	
_	-Crush test	
	-General	
	-Test method	
	Abrasion resistance test	0.0

7.17—Marking material legibility	23
7.17.1-General	23
7.17.2-Test method	23
7.18—Electrical properties of lining material	24
7.18.1-General	24
7.18.2-Electric strength	24
7.18.3-Volume resistivity	
7.18.4-Criteria of electric properties of lining materials	24
Figure $10$ — The criteria for the volume resistivity $R_{V}$ and the breakdown volt	age <i>V<sub>B</sub> · t</i> 25
8 Marking	25
8.1 General	25
8.2—Hoses	
8.3—Hose end fittings or couplings	
8.4—Hose assemblies	<del>26</del>
9—Instruction manual	27
9.1—General	27
9.2 Selection	<u>27</u>
9.3—Installation	27
9.4 Inspection and maintenance	28
9.5—Safety precautions and usage	28
10—Test report	28
Annex A (normative) Type tests and routine tests	
Table A.1 — The test items for type test and routine test	<u>29</u>
Annex B (informative) Production acceptance tests	31
Table B.1 — The test items for production acceptance tests	
Annex C (normative) Hydrogen impulse test	33
C.1 Test pieces all all and all and all and all all all all all all all all all al	160d4/iso fdis 1 <b>33</b>
Figure C.1 — Test hose assembly for hydrogen impulse test	33
C.2 Apparatus	33
Figure C.2 — Pressure pulse wave form envelope	34
C.3—Test fluid	34
C.4 Test procedure	35
Bibliography	36

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <a href="https://www.iso.org/patents.">www.iso.org/patents.</a>. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by ISO/TC 197, Hydrogen technologies.

This second edition cancels and replaces the first edition (ISO 19880-5:2019), which has been technically revised.

The main changes are as follows:

- Clause 7.2.3 has been changed to revise the 7.2.3 revised test gas and pass/fail criteria;
- Clause 7.7.2 has been changed 7.7.2 revised to add temperature tolerance;
- Other changes are editorial to comply with ISO Directives changes.

A list of all parts in the ISO 19880 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

# Introduction

This document specifies the implementation of performance-based testing for components of dispensing systems and fuelling stations that are based on proven engineering principles, research and the combined expertise of gas utilities, fuel providers, manufacturers, users, and others having specialized experience.

The successful commercialization of hydrogen vehicle technologies requires codes and standards pertaining to fuelling stations, vehicle fuel system components, and the global homologation of standards requirements for technologies with the same end use. Essentially this will allow manufacturers to achieve economies of scale by producing one product for use globally.

International harmonization contributes to reducing technical barriers and stimulates related markets. A series of documents that address hydrogen-fuelled vehicles and fuelling stations is being developed. These documents will provide internationally homologized minimum safety performance criteria at the component level, thus providing a foundation to build a safe "fuelling system".

This document is based on ANSI/CSA HGV 4.2-2022.

This document was developed based on five pressure classes of wire or textile reinforced hoses and hose assemblies suitable for use with gaseous hydrogen for hydrogen dispensing. This is based on technologies in use at the time of the development of the requirements.

In the future, other types and classes of hoses and hose assemblies will need to be evaluated to determine the suitability of requirements in this document.

This document applies to newly manufactured hoses and hose assemblies for connecting a dispenser to a high-pressure fuelling nozzle.

A nozzle vent hose is included in this document; however; the pressure rating may be lower than the nozzle rating, based on the nozzle and dispenser design.

For general hydrogen safety information, see ISO/TR 15916.4b-4257-bef8-4480db816ad4/iso-fdis-19880-5

# iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 19880-5

https://standards.iteh.ai/catalog/standards/iso/6c178153-874b-4257-bef8-4480db816ad4/iso-fdis-19880-5

# Gaseous hydrogen — Fuelling stations —

# Part 5:

# Dispenser Hoseshoses and hose assemblies

# 1 Scope

This document specifies the requirements for wire or textile reinforced hoses and hose assemblies suitable for dispensing hydrogen up to 70 MPa nominal working pressure, in the operating temperature range of -40 °C to 65 °C.

This document specifies safety requirements for material, design, manufacture and testing of gaseous hydrogen hose and hose assemblies for hydrogen fuelling stations.


Hoses and hose assemblies excluded from the scope of this This document are does not apply to the following hoses and hose assemblies:

- a) a) those used as part of a vehicle high pressure on-board fuel storage system;
- b) b) those used as part of a vehicle low pressure fuel delivery system; and
- c) e) flexible metal hoses.

NOTE 1 This document was developed primarily for hoses and hose assemblies for dispensing high-pressure hydrogen from refuelling dispensers to hydrogen vehicles. ISO 16964 addresses hoses used to deliver hydrogen from a transportable vessel (e.g. trailer) into a buffer storage of a station.

NOTE 2 Hose assemblies include a hose with connectors on each end (see Figure 1). Figure 1). Each connector has two basic functional elements that are addressed as described below.

- a) a)—Coupling to hose. This function is defined by requirements and verified (along with the hose itself) by performance-based tests in this document.
- b) b) Fitting for transition and connection to the piping system or equipment. This function is addressed by reference to appropriate hydrogen equipment standards and piping codes.



#### Kev

- 4 hose assembly
- 2 mechanical joint
- 3 connection fitting (key 2+ key4)
- 4 nipple
- 5 coupling (key 4 + key 6) (https://standards.iteh.ai)
- 6 socket shel
- 7 hose
- 8 fitting (key 2 + key 4+ key 6)

NOTE — Definition of the terms used in the key table and how they are defined under ISO 8330 are explained in Clause 3, terms and definitions.

Figure 1 — Scope and definition of Hose assembly and fitting

# 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1402, Rubber and plastics hoses and hose assemblies — Hydrostatic testing

ISO 4671, Rubber and plastics hoses and hose assemblies — Methods of measurement of the dimensions of hoses and the lengths of hose assemblies

ISO 6802, Rubber or plastics hoses and hose assemblies — Hydraulic impulse test with flexing

ISO 6803, Rubber or plastics hoses and hose assemblies — Hydraulic-pressure impulse test without flexing

ISO 7326:2016, Rubber and plastics hoses — Assessment of ozone resistance under static conditions

ISO 8031:2020, Rubber and plastics hoses and hose assemblies — Determination of electrical resistance and conductivity

ISO 8330, Rubber and plastics hoses and hose assemblies — Vocabulary

ISO 8331, Rubber and plastics hoses and hose assemblies — Guidelines for selection, storage, use and maintenance

ISO 9227, Corrosion tests in artificial atmospheres — Salt spray tests

ISO 15649, Petroleum and natural gas industries — Piping

ISO 16964, Gas cylinders — Flexible hoses assemblies — Specification and testing

ISO 19880-<u>-</u>1, Gaseous hydrogen — Fuelling stations — Part 1: General requirements

ISO 30013, Rubber and plastics hoses — Methods of exposure to laboratory light sources — Determination of changes in colour, appearance and other physical properties

IEC 60243-\_1, *Electric strength of insulating materials* — *Test methods* — *Part 1: Tests at power frequencies* 

IEC 62631-<u>-</u>3-1, Dielectric and resistive properties of solid insulating materials — Part 3-1: Determination of resistive properties (DC methods) — Volume resistance and volume resistivity — General method

# 3 Terms and definitions

For the purpose of this document, the terms and definitions given in ISO 8330, ISO 19880-1 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obphttps://www.is
- IEC Electropedia: available at <a href="https://www.electropedia.org/">https://www.electropedia.org/</a>

# 3.1 <del>3.1</del>

# connector

mating parts that can be put together to form a "connection" which permits the transfer of fluids, electric power, or control signals

Note-1-to-entry:-*Fittings* (3.4) (3.4) are a type of connector used in piping systems.

EXAMPLE-\_\_\_\_Connectors commonly used in hydrogen systems are as follows:

- a) The fuelling nozzle "connector" mates with the receptacle "connector" on the vehicle to form the connection for transfer of compressed hydrogen between the dispenser and the vehicle, as defined in ISO 17268 for this specific application.
- b) The hose assemblies have connectors on each end that allow *coupling* (3.2)(3.2) to the hoses and connection to the piping system (e.g. hose breakaway device or fuelling nozzle).
- c) c)—Control systems often use electrical connectors to allow rapid and secure assembly or replacement.

# 3.2 <del>3.2</del>

#### connection fitting

connection part consisting of a fitting inserted into a hose and a mechanical joint

### 3.3 **3.3**

### coupling

integrated structure of *nipple* (3.9)(3.9) and socket with end portion of a hose crimped together

Note\_1-to-entry:-See Figure 1 Figure 1

# 3.4 **3.4**

# socket shell

portion of a hose fitting that is compressed by swaging or crimping to seat the hose on to the fitting serrations and create a permanent attachment


Note-1-to-entry:-ISO 8330 provides the following names for socket shell: collar and ferrule<sub>7-</sub>

# 3.5 <del>3.5</del>

# dispenser hose assembly

hose assembly (3.7) used for dispensing gaseous hydrogen to vehicles through a nozzle

Note 1-to-entry:-See Figure 2.Figure 2.



# Key

- 1 hose assembly
- <u>a</u> mechanical joint
- <u>3</u> connection fitting (key 2+ key 4)
- <u>4</u> <u>nipple</u>
- 5 coupling (key 4 + key 6)
- <u>6</u> <u>socket shell</u>
- <u>7</u> <u>hose</u>