



**SLOVENSKI STANDARD**  
**SIST EN 300 019-2-3 V2.2.1:2006**

01-februar-2006

---

Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-3: Specification of environmental tests; Stationary use at weatherprotected locations

Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-3: Specification of environmental tests; Stationary use at weatherprotected locations

**(standards.iteh.ai)**

[SIST EN 300 019-2-3 V2.2.1:2006](https://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64f262f49416/sist-en-300-019-2-3-v2-2-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64f262f49416/sist-en-300-019-2-3-v2-2-1-2006>

**Ta slovenski standard je istoveten z: EN 300 019-2-3 Version 2.2.1**

**ICS:**

19.040	Preskušanje v zvezi z okoljem	Environmental testing
33.050.01	Telekomunikacijska terminalska oprema na splošno	Telecommunication terminal equipment in general

**SIST EN 300 019-2-3 V2.2.1:2006** en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 300 019-2-3 V2.2.1:2006

<https://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64f262f49416/sist-en-300-019-2-3-v2-2-1-2006>

# ETSI EN 300 019-2-3 V2.2.1 (2003-03)

---

*European Standard (Telecommunications series)*

**Environmental Engineering (EE);  
Environmental conditions and environmental tests  
for telecommunications equipment;  
Part 2-3: Specification of environmental tests;  
Stationary use at weatherprotected locations**

---

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 300 019-2-3 V2.2.1:2006](https://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64f262f49416/sist-en-300-019-2-3-v2-2-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64f262f49416/sist-en-300-019-2-3-v2-2-1-2006>



## Reference

---

REN/EE-01032-2-3

## Keywords

---

environment, testing**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 300 019-2-3 V2.2.1:2006

<https://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64f262f49416/etsi-en-300-019-2-3-v2-2-1-2006>  
**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:

[editor@etsi.org](mailto:editor@etsi.org)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2003.  
All rights reserved.

**DECT™**, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.  
**TIPHON™** and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.  
**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
1 Scope .....	5
2 References .....	5
3 Environmental test specifications.....	5
3.1 Specifications T 3.1 and T 3.1 E: Temperature-controlled locations .....	6
3.2 Specification T 3.2: Partly temperature-controlled locations .....	10
3.3 Specification T 3.3: Not temperature-controlled locations.....	13
3.4 Specification T 3.4: Sites with heat-trap .....	16
3.5 Specification T 3.5: Sheltered locations .....	19
3.6 Specifications T 3.6: Control room locations .....	22
4 Earthquake test specification.....	25
4.1 Vibration response investigation .....	25
4.2 Test conditioning.....	26
5 Notes to tables .....	27
5.1 General note .....	27
5.2 Notes to tables 1 to 12.....	28
<b>Annex A (informative): Bibliography .....</b>	<b>30</b>
History .....	31

[SIST EN 300 019-2-3 V2.2.1:2006](https://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64f262f49416/sist-en-300-019-2-3-v2-2-1-2006)  
<https://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64f262f49416/sist-en-300-019-2-3-v2-2-1-2006>

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

All published ETSI deliverables shall include information which directs the reader to the above source of information.

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 2, sub-part 3 of a multi-part deliverable covering the classification of environmental conditions and environmental tests for telecommunications equipment, as identified below:

Part 1: "Classification of environmental conditions"; (see note 1)

**Part 2: "Specification of environmental tests"; (see note 2)**

Sub-part 0: "Introduction";

Sub-part 1: "Storage";

Sub-part 2: "Transportation";

**Sub-part 3: "Stationary use at weatherprotected locations";**

Sub-part 4: "Stationary use at non-weatherprotected locations";

Sub-part 5: "Ground vehicle installations";

Sub-part 6: "Ship environments";

Sub-part 7: "Portable and non-stationary use";

Sub-part 8: "Stationary use at underground locations".

NOTE 1: Specifies different standardized environmental classes covering climatic and biological conditions, chemically and mechanically active substances and mechanical conditions during storage, transportation and in use.

NOTE 2: Specifies the recommended test severities and test methods for the different environmental classes.

### National transposition dates

Date of adoption of this EN:	21 March 2003
Date of latest announcement of this EN (doa):	30 June 2003
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 December 2003
Date of withdrawal of any conflicting National Standard (dow):	31 December 2003

---

# 1 Scope

The present document specifies test severities and methods for the verification of the required resistibility of equipment according to the relevant environmental class.

The tests in Part 2-3 of this multi-part EN apply to stationary use of equipment at weatherprotected locations covering the environmental conditions stated in EN 300 019-1-3 [1].

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- [1] ETSI EN 300 019-1-3: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-3: Classification of environmental conditions; Stationary use at weatherprotected locations".
- [2] IEC 60068-2: "Environmental testing - Part 2: Tests".
- [3] ETSI EN 300 019-2-0: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-0: Specification of environmental tests; Introduction".
- [4] IEC 60721-3-3: "Classification of environmental conditions - Part 3-3: Classification of groups of environmental parameters and their severities - Stationary use at weatherprotected locations".

---

# 3 Environmental test specifications

The detailed descriptions of the environmental conditions are in clauses 4 and 5 of EN 300 019-1-3 [1].

EN 300 019-2-0 [3] forms a general overview of part 2 of the present document.

The equipment under test is assumed to be in its operational state throughout the test conditions described in this part unless otherwise stated. The required performance before, during and after the test needs to be specified in the product specification. Input and load conditions of the equipment shall be chosen to obtain full utilization of the equipment under test. The heat dissipation shall be maximized, except for the steady state, low temperature test, where it shall be minimized.

### 3.1 Specifications T 3.1 and T 3.1 E: Temperature-controlled locations

#### Specification T 3.1: Temperature-controlled locations - normal operating conditions.

This specification applies to permanently temperature-controlled enclosed locations where humidity is usually not controlled. See tables 1 and 2.

**Table 1: Test specification T 3.1: Temperature-controlled locations - climatic tests**

Environmental parameter			Environmental Class 3.1	Environmental test specification T3.1: In-use, Temperature-controlled locations					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes (see clause 5)	
Air temperature	Low	(°C)	+5	+5	16 h	IEC 60068-2-1 [2]	Ab/Ad: Cold	1	
	High	(°C)	+40	+40 or +50	16 h	IEC 60068-2-2 [2]	Bb/Bd: Dry heat	2	
	Change	(°C) (°C/min)	0,5	+25/+40 0,5	half cycle t <sub>1</sub> = 3 h	IEC 60068-2-14 [2]	Nb: Change of temperature	3	
Humidity	Relative	low	(%)	5	none			4	
		high	(%) (°C)	85	85 +30	4 d	IEC 60068-2-56 [2]	Cb: Damp heat steady state	5
		condensation		no					
	Absolute	low	(g/m <sup>2</sup> )	1	none				4
		high	(g/m <sup>2</sup> )	25					7
Air	Pressure	low	(kPa)	70	none			8	
		high	(kPa)	106	none			8	
	Speed	(m/s)	5,0	none				4	
Water	Rain	intensity		no					
		low temperature		no					
	Other sources Icing & frosting			no					
Radiation	Solar	(W/m <sup>2</sup> )	700					10	
	Heat	(W/m <sup>2</sup> )	600					11	



Environmental parameter			Environmental Class 3.1	Environmental test specification T3.1: In-use, Temperature-controlled locations					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes (see clause 5)	
Chemically active substances	Sulphur	SO <sub>2</sub> (mg/m <sup>3</sup> )	0,3/1,0	none				12	
		H <sub>2</sub> S (mg/m <sup>3</sup> )	0,1/0,5	none				12	
	Chlorine	salt mist	sea and road salt		none				12
		Cl <sub>2</sub> (mg/m <sup>3</sup> )	0,1/0,3		none				12
		HCl (mg/m <sup>3</sup> )	0,1/0,5		none				12
	Nitrogen	NO <sub>x</sub> (mg/m <sup>3</sup> )	0,5/1,0		none				12
		NH <sub>3</sub> (mg/m <sup>3</sup> )	1,0/3,0		none				12
	Hydrogen fluoride HF	(mg/m <sup>3</sup> )	0,01/0,03		none				12
Ozone O <sub>3</sub>	(mg/m <sup>3</sup> )	0,05/0,1		none				12	
Mechanically active substances	Dust	sedimentation (mg/(m <sup>2</sup> h))	1,5	none				12	
		suspension (mg/m <sup>3</sup> )	0,2	none				13	
	Sand	(mg/m <sup>3</sup> )	30	none				13	
Flora and fauna	Micro organisms		negligible						
	Rodents, insects		negligible						

NOTE 1: no = this condition does not occur in this class.  
NOTE 2: none = verification is required only in special cases.  
NOTE 3: n = number of note, see clause 5.

SIST EN 300 019-2-3 V2.2.1:2006  
 (standards.iteh.ai)  
 STANDARD PREVIEW  
 standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64d262f9416/sist-en-300-019-2-3-v2-2-1-2006

Table 2: Test specification T 3.1: Temperature-controlled locations - mechanical tests

Environmental parameter			Environmental Class 3.1	Environmental test specification T 3.1: In-use, Temperature-controlled locations				
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes (see clause 5)
Vibration	Sinusoidal	displacement (mm) acceleration (m/s <sup>2</sup> ) frequency range (Hz) axes of vibration	0,3 1,0 2-9                      9-200	none				15
Shocks	Shocks	shock spectrum duration (ms) acceleration (m/s <sup>2</sup> ) number of shocks direction of shocks	Type L 22 40	half sine 11 30 6		IEC 60068-2-27 [2]	Ea: Shock	18
NOTE 1: none = verification is required only in special cases								
NOTE 2: n = number of note, see clause 5.								

### Specification T 3.1 E: Temperature-controlled locations - exceptional operating conditions.

This specification applies to permanently temperature-controlled locations where humidity is usually not controlled. The reference class is the same as for T 3.1, but the test specification relates to reduced performance requirements. See table 3.

iTeh STANDARD PREVIEW  
 (standards.iteh.ai)  
 SIST EN 300 019-2-3 V2.2.1:2006  
<http://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64d262f9416/sist-en-300-019-2-3-v2-2-1-2006>

Table 3: Test specification T 3.1 E: Temperature-controlled locations, exceptional operating conditions - climatic tests

Environmental parameter			Environmental Class 3.1E	Environmental test specification T3.1E: In-use, Temperature-controlled locations - Exceptional.				
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes (see clause 5)
Air temperature	Low	(°C)	-5	-5	16 h	IEC 60068-2-1 [2]	Ab/Ad: Cold	1
	High	(°C)	+45	+45 or +55	16 h	IEC 60068-2-2 [2]	Bb/Bd: Dry heat	2
	Change	(°C) (°C/min)	0,5	+25/+45 0,5	half cycle t <sub>1</sub> = 3 h	IEC 60068-2-14 [2]	Nb: Change of temperature	3
Humidity	Relative	low (%)	5	none				4
		High (%)	90	93	4 d	IEC 60068-2-56 [2]	Cb: Damp heat steady state	5
		condensation	no					
	Absolute	low (g/m <sup>3</sup> )	1	none				4
		high (g/m <sup>3</sup> )	25					7
Radiation	Solar	(W/m <sup>2</sup> )	700					10
	Heat	(W/m <sup>2</sup> )	600					11

NOTE 1: no = this condition does not occur in this class.  
NOTE 2: none = verification is required only in special cases.  
NOTE 3: n = number of note, see clause 5.

<https://standards.iteh.ai/catalog/standards/sist/12727d39-d0ce-4acd-a289-64d262f9416/sist-en-300-019-2-3-v2-2-1-2006>

SIST EN 300 019-2-3 V2.2.1:2006

**ITEH STANDARD PREVIEW**  
**(standards.iteh.ai)**

## 3.2 Specification T 3.2: Partly temperature-controlled locations

This specification applies to enclosed locations having neither temperature nor humidity control, but where heating may be used to avoid low temperatures. The building construction avoids extremely high temperatures. See tables 4 and 5.

**Table 4: Test specification T 3.2: Partly temperature-controlled locations - climatic tests**

Environmental parameter			Environmental Class 3.2	Environmental test specification T3.2: In-use, Partly temperature-controlled locations					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes (see clause 5)	
Air temperature	Low	(°C)	-5	-5	16 h	IEC 60068-2-1 [2]	Ab/Ad: Cold	1	
	High	(°C)	+45	+45 or +55	16 h	IEC 60068-2-2 [2]	Bb/Bd: Dry heat	2	
	Change	temp range	(°C)		+25/+55 or +25/+45	half cycle $t_1 = 3$ h	IEC 60068-2-14 [2]	Nb: Change of temperature	3
rate		(°C/min)	0,5	0,5					
Humidity	Relative	low	(%)	5	none			4	
		high	(%)	95	93	4 d steady state	IEC 60068-2-56 [2]	Cb: Damp heat	5
		condensation	(°C)	yes	+30°	1 cycle	IEC 60068-2-30 [2]	Db: Damp heat cyclic Variant 1	6
	Absolute	Low	(g/m <sup>3</sup> )	1	none				4
		high	(g/m <sup>3</sup> )	29					7
Air	Pressure	low	(kPa)	70	none			8	
		high	(kPa)	106	none			8	
	Speed	(m/s)	5,0	none				4	
Water	Rain	intensity		no					
		low temperature		no					
	Icing & frosting		yes					4	
Radiation	Solar	(W/m <sup>2</sup> )	700					10	
	Heat	(W/m <sup>2</sup> )	600					11	

641262294 (Standard PREVIEW)

ETSI EN 300 019-2-3 V2.2.1:2006  
(standards.iteh.ai)