

ISO/IEC 14543-5-103

Edition 1.0 2023-10

INTERNATIONAL STANDARD

Information technology – Home electronic system (HES) architecture Part 5-103: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access smart audio interconnection profile

Document Preview

ISO/IEC 14543-5-103:2023

https://standards.iteh.ai/catalog/standards/sist/c68469a6-f81b-4ce5-8d2c-4be5dbe73f18/iso-iec-14543-5-103-202





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2023 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Tel.: +41 22 919 02 11

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20

info@iec.ch www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Document Preview

ISO/IEC 14543-5-103:2023

https://standards.iteh.ai/catalog/standards/sist/c68469a6-f81b-4ce5-8d2c-4be5dbe73f18/iso-iec-14543-5-103-2023



ISO/IEC 14543-5-103

Edition 1.0 2023-10

INTERNATIONAL STANDARD

Information technology – Home electronic system (HES) architecture Part 5-103: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access smart audio interconnection profile

Document Preview

ISO/IEC 14543-5-103:2023

https://standards.iteh.ai/catalog/standards/sist/c68469a6-f81b-4ce5-8d2c-4be5dbe73f18/iso-iec-14543-5-103-2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 35.240.67 ISBN 978-2-8322-7682-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	DREWO	RD	4	
IN	TRODU	CTION	6	
1	Scope	9	9	
2		ative references		
3		s, definitions and abbreviated terms		
•		Terms and definitions		
		Abbreviated terms		
4		rmance		
5		nart audio interconnection profile descriptions		
		Overview		
		Basic functionalities		
		Generic audio device categories		
	5.3.1	Overview		
	5.3.2	Home audio		
	5.3.3	Public audio		
	5.3.4	Mobile audio		
		Interaction model		
	5.5	Smart audio device types	13	
	5.5.1	Smart audio server (AS)	13	
	5.5.2	Smart audio renderer (AR)Smart audio control point (CP)	13	
	5.5.3	Smart audio control point (CP)	14	
	5.5.4	Smart audio gateway (AG)	14	
	5.5.5	IGRS RA service platform (IRSP)	14	
	5.5.6	Internet audio content server		
	5.6	Interface specifications Overview	14	
	5.6.1	Overview	14	
	5.6.2	AS service module interface	15	
	5.6.3	AR service module interface	15	
	5.6.4	CP module interface	15	
	5.6.5	Smart audio gateway module interface	16	
6	Smar	audio device type descriptions	16	
	6.1	Smart audio renderer	16	
	6.1.1	Overview	16	
	6.1.2	Device type description	16	
	6.1.3	AR service interfaces	16	
	6.1.4	Mandatory invocation interface descriptions	17	
	6.2	Smart audio server	18	
	6.2.1	Overview	18	
	6.2.2	Device type description	18	
	6.2.3	AS service interfaces	18	
	6.2.4	Mandatory invocation interface description	19	
	6.3	Smart audio control point	20	
	6.3.1	Overview		
	6.3.2	Device type description	20	
	6.3.3	CP service interfaces	20	
	6.3.4	Mandatory invocation interface description	21	

6.4	smart audio gateway	
7 Smart	audio service type descriptions	23
7.1 F	Reference BCM connection management and transport control process	23
7.2	Service types	23
7.3	Group management service	24
7.3.1	Overview	24
7.3.2	Group management service type	24
7.3.3	Group management service interface	24
8 Interac	tion flow and invocation process descriptions	26
8.1	Overview	26
8.2	Device discovery	27
8.3	Device grouping	27
8.4 <i>A</i>	Audio play and pause	28
	Audio volume adjustment	
	Sound setting auto-adjustment	
	Device name change	
	Device group setup	
	Device group access	
Bibliograph	y	29
Bibliograph Figure 1 –	RA smart audio interconnection system architecture	13
Bibliograph Figure 1 – Figure 2 –	RA smart audio interconnection system architecture	13
Bibliograph Figure 1 – Figure 2	RA smart audio interconnection system architecture	29
Figure 1 – Figure 2 – Table 1 – A	RA smart audio interconnection system architecture	29
Bibliograph Figure 1 – I Figure 2 – I Table 1 – A Table 3 – A	RA smart audio interconnection system architecture	
Figure 1 – Figure 2 – Figure 2 – Figure 2 – Figure 3 – Figure 3 – Figure 3 – Figure 4 –	RA smart audio interconnection system architecture	
Figure 1 – Figure 2 – Figure 2 – Figure 2 – Figure 3 – Figure 3 – Figure 3 – Figure 4 –	RA smart audio interconnection system architecture	
Figure 1 – Figure 2 – Figure 2 – Figure 2 – Figure 3 – Figure 3 – Figure 3 – Figure 4 – Figure 4 – Figure 5 – Control of the figure 5 – Control of the figure 5 – Control of the figure 6 –	RA smart audio interconnection system architecture	1317171717
Figure 1 – Figure 2 – Figure 2 – Figure 2 – Figure 3 – Figure 3 – Figure 3 – Figure 4 – Figure 5 – Figure 5 – Figure 6 –	RA smart audio interconnection system architecture GRS RA smart audio interconnection application interaction flow R service interfaces Andatory invocation interfaces for AR Andatory invocation interfaces for AS Andatory invocation interfaces for AS P service interfaces	
Figure 1 – Figure 2 – Figure 3 – Figure 3 – Figure 4 – Figure 4 – Figure 5 – Figure 5 – Figure 6 – Figure 7 – Figure 7 – Figure 8	RA smart audio interconnection system architecture	131717 1.4543.191921
Figure 1 – Figure 2 – Figure 2 – Figure 2 – Figure 2 – Figure 3 – Figure 3 – Figure 4 – Figure 5 – Figure 5 – Figure 5 – Figure 6 –	RA smart audio interconnection system architecture	
Figure 1 – Figure 2 – Figure 2 – Figure 2 – Figure 2 – Figure 3 – Figure 3 – Figure 4 – Figure 5 – Figure 6 –	RA smart audio interconnection system architecture	
Figure 1 – Figure 2 – Figure 3 – Figure 3 – Figure 4 – Figure 5 – Figure 5 – Figure 6 –	RA smart audio interconnection system architecture GRS RA smart audio interconnection application interaction flow R service interfaces Andatory invocation interfaces for AR Andatory invocation interfaces for AS Andatory invocation interfaces for AS Andatory invocation interfaces for CP	
Figure 1 – Figure 2 – Figure 2 – Figure 2 – Figure 2 – Figure 3 – Figure 3 – Figure 4 – Figure 5 – Figure 6 –	RA smart audio interconnection system architecture GRS RA smart audio interconnection application interaction flow R service interfaces Andatory invocation interfaces for AR Andatory invocation interfaces for AS P service interfaces Andatory invocation interfaces for CP Bervice types in IGRS RA smart audio interconnection application Apput or output parameters for GetGroupId Input or output parameters for GetName	
Figure 1 – Figure 2 – Figure 3 – Figure 3 – Figure 4 – Figure 5 – Figure 6 –	RA smart audio interconnection system architecture GRS RA smart audio interconnection application interaction flow R service interfaces Andatory invocation interfaces for AR Andatory invocation interfaces for AS Reservice interfaces Andatory invocation interfaces for CP Andatory invocation interfa	

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 5-103: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access smart audio interconnection profile

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- https://sla 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is 103-2023 indispensable for the correct application of this document.
 - 9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch and www.iso.org/patents. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 14543-5-103 has been prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

The list of all currently available parts of the ISO/IEC 14543 series, under the general title *Information technology – Home Electronic System (HES) architecture*, can be found on the IEC website and ISO website.

The text of this International Standard is based on the following documents:

Draft	Report on voting
JTC1-SC25/3096/CDV	JTC1-SC25/3158/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, available at www.iec.ch/members_experts/refdocs and www.iec.ch/members_exp

iTeh Standards (https://standards.iteh.ai) Document Preview

[SO/IEC 14543-5-103:2023

https://standards.iteh.ai/catalog/standards/sist/c68469a6-f81b-4ce5-8d2c-4be5dbe73f18/iso-iec-14543-5-103-2022

INTRODUCTION

ISO/IEC 14543-5 (all parts) specifies the services and protocol of the application layer for Intelligent Grouping and Resource Sharing (IGRS) devices and services in the Home Electronic System (HES). Some parts reference Classes 1, 2 and 3, which are HES designations specified in the HES architecture standard, ISO/IEC 14543-2-1.

ISO/IEC 14543-5 includes the following parts:

- a) ISO/IEC 14543-5-1: Core protocol
 - Specifies the TCP/IP protocol stack as the basis and the HTTP protocol as the messageexchange framework among devices.
 - Specifies a series of device and service interaction/invocation standards, such as device and service discovery protocol, device and service description, service invocation and security mechanisms.
 - Specifies core protocols for a type of home network that supports streaming media and other high-speed data transports within a home.
- b) ISO/IEC 14543-5-2#: Application profile
 - Based on the IGRS core protocol.
 - Specifies a device and service interaction mechanism, as well as application interfaces used in IGRS basic applications.
 - Multiple application profiles are specified, including:
 - ISO/IEC 14543-5-21: AV profile
 - ISO/IEC 14543-5-22: File profile
- c) ISO/IEC 14543-5-3: Basic application
 - Includes an IGRS basic application list.
 - Specifies a basic application framework.
- Specifies operation details (device grouping, service description template, etc.), function definitions and service invocation interfaces.
 - d) ISO/IEC 14543-5-4: Device validation
 - Specifies a standard method to validate an IGRS-compliant device.
 - e) ISO/IEC 14543-5-5: Device type
 - Specifies IGRS device types used in IGRS applications.
 - f) ISO/IEC 14543-5-6: Service type
 - Specifies basic service types used in IGRS applications.
 - g) ISO/IEC 14543-5-7: Remote access system architecture
 - Specifies the architecture and framework for remotely accessing IGRS devices and services in the Home Electronic System. The remote access communications protocol and application profiles are specified in the following parts of ISO/IEC 14543-5:
 - ISO/IEC 14543-5-8: Remote access core protocol
 - ISO/IEC 14543-5-9: Remote access service platform
 - ISO/IEC 14543-5-101: Remote media access profile
 - ISO/IEC 14543-5-102: Remote universal management profile
 - ISO/IEC 14543-5-103: RA Smart audio interconnection profile
 - ISO/IEC 14543-5-104: RA server-based smart lock application
 - ISO/IEC 14543-5-11: Remote user interface
 - ISO/IEC 14543-5-12: Remote access test and verification

Additional parts will be specified in the future, including:

- ISO/IEC 14543-5-105: RA server-based smart lock application test and verification
- ISO/IEC 14543-5-13: RA smart home device control using voice recognition
- ISO/IEC 14543-5-141: Blockchain application protocols for HES based on IGRS RA specifications: core framework
- The relationships among these parts are specified in Part 5-7.
- h) ISO/IEC 14543-5-8: Remote access core protocol
 - Provides detailed system components, system function modules, basic concepts of IGRS remote access elements and their relationships, message exchange mechanisms and security related specifications.
 - Specifies interfaces between IGRS remote access (RA) client and service platforms. Defines co-operative procedures among IGRS RA clients.
- i) ISO/IEC 14543-5-9: Remote access service platform
 - Specifies the IGRS RA service platform (IRSP) architectures and interfaces among servers in the service platforms.
 - Based on ISO/IEC 14543-5-8: Remote access core protocol.
- j) ISO/IEC 14543-5-10#: Remote access application profiles
 - Specifies a device and service interaction mechanism for various applications.
 - Based on ISO/IEC 14543-5-8: Remote access core protocol.
 - Some of the profiles are specified, including:
 - ISO/IEC 14543-5-101: Remote media access profile. This part specifies the common requirements for IGRS RA media users and devices in IGRS networks.
 - ISO/IEC 14543-5-102: Remote universal management profile. This part specifies a mechanism for integrating devices with both relatively high and low processing capabilities into IGRS networks. It also specifies universal remote device discovery and a management framework.
- ISO/IEC 14543-5-103: RA smart audio interconnection profile. This part specifies the interoperability requirements for smart audio devices (audio devices with built-in computing and communication capabilities) and creates various application functionalities to enhance these audio devices. It introduces some new device types and specifies the mandatory device/service discovery, device control, content delivery and audio transcoding methods and interfaces, etc. to enable smart audio device interactions and content services.
 - ISO/IEC 14543-5-104: RA server-based smart lock application. This part specifies a server-based smart lock application that utilizes the ISO/IEC 14543-5 series of standards for device interoperability. It specifies the required device interaction models, message formats and APIs and the authentication and security methods.
 - Additional application profiles will be specified in the future, including:
 - ISO/IEC 14543-5-105: RA server-based smart lock application test and verification. This part will be the verification test specification for ISO/IEC 14543-5-104. It will describe all the required test cases and relevant pass/fail criteria to validate that a server-based smart lock device/application conforms to the ISO/IEC 14543-5 series of standard protocols (IGRS).
 - k) ISO/IEC 14543-5-11: Remote user interface
 - Specifies adaptive user interface generation and remote device control mechanisms suitable for different remote access applications and devices.
 - I) ISO/IEC 14543-5-12: Remote access test and verification
 - Specifies a standard method to test and verify IGRS-RA compliant device and service interfaces.

The following future parts are planned.

- m) ISO/IEC 14543-5-13: RA smart home device control using voice recognition
 - Will specify the requirements to allow remote access and control of various smart home devices that use the same IGRS RA device interoperability protocols with a variety of voice recognition platforms. This part will extend current IGRS RA device types to support the addition of voice recognition message format specifications. It will introduce an IGRS RA voice-enabled gateway profile in compliance with the HES gateway (ISO/IEC 15045 series and ISO/IEC 18012 series) and the IGRS RA platform. It will extend the HES environment to an external voice recognition service platform ("crossplatform" voice recognition interface platform) that includes specifications for universal voice recognition skill sets and translation interface service, platform security, IGRS RA (IGRS Remote Access Service Platform) message server API, and IGRS RA device control protocol parsing and status update service, etc.
- n) ISO/IEC 14543-5-14#: Blockchain application protocols for HES based on IGRS RA specifications
 - Will specify a blockchain application framework and profiles for various smart home HES applications.
 - Based on the ISO/IEC 14543-5-8: Remote access core protocol.
 - Some of the profiles are under development, including ISO/IEC 14543-5-141: Blockchain application protocols for HES based on the IGRS RA specifications: core framework. This will be the first in a series of standards that specifies a blockchain application framework to enhance the HES architecture using IGRS RA protocols. Blockchain technology provides additional data storage protection and a trusted authentication mechanism that includes a secure data exchange process. This part will specify the core framework requirements that establish a reference system architecture, interaction model, blockchain identity authentication, blockchain encryption-method requirements, generic data format template, RA server interface and configuration specification.

ISO/IEC 14543-5-103:2023

https://standards.iteh.ai/catalog/standards/sist/c68469a6-f81b-4ce5-8d2c-4be5dbe/3f18/iso-iec-14543-5-103-202.

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 5-103: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access smart audio interconnection profile

1 Scope

This part of ISO/IEC 14543 specifies the application framework, device interaction process, request and response message formats and service description requirements to achieve intelligent grouping, resource sharing and service collaboration among various audio devices and controllers.

This document is applicable to many types of audio devices with network connection capability. Networked audio devices can include a multi-room home audio system, a high-fidelity audio system, a home theatre, a smart radio, background audio, mobile audio and public audio equipment. Services specified by this document enable smart audio interconnection applications to interoperate seamlessly among audio devices and resource servers at home, in an office or in other remote environments. These services can include multi-device synchronization, sound configuration, audio on-demand service and music streaming and rendering.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14543-5-1, Information technology – Home Electronic System (HES) architecture – Part 5-1: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Core protocol

ISO/IEC 14543-5-8, Information technology – Home Electronic System (HES) architecture – Part 5-8: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access core protocol

ISO/IEC 14543-5-21, Information technology – Home Electronic System (HES) architecture – Part 5-21: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Application profile – AV profile

ISO/IEC 14543-5-22, Information technology – Home Electronic System (HES) architecture – Part 5-22: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – File profile

ISO/IEC 15045 (all parts), Information technology - Home Electronic System (HES) gateway

ISO/IEC 18012 (all parts), Information technology – Home Electronic System (HES) – Guidelines for product interoperability