

Intelligent Transport Systems — transport systems — Public Transport — transport — Light Emitting Diodeemitting diode (LED) Destination Board Systemdestination board system for Public Transport Busespublic transport buses

iTeh Standards
(<https://standards.itih.ai>)
PROOFment Preview

ISO/PRF 24298

<https://standards.itih.ai/catalog/standards/iso/7e99afca-cb4e-40cf-b0e1-1aa867052a5a/iso-prf-24298>

Edited DIS - MUST BE USED FOR FINAL DRAFT

Formatted: Left

Style Definition

Formatted: Font: 14 pt, English (United Kingdom)

Formatted: zzCover large

Formatted: Right: 1.5 cm, Bottom: 1 cm, Gutter: 0 cm, Section start: New page, Header distance from edge: 1.27 cm, Footer distance from edge: 1.27 cm

Formatted

Formatted

Formatted

Formatted: Cover Title_A1, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Left

© ISO 20242025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: + 41 22 749 01 11
E-mail: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Space After: 0 pt, Line spacing: single

Formatted: No page break before, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Default Paragraph Font

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: French (Switzerland)

Formatted: French (Switzerland)

Formatted: French (Switzerland)

Formatted: English (United Kingdom)

Formatted: English (United Kingdom)

iTeh Standards (<https://standards.iteh.ai>) Document Preview

ISO/PRF 24298

<https://standards.iteh.ai/catalog/standards/iso/7e99afca-cb4e-40cf-b0e1-1aa867052a5a/iso-prf-24298>

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Space After: 0 pt, Line spacing: single

Contents

Foreword..... v

Introduction..... vi

1 Scope..... 1

2 Normative references 1

3 Terms and definitions..... 1

4 Abbreviated terms 4

5 Requirements and types of LEDDBS..... 5

6 Construction..... 7

7 Requirements (Tests) of LEDDBS..... 7

8 Marking..... 14

Annex A (normative) Additional functional requirement of LEDDBS..... 15

Annex B (normative) Test for corrosion resistance..... 18

Bibliography 22

Foreword..... iv

Introduction..... v

1 Scope..... 1

2 Normative references 1

3 Terms and definitions..... 1

4 Abbreviated Terms..... 3

5 Rated Voltage, Size and Types of LEDDBS..... 3

6 Construction..... 5

7 Requirements (Tests) of LEDDBS..... 5

8 Marking..... 11

Annex A (normative) Additional Functional Requirement of LEDDBS 12

A.1 Usability/Functionality/Capability 12

A.1.1 Display characteristics 12

A.1.2 Two-way communication with central control centre via LEDDBS controller..... 13

Formatted: Font: 11 pt

Formatted: HeaderCentered, Left, Space After: 0 pt, Line spacing: single, Tab stops: Not at 0.71 cm

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: 10 pt

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space After: 0 pt, Tab stops: Not at 17.2 cm

A.2 — Dimensions and technical specifications of destinations signs	13
A.2.1 — LED and display quality – front, side and rear signs:	13
A.2.2 — LED and display – quality inner sign	13
A.2.3 — Structure	13
A.3 — Technical specifications of LEDDBS controller	14
Annex B (normative) Test for Corrosion Resistance	15
B.1 — General	15
B.2 — Apparatus	15
B.2.1 — Salt Spray Chamber	15
B.2.2 — Parts of Salt Spray Chamber	15
B.3 — Procedure	15
Bibliography	17

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt, Bold

iTeh Standards

(<https://standards.iteh.ai/>)

Document Preview

ISO/PRF 24298

<https://standards.iteh.ai/catalog/standards/iso/7e99afca-cb4e-40cf-b0e1-1aa867052a5a/iso-prf-24298>

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Space After: 0 pt, Line spacing: single