

## SLOVENSKI STANDARD SIST-TS TS 102 024-4 V4.1.1:2004

01-april-2004

Harmonizacija telekomunikacij in internetnega protokola prek omrežij (TIPHON), 4. izdaja - Kakovost storitve od konca do konca v sistemih TIPHON - 4. del: Upravljanje kakovosti storitve

Telecommunications and Internet Protocol Harmonization Over Networks (TIPHON) Release 4; End-to-end Quality of Service in TIPHON Systems; Part 4: Quality of Service Management

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST-TS TS 102 024-4 V4.1.1:2004 https://standards.iteh.ai/catalog/standards/sist/a034b185-b9ee-4713-8db7-054d0f9d1bad/sist-ts-ts-102-024-4-v4-1-1-2004

Ta slovenski standard je istoveten z: TS 102 024-4 Version 4.1.1

ICS:

33.020 Telekomunikacije na splošno Telecommunications in general

SIST-TS TS 102 024-4 V4.1.1:2004 en

SIST-TS TS 102 024-4 V4.1.1:2004

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST-TS TS 102 024-4 V4.1.1:2004</u> https://standards.iteh.ai/catalog/standards/sist/a034b185-b9ee-4713-8db7-054d0f9d1bad/sist-ts-ts-102-024-4-v4-1-1-2004

## ETSITS 102 024-4 V4.1.1 (2003-01)

Technical Specification

Telecommunications and Internet Protocol Harmonization Over Networks (TIPHON) Release 4; End-to-end Quality of Service in TIPHON Systems; Part 4: Quality of Service Management

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST-TS TS 102 024-4 V4.1.1:2004 https://standards.iteh.ai/catalog/standards/sist/a034b185-b9ee-4713-8db7-054d0f9d1bad/sist-ts-ts-102-024-4-v4-1-1-2004



## Reference DTS/TIPHON-05010R4

Keywords

IP, management, QoS, telephony, VoIP

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/TEW

(standards.iteh.ai)

SIST-TS TS 102 024-4 V4.1.1:2004 https://standards.iteh.ai/catalog/standards/sist/a034b185-b9ee-4713-8db7-054d0f9d1ba**Important (notice**4-v4-1-1-2004

Individual copies of the present document can be downloaded from: <u>http://www.etsi.org</u>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a></a>

If you find errors in the present document, send your comment to: <a href="mailto:editor@etsi.org">editor@etsi.org</a>

#### **Copyright Notification**

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2003.
All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup> and **UMTS**<sup>TM</sup> are Trade Marks of ETSI registered for the benefit of its Members. **TIPHON**<sup>TM</sup> and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members. **3GPP**<sup>TM</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

## Contents

Intelle	ectual Property Rights	4	
Forew	vord	4	
1	Scope	5	
2	References	5	
3	Abbreviations	5	
4	QoS requirements and assumptions	6	
4.1	Introduction		
4.1.1	Assumptions	6	
4.1.2	QoS management requirements		
4.1.2.1			
4.1.3	Maintenance		
4.1.4	Monitoring and verification		
5	Additional considerations	7	
5.1	QoS management	7	
5.1.1	Capacity planning	7	
5.1.2	Routing table management	8	
5.1.3	Traffic management	9	
5.1.4	Performance monitoring	9	
5.1.4 Performance monitoring 9 Annex A (informative): Bibliography 10			
Histor	(standards.iteh.ai)	11	

SIST-TS TS 102 024-4 V4.1.1:2004

https://standards.iteh.ai/catalog/standards/sist/a034b185-b9ee-4713-8db7-054d0f9d1bad/sist-ts-ts-102-024-4-v4-1-1-2004

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

All published ETSI deliverables shall include information which directs the reader to the above source of information.

#### **Foreword**

This Technical Specification (TS) has been produced by ETSI Project Telecommunications and Internet Protocol Harmonization Over Networks (TIPHON).

The present document is part 4 of a multi-part deliverable covering the End-to-end Quality of Service in TIPHON Systems, as identified below:

TR 102 024-1:	"General aspects of Quality of Service (QoS)";
TS 102 024-2:	"Definition of Speech Quality of Service (QoS) Classes";
TS 102 024-3:	"Signalling and Control of End-to-end Quality of Service (QoS) in a multi-media environment";
TS 102 024-4:	"Quality of Service Management"; ARD PREVIEW
TS 102 024-5:	"Quality of Service (QoS) measurement methodologies"3
TR 102 024-6:	"Actual measurements of network and terminal characteristics and Performance parameters in TIPHON networks and their influence on Voice quality 004 https://standards.iteh.ai/catalog/standards/sist/a034b185-b9ee-4713-8db7-
TR 102 024-7:	"Design Guide for elements of a TIPHON connection from an End-to-end speech transmission performance point of view";
TS 102 024-9:	"Call performance Classification (Voice)";
TS 102 024-10:	"QoS Requirements for TIPHON Terminals".

## 1 Scope

The present document establishes and defines the high-level requirements for the management of TIPHON End-to-end Quality of Service (QoS).

TS 101 303 (see bibliography) describes the general principles of network management within a TIPHON environment and the framework upon which the present document is based.

### 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="http://docbox.etsi.org/Reference">http://docbox.etsi.org/Reference</a>.

l specification
ent (OS/NE)
or B-ISDN
sed networks".
ransmission
en or

## 3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ALC	Automatic Level Control
IP	Internet Protocol
QoS	Quality of Service
SCN	Switched Circuit Networks
SLA	Service Level Agreement

## 4 QoS requirements and assumptions

#### 4.1 Introduction

TS 101 303 (see bibliography) describes the TIPHON approach to network management and the overall framework into which these requirements fit. The monitoring and control of Quality of Service (QoS) has previously been given little consideration in network management procedures. QoS is implicit in a Switched Circuit Network (SCN) and the current Internet Model assumes a non-blocking "best effort" approach with no QoS guarantees. The TIPHON concept is based on the provision of guaranteed End-to-end QoS and this has implications for network management.

#### 4.1.1 Assumptions

In order to guarantee End-to-end speech quality, the following assumptions are made:

- 1) Service provider equipment meets specified performance requirements and is correctly configured by service providers;
- 2) All underlying transport networks involved in a call (IP as well as SCN) are designed to deliver specific performance criteria at all times. It is implicit that guarantees can only be achieved over managed IP networks which have been engineered to deliver a given level of performance and where traffic levels are controlled;
- 3) The realization of End-to-end speech quality in a TIPHON system is affected by network transmission planning;
- 4) The following management steps are involved in implementing a TIPHON system:
  - planning and configuration (standards.iteh.ai)
  - maintenance; and

SIST-TS TS 102 024-4 V4.1.1:2004

monitoring and verification the hai/catalog/standards/sist/a034b185-b9ee-4713-8db7-054d0f9d1bad/sist-ts-ts-102-024-4-v4-1-1-2004

### 4.1.2 QoS management requirements

#### 4.1.2.1 Transmission planning

In order to deliver the intended End-to-end speech transmission quality in TIPHON systems, transmission planning should be performed during the design phase of TIPHON related equipment. It is not sufficient to design equipment or networks just along the requirement limits of the respective TIPHON class.

Any variation of transmission parameters should only be judged on the basis of E-model calculations [5] for critical End-to end connections. Any assumption whether or not a specific parameter variation will be perceived by the user should always be based on E-model calculations.

Special care should be taken with devices which dynamically vary one or more transmission parameters, e.g. Automatic Level Control (ALC) devices. Experience with such devices has shown that they have the potential to impact End-to-end speech transmission quality, severely.

#### 4.1.3 Maintenance

After TIPHON equipment and networks have been designed, planned and rendered operative in compliance with one of the TIPHON QoS classes, it might, nevertheless, occur that users complain about inferior speech quality.

In such cases, it is very important to be able to carry through a diagnosis of End-to-end speech transmission performance. Consequently, it is necessary to keep track of all parameter changes (e.g. of Send and Receive Loudness Rating) carried out either automatically or by user interaction.

7

This should be considered during the design phase of TIPHON equipment and networks by, for example, providing tools to set parameters back to default values or by providing a log file function.

#### 4.1.4 Monitoring and verification

Even if a specific TIPHON system has been operated for some time at the desired level of customer satisfaction it should be continuously monitored to ensure that the End-to-end speech transmission quality is maintained.

Verification requires access to the actual settings of all major transmission parameters - including those which are accessible to the user.

#### 5 Additional considerations

### 5.1 QoS management

A number of management processes impact the QoS offered by a TIPHON network. The key management processes are:

- capacity planning;
- routing table management; and
- traffic management.

In order to monitor and report on the OoS achieved, the following additional management processes will be required:

- performance monitoring. (standards.iteh.ai)

These management processes are required irrespective of the mechanisms used to provide QoS.

SIST-TS TS 102 024-4 V4.1.1:2004

## 5.1.1 Capacity planning of 9d1bad/sist-ts-ts-102-024-4-v4-1-1-2004

For a network to provide any sort of guaranteed QoS, it must be designed to carry the predicted traffic load.

Where the delivery of calls requires co-operation between networks, it will be necessary to agree, via Service Level Agreements (SLAs), the traffic that the network will be requested to carry.

An SLA should also identify how traffic not conforming to the agreement is to be handled (e.g. if the bandwidth agreed is exceeded how are additional call requests dealt with). For example the agreement could be to carry additional calls as "best efforts" regardless of the requested QoS, or maybe to connect at requested QoS at a higher cost.

The SLA could, in addition, identify the penalties if the network does not meet capacity/QoS agreements.

Possible SLA parameters for each destination (or group of destinations) are:

- planned volume/capacity required/paid minutes:
  - per time of day;
  - per traffic type;
- QoS level;
- price;
- price/arrangements for excess traffic;
- compensation/arrangements for failure to meet QoS.