INTERNATIONAL STANDARD

ISO 3528

Second edition 1997-07-15

Oil of mandarin, Italian type (*Citrus reticulata* Blanco)

Huile essentielle de mandarine, type Italie (Citrus reticulata Blanco)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 3528:1997 https://standards.iteh.ai/catalog/standards/sist/4caac65d-3b9b-4f74-8ee3-95be9e23743f/iso-3528-1997



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 3528 was prepared by Technical Committee ISO/TC 54, Essential oils. (standards.iteh.ai)

This second edition cancels and replaces the first edition (ISO 3528:1977), which has been technically revised.

ISO 3528:1997

https://standards.iteh.ai/catalog/standards/sist/4caac65d-3b9b-4f74-8ee3-

Annexes A and B of this International Standard are for information only.

© ISO 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 ◆ CH-1211 Genève 20 ◆ Switzerland
Internet central@iso.ch
X.400 c=ch; a=400net; p=iso; o=isocs; s=central

Printed in Switzerland

Oil of mandarin, Italian type (Citrus reticulata Blanco)

Scope

This International Standard specifies certain characteristics of the oil of mandarin, Italian type (Citrus reticulata Blanco), in order to facilitate assessment of its quality.

ISO 280:1976, Essential oils — Determination of refractive index.

ISO 592:1981, Essential oils — Determination of optical rotation.

ISO 875:1981, Essential oils — Evaluation of miscibility in ethanol.

iTeh STANDARD ISO 1242:1973, Essential oils — Determination of the

2 Normative references

acid value. (standards.i

The following standards contain provisions which, of this International StandardudaAts.ithei/ctime/stofidards/sist/hydroxylammonium.chloride. publication, the editions indicated were 95 valid 237 AlB fiso-35. standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 210:—1), Essential oils — General rules for packaging, conditioning and storage.

ISO 211:—²⁾, Essential oils — General rules for labelling and marking of containers.

ISO 212:1973, Essential oils — Sampling.

ISO 279:1981, Essential oils — Determination of relative density at 20 °C (Reference method).

ISO 1279:1996, Essential oils — Determination of through reference in this text, constitute provisions 528:1997 carbonyl value — Potentiometric methods using

> ISO 4715:1978, Essential oils — Quantitative evaluation of residue on evaporation.

> ISO 11024-1:—3), Essential oils — General guidance on chromatographic profiles — Part 1: Preparation of chromatographic profiles for presentation in stan-

> ISO 11024-2:— 3), Essential oils — General guidance on chromatographic profiles — Part 2: Utilization of chromatographic profiles of a sample of essential oils.

3 Definition

For the purposes of this International Standard, the following definition applies.

¹⁾ To be published. (Revision of ISO 210:1961)

²⁾ To be published. (Revision of ISO 211:1961)

³⁾ To be published.

3.1 oil of mandarin, Italian type: Essential oil, obtained without heating by mechanical means, from the fresh epicarp and part of the mesocarp of the fruit of *Citrus reticulata* Blanco, of the Rutaceae family, mainly produced in Italy.

4 Requirements

4.1 Appearance

Mobile liquid.

4.2 Colour

Greenish yellow to reddish orange, with a blue fluorescence light.

4.3 Odour

Characteristic from the fresh pericarp of the fruit.

4.9 Carbonyl value

Minimum: 1,4 Maximum: 4,3

Corresponding to a carbonyl compound content of 0.4 % (m/m) and 1.2 % (m/m), expressed as decanal.

4.10 Acid value

Maximum: 2,0

4.11 Chromatographic profile

Analysis of the essential oil shall be carried out by gas chromatography. In the chromatogram obtained, the representative and characteristic components shown in table 1 shall be identified. The proportions of these components, indicated by the integrator, shall be as shown in table 1. This constitutes the chromatographic profile of the essential oil.

iTeh STANDARD PRable / I Chromatographic profile

4.4 Relative density at 20 °C/20 °C (standards

Minimum: 0,848 Maximum: 0,855

ISO 3528 https://standards.iteh.ai/catalog/standards

95be9e23743f/iso

Iteh component	Minimum %	Maximum %
A-Pinene A-Pinene A-Pinene65d-3b9b-4f74-8ee3- Myrcene7 γ-Terpinene Linonene Methyl <i>N</i> -methylanthranilate α-Sinensal	2 1,2 1,5 16 65 0,30 0,20	3 2 2 22 75 0,60 0,50

NOTE — The chromatographic profile is normative, contrary to the typical chromatogram given for information in annex A.

4.5 Refractive index at 20 °C

Minimum: 1,474 0 Maximum: 1,478 0

4.6 Optical rotation at 20 °C

Minimum: +64° Maximum: +75°

4.7 Residue on evaporation

Minimum: 1,6 % (*m/m*)
Maximum: 4,0 % (*m/m*)

4.8 Miscibility with 90 % (V/V) ethanol at 20 °C

1 volume of the oil shall not require more than 7 to 10 volumes of 90 % (V/V) ethanol, at 20 °C, to give a cloudy solution.

4.12 Flashpoint

Information on the flashpoint is given in annex B.

5 Sampling

See ISO 212.

Minimum volume of test sample: 50 ml.

NOTE — This volume allows each of the tests specified in this International Standard to be carried out at least once.

6 Test methods

6.1 Relative density at 20 °C/20 °C

See ISO 279.

6.2 Refractive index at 20 °C

See ISO 280.

6.3 Optical rotation at 20 °C

See ISO 592.

6.4 Residue on evaporation

See ISO 4715

Test portion: 5 g. Evaporation time: 6 h.

6.5 Miscibility with 90 % (V/V) ethanol at 20 °C

See ISO 875.

6.6 Acid value

See ISO 1242.

6.7 Carbonyl value

See ISO 1279, method I.

Test portion: 10 g.

Determination time: 15 min.

 $M_{\rm r}$ of decanal: 156.

6.8 Chromatographic profile

See ISO 11024-1 and ISO 11024-2.

7 Packaging, labelling, marking and storage

See ISO 210 and ISO 211.

NOTE — This essential oil is particularly sensitive to

(standards.iteh.ai)


<u>ISO 3528:1997</u>

https://standards.iteh.ai/catalog/standards/sist/4caac65d-3b9b-4f74-8ee3-95be9e23743f/iso-3528-1997

Annex A

(informative)

Typical chromatogram of the essential oil of mandarin, Italian type



ISO 3528:1997

https://standards.iteh.ai/catalog/standards/sist/4caac65d-3b9b-4f74-8ee3-95be9e23743f/iso-3528-1997

Peak identification

- 1 α-Thujene
- 2α -Pinene
- 3 Camphene
- 4 Sabinene
- 5 β-Pinene
- 6 Myrcene
- 7 Octanal + α -phellandrene
- 8 α -Terpinene
- 9 p-Cymene
- 10 Limonene

- 11 cis-β-Ocimene
- 12 trans-β-Ocimene
- 13 γ-Terpinene
- 14 *trans*-Sabinene hydrate
- 15 Octanol
- 16 Terpinolene
- 17 *cis*-Sabinene hydrate
- 18 Linalol
- 19 Nonanal
- 20 Citronellal

- 21 Terpinen-4-ol
- 22 α-Terpineol
- 23 Decanal
- 24 Thymol
- 25 Methyl *N*-methylanthranilate
- 26 Caryophyllene
- 27 trans-trans-α-Farnesene
- 28 α-Sinensal

Operating conditions

Column: capillary; length 25 m; diameter 0,32 mm Stationary phase: SE 52 phenyl methylsilicone

Film thickness: 0,4 μ m to 0,45 μ m

Oven temperature: 60 °C for 8 min, then from 60 °C to 200 °C at a rate of 3 °C/min

Injector temperature: 280 °C Detector temperature: 280 °C Detector: flame ionization

Carrier gas: hydrogen (0,5 kg/cm²)

Volume injected: 0,1 µl Split ratio: 1/100

Annex B

(informative)

Flashpoint

B 1 General information

For reasons of safety, transport companies, insurance companies, people in charge of safety services, etc. require information about the flashpoint of essential oils, which in most cases are inflammable products.

A comparative study on the relevant methods of analysis (see ISO/TR 11018 4)) led to the understanding that it was hard to find a single method for standardization purposes, given that

- essential oils are varied and their chemical compositions differ to a large extent;
- the volume of the sample needed for certain test equipment is incompatible with the high price of essential oils; iTeh STANDARDThe mean value is +49 °C.

be obliged to use one type of equipment rather than another.

Consequently, it was decided to give a mean value for the flashpoint in an informative annex in each International Standard, to meet the request of the interested parties.

If possible, the method by which this value was obtained should be specified.

For further information, see ISO/TR 11018 4).

B.2 Flashpoint of oil mandarin, Italian type

there are different types of equipment that satisfy the desired objective, but users cannot as invote a potential objective, but users cannot as invote a potential objective.

> ISO 3528:1997 https://standards.iteh.ai/catalog/standards/sist/4caac65d-3b9b-4f74-8ee3-95be9e23743f/iso-3528-1997

⁴⁾ ISO/TR 11018:1997, Essential oils — General guidance on the determination of flashpoint.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 3528:1997 https://standards.iteh.ai/catalog/standards/sist/4caac65d-3b9b-4f74-8ee3-95be9e23743f/iso-3528-1997

ICS 71.100.60

Descriptors: fruit and vegetable products, essential oils, mandarin orange, specifications, characteristics, organoleptic properties, chemical composition, chromatograms, tests, packaging, marking, labelling, storage.

Price based on 5 pages