



ISO/IEC 15067-3-30

Edition 1.0 2024-03

INTERNATIONAL STANDARD



Information technology - Home Electronic System (HES) application model -
Part 3-30: Energy management agent functional requirements and interfaces

(<https://standards.iteh.ai>)

Document Preview

ISO/IEC 15067-3-30:2024

<https://standards.iteh.ai/catalog/standards/iso/c965e171-6c4f-4c92-9a8f-6b530f688e3f/iso-iec-15067-3-30-2024>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

ITeH Standards
standards.iteh.ai
Document Preview

[ISO/IEC 15067-3-30:2024](https://standards.iteh.ai/catalog/standards/iso/c965e171-6c4f-4c92-9a8f-6b530f688e3f/iso-iec-15067-3-30-2024)

<https://standards.iteh.ai/catalog/standards/iso/c965e171-6c4f-4c92-9a8f-6b530f688e3f/iso-iec-15067-3-30-2024>



ISO/IEC 15067-3-30

Edition 1.0 2024-03

INTERNATIONAL STANDARD



**Information technology – Home Electronic System (HES) application model –
Part 3-30: Energy management agent functional requirements and interfaces**

*ITeh Standard
(<https://standards.iteh.ai>)
Document Preview*

ISO/IEC 15067-3-30:2024

<https://standards.iteh.ai/catalog/standards/iso/c965e171-6c4f-4c92-9a8f-6b530f688e3f/iso-iec-15067-3-30-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-8355-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and abbreviated terms	6
3.1 Terms and definitions.....	6
3.2 Abbreviated terms.....	7
4 Conformance.....	7
5 Configuration of multiple energy management agents in a residential community	8
5.1 Overview.....	8
5.2 Hierarchical EMA configuration for home or residential community.....	9
5.3 Distributed EMA configuration for home or residential community	10
6 EMA functional requirements and reference interfaces	11
6.1 Overview.....	11
6.2 Functional requirements.....	12
6.3 EMA interfaces	13
6.3.1 The four EMA interfaces	13
6.3.2 The southbound interface.....	13
6.3.3 The northbound interface.....	14
6.3.4 The eastbound interface.....	14
6.3.5 The westbound interface.....	14
Annex A (informative) Emerging challenges in EMAs	15
A.1 General.....	15
A.2 Integration with smart appliances.....	15
A.3 Integration with artificial intelligence	15
A.4 Integration with big data.....	15
A.5 Integration with energy prosumers	16
A.6 Integration with microgrids	16
A.7 Integration with smart home	16
A.8 Integration with smart cities	16
Bibliography.....	18
Figure 1 – Example of interconnected EMAs in a residential area	9
Figure 2 – A hierarchical configuration in a residential area	10
Figure 3 – A distributed EMF configuration in a residential area.....	11
Figure 4 – An EMA reference model with four functional requirements and four reference interfaces	12
Figure A.1 – Emerging challenges associated with EMAs.....	17

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) APPLICATION MODEL –

Part 3-30: Energy management agent functional requirements and interfaces

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> and www.iso.org/patents. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15067-3-30 has been prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
JTC1-SC25/3203/FDIS	JTC1-SC25/3218/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, and the ISO/IEC Directives, JTC 1 Supplement available at www.iec.ch/members_experts/refdocs and www.iso.org/directives.

A list of all parts of the ISO/IEC 15067 series, published under the general title *Information technology – Home Electronic System (HES) application model*, can be found on the IEC and ISO websites.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO/IEC 15067-3-30:2024](https://standards.itih.ai/catalog/standards/iso/c965e171-6c4f-4c92-9a8f-6b530f688e3f/iso-iec-15067-3-30-2024)

<https://standards.itih.ai/catalog/standards/iso/c965e171-6c4f-4c92-9a8f-6b530f688e3f/iso-iec-15067-3-30-2024>

INTRODUCTION

This document specifies energy management agent (EMA) functional requirements and interfaces for interconnected energy management agents in a house, an apartment complex, or a residential community with multiple EMAs. It supports energy management by facilitating interactions among EMAs, appliances, consumer electronics, distributed energy resources (DER) and electric vehicle (EV) chargers. These EMA functional requirements and interfaces complement the reference model for interconnected EMAs specified in ISO/IEC 15067-3-3. The EMA interfaces identify interactions and information exchanges for energy management applications. The goal of this document is to specify a framework for multiple EMAs to provide energy management co-operatively by using communication protocols that link devices participating in energy optimization, transactive energy (TE), and demand response (DR) programmes, subject to constraints such as a consumer's budget for energy or goals for reducing greenhouse gas emissions.

This document explains a high-level view of the EMA functional requirements and reference interfaces in energy environments beyond the traditional public utility. Such energy environments include energy supplies from DER and TE sources. DER encompasses supplies from wind turbines, solar panels, and other local power generators, plus storage equipment (stationary and mobile batteries). Also, the EMA can assist the prosumer (a consumer who also produces power) in buying or selling TE.

As specified in ISO/IEC 15067-3-3, the EMA can interact with other EMAs, smart appliances, DERs or other consumer products. Interacting EMA are anticipated to be important for apartment complexes with multiple apartments and possibly multiple houses or buildings on a campus. ISO/IEC 15067-3-3 accommodates an EMA per apartment, per building, per campus, and possibly a cloud-based EMA. Options for interconnecting EMAs to create an EMA framework (EMF) are specified.

This document and related standards accommodate flexible and efficient energy management by co-ordinating and optimizing energy consumption and generation within a residential community consisting of houses and apartments. The ISO/IEC 15067-3 series enables automated energy management including optimal load control for allocating energy consumption and generation among multiple products in a house or a small building. The co-ordination among products offers improved energy management applications and overall efficiency according to goals set by the occupants. Multiple EMAs organized according to this document will be especially useful as DER proliferates with fluctuating energy generation and storage.

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) APPLICATION MODEL –

Part 3-30: Energy management agent functional requirements and interfaces

1 Scope

This document specifies functional requirements and reference interfaces for interconnected energy management agents (EMAs) based on the model for an EMA specified in ISO/IEC 15067-3 and the model for multiple interacting EMAs specified in ISO/IEC 15067-3-3. This specification supports energy management by facilitating interactions and information exchange among EMAs and appliances, consumer electronics, heating, ventilation, and air conditioning (HVAC) equipment, water heaters, distributed energy resources (DERs), electric vehicle (EV) chargers, and other loads supplied by public and local power sources in a house or an apartment complex. Local power sources can use DER, which can include, but are not limited to, wind turbines, solar panels, and storage (stationary and mobile). EMAs specified with these functions and interfaces can assist the consumer in responding to price-varying public power and buying or selling transactive energy (TE).

This document specifies framework methods for EMAs to co-ordinate the delivery of energy management applications, and the reference interfaces facilitate a communications protocol among interacting EMAs. These linked and interacting EMAs provide energy optimization and conservation within constraints such as a consumer's financial budget and goals for greenhouse gas reduction, while supporting programmes as diverse as TE and demand response (DR).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 15067-3:2012, *Information technology – Home Electronic System (HES) application model – Part 3: Model of a demand-response energy management system for HES*

ISO/IEC 15067-3-3:2019, *Information technology – Home Electronic System (HES) application model – Part 3-3: Model of a system of interacting energy management agents (EMAs) for demand-response energy management*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 15067-3:2012, ISO/IEC 15067-3-3:2019 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1.1

client EMA

cEMA

energy management agent (EMA) that acts as a client to another EMA

[SOURCE ISO/IEC 15067-3-3:2019, 3.1.1]

3.1.2

server EMA

sEMA

energy management agent (EMA) that acts as a server to other EMAs

[SOURCE ISO/IEC 15067-3-3:2019, 3.1.7]

3.2 Abbreviated terms

AI	artificial intelligence
AMI	advanced metering infrastructure
API	application programming interface
cEMA	client EMA
DER	distributed energy resources
DR	demand response
EMA	energy management agent
EMF	EMA framework
EV	electric vehicle
HAN	home area network
HES	home electronic system
HVAC	heating, ventilation, and air conditioning
MAS	multiple agent system
REST	representational state transfer
sEMA	server EMA
TE	transactive energy

4 Conformance

Implementations of an energy management system with multiple EMAs shall conform to one of the EMA configuration options in Clause 5 and to the functional requirements and reference interfaces specified in Clause 6.

5 Configuration of multiple energy management agents in a residential community

5.1 Overview

ISO/IEC 15067-3:2012 specifies the model of a generic energy management system and specifies the EMA for a house or a unit in an apartment complex. Communicating EMAs in an apartment building, a residential community house or a small building are introduced in ISO/IEC 15067-3-3:2019. These EMAs communicate with each other in an EMA framework (EMF) to optimize energy management among these houses and units (apartments). Figure 1 shows a generalized EMF configuration for houses in a residential community. The EMF configuration shown in Figure 1 is enabled by the EMAs in each house and the EMA serving the community, all acting co-operatively to provide energy management for each house and for the community. EMAs interface with DERs, EVs, and smart appliances (e.g. thermostat, dishwasher, air conditioner, and heat pump) to optimize energy management within constraints set by the consumer. Such constraints are personalized by the consumer and can include a cost budget, limits on greenhouse gas emissions and reduction in the carbon footprint of the house.

An EMF can also be integrated with a metering system as illustrated in Figure 1. Smart meters perform automated meter readings and communicate with an advanced metering infrastructure (AMI) of a utility or energy service provider. The AMI network shown in the network is separate from other networks because it is often proprietary to a meter manufacturer. Smart meters can provide utility and consumption data useful for EMAs to management energy within a home or apartment complex.

In some regions, customers with excess wind and solar power can sell the excess to the local utility. Some are paid the retail rate for energy; others are paid a special "feed-in tariff" rate. Such customers who also produce power are called "prosumers". As reported in ISO/IEC TR 15067-3-7 and ISO/IEC TR 15067-3-8, there is considerable research into the development of markets and technologies for prosumers to sell excess wind and solar power to neighbours via a local microgrid or the distribution grid. The process that includes a market and technologies for prosumers to sell and buy power among themselves, to an aggregator or a public utility is called transactive energy (TE).

TE is enabled by a local trading market for power with a bid-and-ask mechanism for power to be delivered now or at a specified future time. However, this is a constrained market because power must flow from source to load over wires that have capacity limits. Therefore, controls are needed to manage power flows on a local basis. The EMA could be programmed both for TE bidding and for managing power flows from the TE supplier to the TE customer's appliances, EVs, and storage devices. The EMAs can buy and sell energy to a local utility or to other prosumers (subject to local regulations), as described in ISO/IEC TR 15067-3-7 and ISO/IEC TR 15067-3-8.