



**International  
Standard**

**ISO/IEC 25390**

**Information technology — Financial  
information exchange — Simple  
binary encoding**

**First edition  
2025-04**

iTeh Standards  
(<https://standards.itih.ai>)  
Document Preview

[ISO/IEC 25390:2025](https://standards.itih.ai/catalog/standards/iso/a897b35f-52a4-467b-a97d-66abf9638077/iso-iec-25390-2025)

<https://standards.itih.ai/catalog/standards/iso/a897b35f-52a4-467b-a97d-66abf9638077/iso-iec-25390-2025>

iTeh Standards  
(<https://standards.itih.ai>)  
Document Preview

[ISO/IEC 25390:2025](https://standards.itih.ai/catalog/standards/iso/a897b35f-52a4-467b-a97d-66abf9638077/iso-iec-25390-2025)

<https://standards.itih.ai/catalog/standards/iso/a897b35f-52a4-467b-a97d-66abf9638077/iso-iec-25390-2025>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Table of Contents

<b>Table of Contents .....</b>	<b>iii</b>
<b>Foreword.....</b>	<b>vii</b>
<b>Introduction.....</b>	<b>viii</b>
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms and definitions.....</b>	<b>1</b>
3.1 datatype.....	1
3.2 encoding.....	1
3.3 field.....	1
3.4 message schema .....	1
3.5 message template.....	2
3.6 session protocol.....	2
3.7 XML schema.....	2
3.8 Specification terms.....	2
<b>4 Objectives .....</b>	<b>2</b>
4.1 General.....	2
4.2 Binary type system.....	2
4.3 Design principles.....	2
4.4 Message schema .....	3
4.5 Documentation.....	3
4.5.1 General.....	3
4.5.2 Document format.....	3
<b>5 Field Encoding.....</b>	<b>3</b>
5.1 Field aspects.....	3
5.1.1 General.....	3
5.1.2 Semantic datatype .....	3
5.1.3 Encoding .....	4
5.1.4 Metadata .....	4
5.1.5 Field presence .....	4
5.1.6 Default value .....	4
5.2 FIX datatype summary.....	4
5.3 Common field schema attributes .....	7
5.3.1 General.....	7
5.3.2 Inherited attributes.....	8
5.3.3 Non-FIX types .....	8
5.4 Integer encoding.....	8
5.4.1 General.....	8
5.4.2 Primitive type encodings.....	8
5.4.3 Range attributes for integer fields .....	8
5.4.4 Byte order .....	9
5.4.5 Integer encoding specifications.....	9
5.4.6 Examples of integer fields .....	9
5.5 Decimal encoding.....	10
5.5.1 General.....	10
5.5.2 Composite encodings .....	10
5.5.3 Range attributes for decimal fields.....	10
5.5.4 Encoding specifications for decimal types .....	11
5.5.5 Composite encoding padding .....	11
5.5.6 Examples of decimal fields .....	11
5.6 Float encoding .....	11
5.6.1 General.....	11
5.6.2 Primitive types.....	12
5.6.3 Null values.....	12

5.6.4	Byte order .....	12
5.6.5	Float encoding specifications .....	12
5.6.6	Examples of floating point fields.....	12
5.7	String encodings .....	12
5.7.1	General.....	12
5.7.2	Character.....	12
5.7.3	Fixed-length character array .....	13
5.7.4	Variable-length string encoding.....	14
5.7.5	Range attributes for string Length.....	14
5.7.6	Encoding specifications for variable-length string.....	14
5.7.7	Example of a variable-length string field .....	15
5.8	Data encodings .....	15
5.8.1	General.....	15
5.8.2	Fixed-length data .....	15
5.8.3	Variable-length data encoding.....	15
5.8.4	Range attributes for variable-length data Length.....	16
5.8.5	Encoding specifications for variable-length data.....	16
5.8.6	Example of a data field .....	16
5.9	MonthYear encoding.....	16
5.9.1	General.....	16
5.9.2	Composite encoding padding.....	17
5.9.3	Encoding specifications for MonthYear .....	17
5.10	Date and time encoding.....	17
5.10.1	General.....	17
5.10.2	Epoch.....	17
5.10.3	Time unit.....	17
5.10.4	Encoding specifications for date and time.....	18
5.10.5	Examples of date/time fields.....	18
5.11	Local date encoding.....	19
5.12	Local time encoding.....	19
5.12.1	General.....	19
5.12.2	TZTimestamp encoding.....	19
5.12.3	Composite encoding padding.....	20
5.12.4	TZTimeOnly encoding.....	20
5.12.5	Composite encoding padding.....	20
5.13	Enumeration encoding .....	21
5.13.1	General.....	21
5.13.2	Primitive type encodings.....	21
5.13.3	Value encoding.....	21
5.13.4	Encoding specification of enumeration .....	21
5.13.5	Enumeration examples .....	21
5.13.6	Constant field of an enumeration value .....	22
5.13.7	Boolean encoding.....	22
5.14	Multi-value choice encoding .....	23
5.14.1	General.....	23
5.14.2	Primitive type encodings.....	23
5.14.3	Value encoding.....	23
5.14.4	Encoding specification of multi-value choice.....	23
5.14.5	Multi-value example .....	23
5.15	Field value validation .....	24
<b>6</b>	<b>Message Structure .....</b>	<b>24</b>
6.1	Message Framing.....	24
6.1.1	General.....	24
6.1.2	Simple Open Framing Header .....	24
6.2	SBE Message Encoding Header .....	25
6.2.1	General.....	25
6.2.2	Message header schema .....	25
6.2.3	Root block length .....	26
6.2.4	Template ID.....	26

6.2.5	Schema ID.....	26
6.2.6	Schema version.....	26
6.2.7	Number of repeating groups.....	26
6.2.8	Number of variable-length fields.....	26
6.3	Message Body.....	26
6.3.1	General.....	26
6.3.2	Data only on the wire.....	27
6.3.3	Direct access.....	27
6.3.4	Field position and padding.....	27
6.4	Repeating Groups.....	28
6.4.1	General.....	28
6.4.2	Schema specification of a group.....	28
6.4.3	Group block length.....	28
6.4.4	Padding at end of a group entry.....	28
6.4.5	Entry counter.....	29
6.4.6	Empty group.....	29
6.4.7	Multiple repeating groups.....	29
6.4.8	Nested repeating group specification.....	29
6.4.9	Nested repeating group wire format.....	29
6.4.10	Empty group means nested group is empty.....	29
6.4.11	Group dimension encoding.....	30
6.5	Sequence of message body elements.....	31
6.5.1	Root level elements.....	31
6.5.2	Repeating group elements.....	31
6.6	Message structure validation.....	31
<b>7</b>	<b>Message Schema.....</b>	<b>32</b>
7.1	XML schema for SBE message schemas.....	32
7.2	XML namespace.....	32
7.3	Naming convention.....	32
7.3.1	General.....	32
7.3.2	Capitalization.....	32
7.4	Root element.....	32
7.4.1	General.....	32
7.4.2	<messageSchema> attributes.....	32
7.4.3	Schema versioning.....	33
7.5	Data encodings.....	33
7.5.1	Encoding sets.....	33
7.5.2	Encoding name.....	33
7.5.3	Simple encodings.....	33
7.5.4	General.....	33
7.5.5	Composite encodings.....	35
7.5.6	Reference to reusable types.....	36
7.5.7	Enumeration encodings.....	37
7.5.8	Multi-value choice encodings (bitset).....	38
7.6	Message template.....	40
7.6.1	General.....	40
7.6.2	Reserved space.....	40
7.6.3	Message members.....	40
7.6.4	Member order.....	40
7.6.5	<message> element attributes.....	40
7.7	Field attributes.....	41
7.8	Repeating group schema.....	42
7.9	Schema validation.....	43
7.9.1	General.....	43
7.9.2	Message with a repeating group.....	44
7.9.3	Message with raw data fields.....	44
7.10	Reserved element names.....	44
7.10.1	Composite types.....	44
7.10.2	Composite type elements.....	44

<b>8</b>	<b>Schema Extension Mechanism</b>	<b>45</b>
8.1	Objective	45
8.1.1	General	45
8.1.2	Constraints	45
8.2	Message schema features for extension	46
8.2.1	Schema version	46
8.2.2	Since version	46
8.2.3	Block length	46
8.2.4	Deprecated elements	46
8.3	Wire format features for extension	46
8.3.1	Block size	46
8.3.2	Number of repeating groups and variable data	46
8.4	Compatibility strategy	46
8.5	Message schema extension example	47
8.5.1	Initial version of a message schema	47
8.5.2	Second version - a new message is added	47
8.5.3	Third version - a field is added	47
<b>9</b>	<b>Usage Guidelines</b>	<b>48</b>
9.1	Identifier encodings	48
<b>10</b>	<b>Examples</b>	<b>48</b>
10.1	General	48
10.2	Flat, fixed-length message	48
10.2.1	General	48
10.2.2	Sample order message schema	48
10.2.3	Wire format of an order message	50
10.3	Message with a repeating group	51
10.3.1	General	51
10.3.2	Sample execution report message schema	51
10.3.3	Wire format of an execution message	52
10.3.4	Interpretation	52
10.4	Message with a variable-length field	53
10.4.1	Sample business reject message schema	53
10.4.2	Wire format of a business reject message	53
10.4.3	Interpretation	54
	<b>Bibliography</b>	<b>55</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents) and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by FIX Trading Community [as FIX Simple Binary Encoding (SBE)] and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).

<https://standards.iteh.ai/catalog/standards/iso/a897b35f-52a4-467b-a97d-66abf9638077/iso-iec-25390-2025>