

9`Y_hfca U[bYfbUnXfi y`fj cghf0 A7 Ljb`nUXYj Yj`nj Ynj`n`fUX]`g_ ja`gdY_hfca`f0FAŁ!
 GHUbXUfX`YY_hfca U[bYfbY`nXfi y`fj cghf`f0 A7 L`nUfUX]`g_c`cdfYa c`]b`ghcf]hj Y!`%\$"
 XY.`DcgYVb]`dc[c`f`nUdfj c`f7 H%]b`7 H%ZL]b`Xfi [c`[YbYfUW]`c`VfYnj fj] bY
 HfYZ`bg_Yf7 H&L`cdfYa Y

ElectroMagnetic Compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 10: Specific conditions for First (CT1 and CT1+) and Second Generation Cordless Telephone (CT2) equipment

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 489-10:2001

<https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001>

Ta slovenski standard je istoveten z: EN 301 489-10 Version 1.1.1

ICS:

33.050.10	Telefonska oprema	Telephone equipment
33.060.01	Radijske komunikacije na splošno	Radiocommunications in general
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 301 489-10:2001

en

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 301 489-10:2001](https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001)

<https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001>

ETSI EN 301 489-10 V1.1.1 (2000-09)

Candidate Harmonized European Standard (Telecommunications series)

**ElectroMagnetic compatibility
and Radio spectrum Matters (ERM);
ElectroMagnetic Compatibility (EMC) standard
for radio equipment and services;
Part 10: Specific conditions for First (CT1 and CT1+) and
Second Generation Cordless Telephone (CT2) equipment**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 301 489-10:2001](https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001)

<https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001>



Reference

DEN/ERM-EMC-219-10

Keywords

CT, CT2, EMC, radio, regulation

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 489-10:2001

<https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:
editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	7
2 References	7
3 Definitions and abbreviations.....	8
3.1 Definitions	8
3.2 Abbreviations	8
4 Test conditions	9
4.1 General	9
4.2 Arrangements for test signals	9
4.2.1 Arrangements for test signals at the input of transmitters.....	9
4.2.1.1 Speech equipment	9
4.2.1.2 Non-speech equipment.....	9
4.2.2 Arrangements for test signals at the output of transmitters.....	9
4.2.3 Arrangements for test signals at the input of receivers	9
4.2.4 Arrangements for test signals at the output of receivers	9
4.2.5 Arrangements for testing transmitter and receiver together (as a system)	10
4.3 Exclusion bands.....	10
4.3.1 CT2 equipment.....	10
4.3.2 CT1 and CT1+ equipment	10
4.4 Narrow band responses on receivers or receivers which are part of transceivers.....	10
4.4.1 Identification criteria for speech equipment	10
4.4.2 Identification criteria for non-speech equipment	10
4.4.3 Nominal frequency offset used for the identification of narrow band responses.....	11
4.5 Normal test modulation	11
5 Performance assessment.....	11
5.1 General	11
5.2 Arrangements for the assessment of host dependant equipment and plug-in cards.....	11
5.2.1 Alternative A: composite equipment	11
5.2.2 Alternative B: use of a test jig and three hosts.....	11
5.3 Assessment procedures.....	12
5.3.1 Loss of user control functions or stored user defined data.....	12
5.3.2 Audio breakthrough	12
5.4 Ancillary equipment	13
5.5 Equipment classification	13
6 Performance criteria	14
6.1 General	14
6.2 Performance criteria for Continuous phenomena of Transceivers (CT).....	14
6.2.1 Speech equipment.....	14
6.2.2 Non-speech equipment	14
6.3 Performance criteria for Transient phenomena applied to Transceivers (TT).....	15
6.4 Performance criteria for Continuous phenomena applied to Receive-only equipment (CR)	15
6.5 Performance criteria for Transient phenomena applied to Receive-only equipment (TR)	15
6.6 Performance criteria for ancillary equipment tested on a stand alone basis	15
7 Applicability overview	16
7.1 Emission	16
7.1.1 General.....	16
7.1.2 Special conditions	16
7.2 Immunity	16
7.2.1 General.....	16
7.2.2 Special conditions	16

Annex A (normative):	Definitions of types of Cordless Telephone equipment in the scope of the present document.....	17
A.1	Second generation Cordless Telephone apparatus (CT2) for operation in the frequency band 864,1 MHz to 868,1 MHz	17
A.2	First generation Cordless Telephone apparatus (CT1) for operation in the frequency band 914 MHz to 915 MHz and 959 MHz to 960 MHz	17
A.3	First generation Cordless Telephone apparatus (CT1+) for operation in the frequency band 885 MHz to 887 MHz and 930 MHz to 932 MHz	17
History	18

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 489-10:2001](https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001)

<https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under the Council Directive 98/34/EC [8] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulation.

The present document together, with EN 301 489-1 [1], is intended to become a Harmonized EMC Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Council Directive on the approximation of the laws of the Member States relating to electromagnetic compatibility (the "EMC Directive" 89/336/EEC [3] as amended), and the Council Directive on the approximation of the laws of the Member States relating to radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (the "R&TTE Directive" 1999/5/EC [2]).

The present document is part 10 of a multi-part EN covering the ElectroMagnetic Compatibility (EMC) standard for radio equipment and services, as identified below:

- Part 1: "Common technical requirements";
- Part 2: "Specific conditions for radio paging equipment";
- Part 3: "Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz";
- Part 4: "Specific conditions for fixed radio links and ancillary equipment and services";
- Part 5: "Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech)";
- Part 6: "Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment";
- Part 7: "Specific conditions for mobile and portable radio and ancillary equipment of digital cellular radio telecommunications systems (GSM and DCS)";
- Part 8: "Specific conditions for GSM base stations";
- Part 9: "Specific conditions for wireless microphones and similar Radio Frequency (RF) audio link equipment";
- Part 10: "Specific conditions for First (CT1 and CT1+) and Second Generation Cordless Telephone (CT2) equipment";**
- Part 11: "Specific conditions for FM broadcasting transmitters";
- Part 12: "Specific conditions for Earth Stations operated in the frequency ranges between 4 GHz and 30 GHz in the Fixed Satellite Service (FSS)";
- Part 13: "Specific conditions for Citizens' Band (CB) radio and ancillary equipment (speech and non-speech)";

- Part 15: "Specific conditions for commercially available amateur radio equipment";
- Part 16: "Specific conditions for analogue cellular radio communications equipment, mobile and portable";
- Part 17: "Specific conditions for Wideband data and HIPERLAN equipment";
- Part 18: "Specific conditions for Terrestrial Trunked Radio (TETRA) equipment";
- Part 19: "Specific conditions for Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band providing data communications";
- Part 20: "Specific conditions for Mobile Earth Stations (MES) used in the Mobile Satellite Services (MSS)";
- Part 22: "Specific conditions for ground based VHF aeronautical mobile and fixed radio equipment".

National transposition dates	
Date of adoption of this EN:	22 September 2000
Date of latest announcement of this EN (doa):	31 December 2000
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 2001
Date of withdrawal of any conflicting National Standard (dow):	31 December 2003

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 489-10:2001](https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001)

<https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001>

1 Scope

The present document, together with EN 301 489-1 [1], covers the assessment of First Generation (CT1 and CT1+) and Second Generation (CT2) cordless telephone equipment, and associated ancillary equipment, in respect of ElectroMagnetic Compatibility (EMC).

Technical specifications related to the antenna port and emissions from the enclosure port of the radio equipment are not included in the present document. Such technical specifications are found in the relevant product standards for the effective use of the radio spectrum.

The present document specifies the applicable test conditions, performance assessment and performance criteria for First Generation (CT1 and CT1+) and Second Generation (CT2) cordless telephone equipment, and associated ancillary equipment.

Definitions of types of cordless telephone equipment covered by the present document are given in annex A.

In case of differences (for instance concerning special conditions, definitions, abbreviations) between the present document and EN 301 489-1 [1], the provisions of the present document take precedence.

The environmental classification and the emission and immunity requirements used in the present document are as stated in EN 301 489-1 [1], except for any special conditions included in the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
 - For a specific reference, subsequent revisions do not apply.
 - For a non-specific reference, the latest version applies.
 - A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
- [1] ETSI EN 301 489-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements".
 - [2] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications equipment and the mutual recognition of their conformity.
 - [3] Council Directive 89/336/EEC of 3 May 1989 on the approximation of the laws of the Member States relating to electromagnetic compatibility.
 - [4] ETSI I-ETS 300 131 (1992): "Radio Equipment and Systems (RES); Common air interface specification to be used for the interworking between cordless telephone apparatus in the frequency band 864,1 MHz to 868,1 MHz, including public access services".
 - [5] ETSI I-ETS 300 131 (1994): "Radio Equipment and Systems (RES); Common air interface specification to be used for the interworking between cordless telephone apparatus in the frequency band 864,1 MHz to 868,1 MHz, including public access services".
 - [6] ETSI I-ETS 300 235 (1994): "Radio Equipment and Systems (RES); Technical characteristics, test conditions and methods of measurement for radio aspects of cordless telephones CT1".
 - [7] ETSI EN 300 176: "Digital Enhanced Cordless Telecommunications (DECT); Approval test specification".

- [8] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions of EN 301 489-1 [1], clause 3 and the following apply as appropriate.

CT1 equipment: first generation Cordless Telephone apparatus which includes one or more transceivers and/or receivers and/or parts thereof which operate in the frequency bands 914 MHz to 915 MHz and 959 MHz to 960 MHz.

CT1+ equipment: first generation Cordless Telephone apparatus which includes one or more transceivers and/or receivers and/or parts thereof which operate in the frequency bands 885 MHz to 887 MHz and 930 MHz to 932 MHz.

CT2 equipment: second generation Cordless Telephone apparatus which includes one or more transceivers and/or receivers and/or parts thereof which operate in the frequency band 864,1 MHz to 868,1 MHz.

host equipment: any equipment which has a complete user functionality when not connected to the cordless telephone or similar radio communications equipment, and to which this radio equipment provides additional functionality, and to which connection is necessary for this radio equipment to offer functionality, and in which the transceiver part of the radio equipment is physically installed.

non-speech equipment: cordless telephone or similar communications equipment intended for the provision and reception of digital data either originating from or destined to external digital speech processing circuitry or other external equipment.

speech equipment: cordless telephone or similar communications equipment containing transducers such as microphones and/or loudspeakers intended for the provision and reception of acoustic audio signals.

<https://standards.iteh.ai/catalog/standards/sist/bca0779a-78ff-411c-bee4-c03b526dfa42/sist-en-301-489-10-2001>

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

BER	Bit Error Ratio
BPF	Band Pass Filter
BW	BandWidth
CF	Carrier Frequency
CFP	Cordless Fixed Part
CPP	Cordless Portable Part
CR	Continuous phenomena applied to cordless telephone or communication Receive-only equipment
CT	Continuous phenomena applied to cordless telephone or communication Transceivers
CT1	Cordless Telephone, first generation
CT1+	Cordless Telephone, first generation. Different frequency range from CT1.
CT2	Cordless Telephone, second generation
ERP	Ear Reference Point
FP	Fixed Part
MRP	Mouth Reference Point
PP	Portable Part
SPL	Sound Pressure Level
TR	Transient phenomena applied to cordless telephone or communication Receive-only equipment
TT	Transient phenomena applied to cordless telephone or communication Transceivers

4 Test conditions

4.1 General

For the purposes of the present document, the test conditions of EN 301 489-1 [1], clause 4, shall apply as appropriate. Further product related test conditions for cordless telephone or communications equipment are specified in the present document, clauses 4.2 to 4.5.

4.2 Arrangements for test signals

The provisions of EN 301 489-1 [1], clause 4.2 shall apply.

4.2.1 Arrangements for test signals at the input of transmitters

The provisions of EN 301 489-1 [1], clause 4.2.1 shall apply with the following modification.

The transmitter part of the particular type of cordless telephone or communications equipment shall be modulated with normal test modulation as specified for that type of equipment (clause 4.5).

4.2.1.1 Speech equipment

Audio input signals may be provided to the EUT either by a non-metallic acoustic tube or, if provided, electrical connections. The equipment shall not be modified to provide any electrical connection ports for the purposes of EMC tests only. Suitable test arrangements for the acoustic tube are described e.g. in EN 300 176 [**Error! Reference source not found.**].

(standards.iteh.ai)

4.2.1.2 Non-speech equipment

SIST EN 301 489-10:2001

Digital (data) input signals shall be supplied to the EUT by electrical connection to the modulation input port via an appropriate connecting cable, test jig, or host equipment (clauses 5.2.1 and 5.2.2).

4.2.2 Arrangements for test signals at the output of transmitters

The provisions of EN 301 489-1 [1], clause 4.2.2 shall apply.

4.2.3 Arrangements for test signals at the input of receivers

The provisions of EN 301 489-1 [1], clause 4.2.3 shall apply with the following modification.

The receiver part or stand alone receiver of the particular type of cordless telephone or communications equipment shall be provided with the appropriate wanted RF signal modulated as specified for that type of equipment (clause 4.5).

4.2.4 Arrangements for test signals at the output of receivers

The provisions of EN 301 489-1 [1], clause 4.2.4 shall apply.