

SLOVENSKI STANDARD SIST EN 301 489-19:2001

01-september-2001

Elektromagnetna združljivost (EMC) in zadeve v zvezi z radijskim spektrom (ERM) - Standard elektromagnetne združljivosti (EMC) za radijsko opremo in storitve - 19. del: Posebni pogoji za sprejemne mobilne zemeljske postaje (ROMES), ki zagotavljajo podatkovne komunikacije in delujejo v pasu 1,5 GHz

Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 19: Specific conditions for Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band providing data communications NDARD PREVIEW

(standards.iteh.ai)

SIST EN 301 489-19:2001 https://standards.iteh.ai/catalog/standards/sist/934405c5-877c-4ec5-8505-c3d04e584df9/sist-en-301-489-19-2001

Ta slovenski standard je istoveten z: EN 301 489-19 Version 1.1.1

ICS:

33.060.01	Radijske komunikacije na splošno	Radiocommunications in general
33.070.40	Satelit	Satellite
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 301 489-19:2001 en

SIST EN 301 489-19:2001

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-19:2001 https://standards.iteh.ai/catalog/standards/sist/934405c5-877c-4ec5-8505-c3d04e584df9/sist-en-301-489-19-2001

ETSI EN 301 489-19 V1.1.1 (2000-12)

Candidate Harmonized European Standard (Telecommunications series)

Electromagnetic compatibility and Radio spectrum Matters (ERM);
ElectroMagnetic Compatibility (EMC) standard for radio equipment and services;
Part 19: Specific conditions for Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band providing data communications

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-19:2001 https://standards.iteh.ai/catalog/standards/sist/934405c5-877c-4ec5-8505-c3d04e584df9/sist-en-301-489-19-2001



Reference

DEN/ERM-EMC-219-19

Keywords

EMC, data, earth station, mobile, MSS, radio, receiver, regulation, satellite, testing

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/ IEW

(standards.iteh.ai)

SIST EN 301 489-19:2001 https://standards.iteh.ai/catalog/standards/sist/934405c5-877c-4ec5-8505-c3d04e584df9/sist-en-301-489-19-2001

Important notice

Individual copies of the present document can be downloaded from: <u>http://www.etsi.org</u>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at http://www.etsi.org/tb/status/

If you find errors in the present document, send your comment to: editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intell	ectual Property Rights	4
Forev	word	
1	Scope	6
2	References	
3	Definitions and abbreviations	
3.1	Definitions	
3.2	Abbreviations	
4	Test conditions	
4.1	General	
4.2	Arrangements for test signals	
4.2.1	Arrangements for test signals at the input of receivers (ROMES)	
4.2.2	Arrangements for test signals at the output of receivers (ROMES)	
4.3	Exclusion bands	
4.4	Narrow band responses of receivers	
4.5	Normal test modulation	8
5	Performance assessment	8
5.1	General	8
5.2	Equipment which can provide a continuous communications link	8
5.3	Equipment which does not provide a continuous communications link	9
5.4	Ancillary equipment	C
5.5	Equipment classification (standards.itch.ai)	9
6	Performance criteria	9
6.1	General performance criteria. SIST EN 301 489-19:2001.	
6.2	Performance critéria for Continuous phenomena applied to ROMES réceivers (CR)	
6.3	Performance criteria for Transient phenomena applied to ROMES receivers (TR)	
6.4	Performance criteria for equipment which does not provide a continuous communication link	10
7	Applicability overview.	10
7.1	Emission	10
7.1.1	General	10
7.1.2	Special conditions	
7.2	Immunity	
7.2.1	General	
7.2.2	Special conditions	11
Anne	ex A (normative): Definitions of ROMES within the scope of the present document	12
A.1	Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band	12
Biblio	ography	
Histo	arv	14

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://www.etsi.org/ipr).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under the Council Directive 98/34/EC [4] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulation.

The present document, together with EN 301 489-1 [1], is intended to become a Harmonized EMC Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Council Directive on the approximation of the laws of the Member States relating to electromagnetic compatibility (the "EMC Directive" 89/336/EEC [3] as amended), and the Council Directive on the approximation of the laws of the Member States relating to radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (the "R&TTE Directive" 1999/5/EC [2]).

The present document is part 19 of a multi-part deliverable covering the ElectroMagnetic Compatibility (EMC) standard for radio equipment and services, as identified below 192-19:2001 https://standards.iteh.ai/catalog/standards/sist/934405c5-877c-4ec5-8505-

	importanted the interest of the feet of th
Part 1:	"Common technical requirements \$34df9/sist-en-301-489-19-2001

- Part 2: "Specific conditions for radio paging equipment";
- Part 3: "Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz";
- Part 4: "Specific conditions for fixed radio links and ancillary equipment and services";
- Part 5: "Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech)";
- Part 6: "Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment";
- Part 7: "Specific conditions for mobile and portable radio and ancillary equipment of digital cellular radio telecommunications systems (GSM and DCS)";
- Part 8: "Specific conditions for GSM base stations";
- Part 9: "Specific conditions for wireless microphones and similar Radio Frequency (RF) audio link equipment";
- Part 10: "Specific conditions for First (CT1 and CT1+) and Second Generation Cordless Telephone (CT2) equipment";
- Part 11: "Specific conditions for FM broadcasting transmitters";
- Part 12: "Specific conditions for Earth Stations operated in the frequency ranges between 4 GHz and 30 GHz in the Fixed Satellite Service (FSS)";
- Part 13: "Specific conditions for Citizens' Band (CB) radio and ancillary equipment (speech and non-speech)";
- Part 15: "Specific conditions for commercially available amateur radio equipment";

5

- Part 16: "Specific conditions for analogue cellular radio communications equipment, mobile and portable";
- Part 17: "Specific conditions for Wideband data and HIPERLAN equipment";
- Part 18: "Specific conditions for Terrestrial Trunked Radio (TETRA) equipment";
- Part 19: "Specific conditions for Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band providing data communications";
- Part 20: "Specific conditions for Mobile Earth Stations (MES) used in the Mobile Satellite Services (MSS)";
- Part 22: "Specific conditions for ground based VHF aeronautical mobile and fixed radio equipment".

National transposition dates			
Date of adoption of this EN:	17 November 2000		
Date of latest announcement of this EN (doa):	28 February 2001		
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 August 2001		
Date of withdrawal of any conflicting National Standard (dow):	31 August 2002		

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-19:2001 https://standards.iteh.ai/catalog/standards/sist/934405c5-877c-4ec5-8505-c3d04e584df9/sist-en-301-489-19-2001

1 Scope

The present document, together with EN 301 489-1 [1], covers the assessment of Receive Only Mobile Earth Stations (ROMES), as defined in annex A, and associated ancillary equipment in respect of ElectroMagnetic Compatibility (EMC).

Technical specifications related to the antenna port and emissions from the enclosure port of ROMES are not included in the present document. Such technical specifications are found in the relevant product standards for the effective use of the radio spectrum.

The present document specifies the applicable test conditions, performance assessment and performance criteria for ROMES and associated ancillary equipment.

ROMESs can have several configurations, including:

- portable equipment;
- fixed equipment;
- a number of modules including a display/control interface to the user.

The performance criteria used in the present document require that the satellite communications system of which the ROMES is a part provides reliable delivery of data or messages.

In case of differences (for instance concerning special conditions, definitions, abbreviations) between the present document and EN 301 489-1 [1], the provisions of the present document take precedence.

The environmental classification and the emission and immunity requirements used in the present document are as stated in EN 301 489-1 [1], except for any special conditions included in the present document. The applicable environments referred to in EN 301 489-1 [1] where ROMES may be used shall be declared by the manufacturer.

References C3d0/45544407-1-1 C3d0/4554407-1-1 C3d0/4554407-1-1 C3d0/45544407-1-1 C3d0/4564407-1-1 C3d0/456407-1-1 C3d0/456407-1-1 C3d0/456407-1-1 C3d0/456407-1-1 C3d0/456407-1-1 C3d0/456407-1-1 C3d0/456407-1-1 C3d0/456407-1-1 C3d0/456407-1-1 C 2

The following documents contain provisions which, through reference in this text, constitute provisions of the present

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
- ETSI EN 301 489-1 (V1.2.1) (2000): "Electromagnetic compatibility and Radio spectrum Matters [1] (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements".
- [2] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications equipment and the mutual recognition of their conformity.
- Council Directive 89/336/EEC of 3 May 1989 on the approximation of the laws of the Member [3] States relating to electromagnetic compatibility.
- [4] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.

7

[5] ITU R Radio Regulations (1998).

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in EN 301 489-1 [1] and the following apply: **stand-by mode of operation:** mode of operation in which the receiver is capable of receiving calls.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CR Continuous phenomena applied to ROMES

EMC ElectroMagnetic Compatibility

EUT Equipment Under Test

LISN Line Impedance Stabilizing Network
LMSS Land Mobile Satellite Service

RF Radio Frequency

ROMES Receive Only Mobile Earth Station
TR Transient phenomena applied to ROMES

4 Test conditions

(standards.iteh.ai)

For the purposes of the present document, the test conditions of EN 301 489-1 [1], clause 4, shall apply as appropriate. Further product related test conditions for ROMES are specified in the present document.

https://standards.iteh.ai/catalog/standards/sist/934405c5-877c-4ec5-8505-c3d04e584df9/sist-en-301-489-19-2001

4.1 General

For emission and immunity tests the test modulation, test arrangements, etc., as specified in the present document,

subclauses 4.1 to 4.5, shall apply.

In the following clauses, the Equipment Under Test (EUT) is the ROMES with the selected configuration of ancillary equipment.

4.2 Arrangements for test signals

The provisions of EN 301 489-1 [1], subclause 4.2 shall apply.

4.2.1 Arrangements for test signals at the input of receivers (ROMES)

The provisions of EN 301 489-1 [1] subclause 4.2.3 shall apply with the following modifications.

The manufacturer may, at the time of submitting the ROMES for testing, supply, if necessary, a test fixture and a message generator to generate the wanted input signal.

The wanted RF input signal level for ROMES, modulated with the normal test modulation, shall be set to a value significantly above the threshold sensitivity but below the overload characteristics of the ROMES (the threshold sensitivity and overload characteristic shall be specified by the manufacturer).