

SLOVENSKI STANDARD SIST ISO 3635:1996

01-avgust-1996

Označevanje velikosti oblačil - Definicije in postopek merjenja telesnih mer

Size designation of clothes -- Definitions and body measurement procedure

Désignation des tailles de vêtements - Définitions et procédés de mesurage du corps

Ta slovenski standard je istoveten z: ISO 3635:1981

SIST ISO 3635:1996

https://standards.iteh.ai/catalog/standards/sist/88f8a544-a93c-451c-8433-af6eac2a529e/sist-iso-3635-1996

ICS:

61.020 Oblačila Clothes

SIST ISO 3635:1996 en

SIST ISO 3635:1996

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 3635:1996

https://standards.iteh.ai/catalog/standards/sist/88f8a544-a93c-451c-8433-af6eac2a529e/sist-iso-3635-1996

International Standard



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION®MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ®ORGANISATION INTERNATIONALE DE NORMALISATION

Size designation of clothes — Definitions and body measurement procedure

Désignation des tailles de vêtements — Définitions et procédés de mesurage du corps

Third edition - 1981-08-01 iTeh STANDARD PREVIEW (standards.iteh.ai)

> <u>SIST ISO 3635:1996</u> https://standards.iteh.ai/catalog/standards/sist/88f8a544-a93c-451c-8433-af6eac2a529e/sist-iso-3635-1996

UDC 687.1/.3:572.087:003.62

Ref. No. ISO 3635-1981 (E)

3635-1981 (

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3635 was developed by Technical Committee ISO/TC 133, V IE W Sizing systems and designations for clothes.

Romania

Switzerland

Spain Sweden

South Africa, Rep. of

This third edition was submitted directly to the ISO Council, in accordance with clause 5.10.1 of part 1 of the Directives for the technical work of ISO₃ It cancels and replaces the second edition (i.e. ISO 3635-1979), which resulted from the incorporation in the first edition of draft Addendum 1. It has been approved by the member bodies of the following countries:

Australia Hungary
Brazil India
Bulgaria Iran
Canada Israel
Chile Italy
Czechoslovakia Korea, Re

CzechoslovakiaKorea, Rep. ofTurkeyDenmarkMexicoUSAFinlandNetherlandsUSSRFranceNew ZealandYugoslavia

Germany, F. R. Poland

The member bodies of the following countries expressed disapproval of the document on technical grounds :

Japan United Kingdom

Size designation of clothes — Definitions and body measurement procedure

0 Introduction

In the size designation of clothes, certain measurements have been so prescribed that, when taken in accordance with a standard procedure using standard terms and definitions, they will define a body size. This body size is shown on the label, on the swing ticket, or on both, so that the correct selection of a garment may be made according to the appropriate personal measurements, irrespective of current fashion or garment style.

This International Standard is intended as a reference document to be consulted in conjunction with the International Standard for the size designation of clothes applicable to the garment under consideration. For uniformity of presentation, girth measurements should be shown on the left-hand side and length measurements on the right-hand side of pictograms.

- 2 The minimum size of the pictogram is not specified but it should be large enough to convey immediate understanding and to allow the use of readily legible numerals.
- 3 The recommended type for use on pictograms is UNIVERS No. U-59, as used in the relevant size designation International Standards

Standard pictogram

iTeh STANDARD PREVIEV

1 Scope and field of application

(standards.iteh.

This International Standard defines body dimensions and specifies a standard procedure for measuring the body_{IST ISO} 3635:1996

https://standards.iteh.ai/catalog/standards/sist/88f8a544af6eac2a529e/sist-iso-3635-1996


2 Definitions


For the purposes of this International Standard, the following definitions shall apply :

- **2.1 control dimensions**: Those body measurements, in centimetres¹⁾, on which a sizing system is built, and that are used to assign an appropriately sized garment to a wearer.
- **2.2 standard pictogram**: A pictorial symbol used to indicate the position on the body of the relevant control dimensions.
- **2.3 modified pictogram**: A standard pictogram on which the position of the breasts is shown by two inverted arcs to indicate the position of the underbust girth control dimension.

NOTES

1 The standard pictogram and the modified pictogram are shown below in their basic forms, i.e. without the numerals used for labelling.







¹⁾ In the case of pantyhose, body mass (kg) is used as one of the control dimensions.

ISO 3635-1981 (E)

Definition

Pictogram

Measuring position

2.4 head girth: The maximum horizontal girth of the head measured above the ears.






2.5 neck girth: The girth of the neck measured with the tape-measure passed 2 cm below the Adam's apple and at the level of the 7th cervical vertebra.







https://standards.iteh.ai/catalog/standards/sist/88f8a544-a93c-451c-8433-af6eac2a529e/sist-iso-3635-1996

2.6 chest girth: The maximum horizontal girth measured during normal breathing with the subject standing erect and the tape-measure passed over the shoulder blades (scapulae), under the armpits (axillae), and across the chest.





2.7 bust girth: The maximum horizontal girth measured during normal breathing with the subject standing erect and the tape-measure passed over the shoulder blades (scapulae), under the armpits (axillae), and across the bust prominence.






ISO 3635-1981 (E)

Definition

Pictogram

Measuring position

2.8 underbust girth: The horizontal girth of the body just below the breasts.





2.9 waist girth: The girth of the natural waist-line between the top of the hip bones (iliac crests) and the lower ribs, measured with the subject breathing normally and standing erect with the abdomen relaxed.


(standards.iteh

SIST ISO 3635:1996

https://standards.iteh.ai/catalog/standards/sist/88f8a544-a93c-451c-8433-af6eac2a529e/sist-iso-3635-1996



2.10 hip girth: The horizontal girth measured round the buttocks at the level of maximum circumference.






ISO 3635-1981 (E)


Definition

2.11 height (subjects other than infants): The vertical distance between the crown of the head and the soles of the feet, measured with the subject standing erect without shoes and with the feet together.

Pictogram



Measuring position



2.12 height (infants, not yet able to stand upright): The length of the body measured in a straight line from the crown of the head to the soles of the feet. iTeh STA


(standards




https://standards.iteh.ai/catalog/standards/sist/88f8a544-a93c-451c-8433-

2.13 outside leg length: The distance from af6cac2a529e/sist-iso 35-1996 the waist to the ground, measured with the tapemeasure following the contour of the hip.







2.14 inside leg length: The distance between the crotch and the soles of the feet, measured in a straight line with the subject erect, feet slightly apart, and the weight of the body equally distributed on both legs.

