



# SLOVENSKI STANDARD SIST ETS 300 974 E10:2003

01-december-2003

---

8 ] [ ] H U b ] W W ] b ] h Y \_ c a i b ] U W g \_ ] g ] g h Y a f Z h U & Z L E G d Y W Z \_ U W U X Y U n U a c V ] b Y  
U d ] \_ U W Y f A 5 D L f } G A \$ - \$ & z f U h ] ] W U ) ' % ' % z ] n X U U % - \* Ł

Digital cellular telecommunications system (Phase 2+) (GSM); Mobile Application Part (MAP) specification (GSM 09.02 version 5.14.1 Release 1996)

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Ta slovenski standard je istoveten z: <sup>SIST ETS 300 974 E10:2003</sup> **ETS 300 974 Edition 10**  
<https://standards.iteh.ai/catalog/standards/sist/88395772-55a5-4614-90a5-3cf266e8a969/sist-ets-300-974-e10-2003>

---

**ICS:**

33.070.50	Globalni sistem za mobilno telekomunikacijo (GSM)	Global System for Mobile Communication (GSM)
-----------	---	--


**SIST ETS 300 974 E10:2003**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST ETS 300 974 E10:2003

<https://standards.iteh.ai/catalog/standards/sist/88395772-53a3-4b14-90a5-3cf266e8a969/sist-ets-300-974-e10-2003>



**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 974**

April 2000

Tenth Edition

Source: SMG

Reference: RE/SMG-030902QR9

ICS: 33.020

**Key words:** Digital cellular telecommunications system, Global System for Mobile communications (GSM)



**Digital cellular telecommunications system (Phase 2+);  
Mobile Application Part (MAP) specification  
(GSM 09.02 version 5.14.1 Release 1996)**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**Internet:** secretariat@etsi.fr - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000. All rights reserved.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 974 E10:2003](https://standards.iteh.ai/catalog/standards/sist/88395772-53a3-4b14-90a5-3cf266e8a969/sist-ets-300-974-e10-2003)

<https://standards.iteh.ai/catalog/standards/sist/88395772-53a3-4b14-90a5-3cf266e8a969/sist-ets-300-974-e10-2003>

## Contents

Intellectual Property Rights .....	19
Foreword.....	19
1 Scope .....	21
1.1 Normative references .....	21
1.2 Abbreviations .....	27
2 Configuration of the mobile network.....	27
2.1 The entities of the mobile system .....	27
2.1.1 The Home Location Register (HLR) .....	27
2.1.2 The Visitor Location Register (VLR) .....	27
2.1.3 The Mobile-services Switching Centre (MSC).....	28
2.1.4 The Base Station System (BSS) .....	28
2.1.5 The Gateway MSC (GMSC).....	28
2.1.6 The SMS Gateway MSC .....	28
2.1.7 The SMS Interworking MSC.....	28
2.1.8 The VBS/VGCS Anchor MSC .....	29
2.1.9 The Equipment Identity Register (EIR).....	29
2.1.10 The GSM Service Control Function (gsmSCF) .....	29
2.1.11 The Group Call Register (GCR) .....	29
2.2 Configuration of a Public Land Mobile Network (PLMN).....	29
2.3 Interconnection between PLMNs .....	29
2.4 The interfaces within the mobile service.....	29
2.4.1 Interface between the HLR and the VLR (D-interface).....	29
2.4.2 Interface between the HLR and the gsmSCF (J-interface) .....	30
2.4.3 Interface between the VLR and its associated MSC(s) (B-interface) .....	30
2.4.4 Interface between VLRs (G-interface).....	30
2.4.5 Interface between the HLR and the MSC (C-interface).....	30
2.4.6 Interface between MSCs (E-interface) .....	30
2.4.7 Interface between the MSC and Base Station Systems (A-interface).....	30
2.4.8 Interface between MSC and EIR (F-interface) .....	30
2.4.9 Interface between VBS/VGCS Anchor MSC and GCR (I-interface).....	30
2.5 Splitting of the data storage .....	31
3 Overload and compatibility overview .....	32
3.1 Overload control.....	32
3.1.1 Overload control for MSC (outside MAP) .....	32
3.1.2 Overload control for MAP entities.....	32
3.1.3 Congestion control for Signalling System No. 7 .....	35
3.2 Compatibility.....	35
3.2.1 General.....	35
3.2.2 Strategy for selecting the Application Context (AC) version.....	35
3.2.2.1 Proposed method .....	35
3.2.2.2 Managing the version look-up table.....	36
3.2.2.3 Optimizing the method.....	37
4 Requirements concerning the use of SCCP and TC.....	38
4.1 Use of SCCP.....	38
4.1.1 SCCP Class.....	38
4.1.2 Sub-System Number (SSN) .....	38
4.1.3 SCCP addressing .....	38
4.1.3.1 Introduction .....	38
4.1.3.2 The Mobile-services Switching Centre (MSC) .....	39
4.1.3.2.1 MSC interaction during handover .....	39
4.1.3.2.2 MSC for short message routing .....	39
4.1.3.3 The Home Location Register (HLR) .....	39

	4.1.3.3.1	During call set-up .....	39
	4.1.3.3.2	Before location updating completion ....	40
	4.1.3.3.3	After location updating completion .....	40
	4.1.3.3.4	VLR restoration .....	40
	4.1.3.4	The Visitor Location Register (VLR).....	41
	4.1.3.4.1	Inter-VLR information retrieval .....	41
	4.1.3.4.2	HLR request .....	41
	4.1.3.5	The Interworking MSC (IWMSC) for Short Message Service .....	41
	4.1.3.6	The Equipment Identity Register (EIR) .....	41
	4.1.3.7	Summary table .....	41
4.2	Use of TC .....		42
5	General on MAP services .....		44
5.1	Terminology and definitions .....		44
5.2	Modelling principles .....		44
5.3	Common MAP services.....		44
	5.3.1	MAP-OPEN service .....	45
	5.3.2	MAP-CLOSE service .....	47
	5.3.3	MAP-DELIMITER service .....	48
	5.3.4	MAP-U-ABORT service .....	48
	5.3.5	MAP-P-ABORT service .....	49
	5.3.6	MAP-NOTICE service.....	50
5.4	Sequencing of services .....		50
5.5	General rules for mapping of services onto TC.....		52
	5.5.1	Mapping of common services.....	52
	5.5.2	Mapping of user specific services.....	53
5.6	Definition of parameters.....		54
	5.6.1	Common parameters.....	56
	5.6.1.1	Invoke Id.....	56
	5.6.1.2	Linked Id.....	56
	5.6.1.3	Provider error .....	56
	5.6.1.4	User error .....	56
	5.6.2	Numbering and identification parameter.....	58
	5.6.2.1	MSI.....	58
	5.6.2.2	TMSI.....	58
	5.6.2.3	IMEI.....	58
	5.6.2.4	Previous location area Id.....	58
	5.6.2.5	Stored location area Id.....	59
	5.6.2.6	Current location area Id.....	59
	5.6.2.7	Target location area Id .....	59
	5.6.2.8	Target cell Id .....	59
	5.6.2.9	[Spare].....	59
	5.6.2.10	Originating entity number .....	59
	5.6.2.11	MSC number .....	59
	5.6.2.12	Target MSC number .....	59
	5.6.2.13	HLR number.....	59
	5.6.2.14	VLR number .....	59
	5.6.2.15	HLR Id .....	59
	5.6.2.16	LMSI.....	59
	5.6.2.17	MS ISDN .....	59
	5.6.2.18	OMC Id.....	59
	5.6.2.19	Roaming number .....	59
	5.6.2.20	[Spare].....	60
	5.6.2.21	Handover number .....	60
	5.6.2.22	Forwarded-to number.....	60
	5.6.2.23	Forwarded-to subaddress .....	60
	5.6.2.24	Called number.....	60
	5.6.2.25	Calling number .....	60
	5.6.2.26	Originally dialled number.....	60
	5.6.2.27	Service centre address .....	60
	5.6.2.28	Zone Code .....	60
	5.6.2.29	MSISdn-Alert .....	60

## ETS 300 974 (GSM 09.02 version 5.14.1 Release 1996): April 2000

	5.6.2.30	Location Information .....	60
	5.6.2.31	GMSC Address .....	60
	5.6.2.32	VMSC Address .....	60
	5.6.2.33	Group Id .....	60
5.6.3		Subscriber management parameters .....	61
	5.6.3.1	Category .....	61
	5.6.3.2	Equipment status .....	61
	5.6.3.3	Extensible Bearer service .....	61
	5.6.3.4	Extensible Teleservice .....	61
	5.6.3.5	Extensible Basic Service Group .....	61
	5.6.3.6	GSM bearer capability .....	61
	5.6.3.7	Subscriber Status .....	61
	5.6.3.8	CUG Outgoing Access indicator .....	61
	5.6.3.9	Operator Determined Barring General Data .....	61
	5.6.3.10	ODB HPLMN Specific Data .....	62
	5.6.3.11	Regional Subscription Data .....	62
	5.6.3.12	Regional Subscription Response .....	62
	5.6.3.13	Roaming Restriction Due To Unsupported Feature .....	62
	5.6.3.14	Extensible SS-Info .....	62
	5.6.3.15	Extensible Forwarding information .....	62
	5.6.3.16	Extensible Forwarding feature .....	62
	5.6.3.17	Extensible SS-Status .....	63
	5.6.3.18	Extensible Forwarding Options .....	63
	5.6.3.19	Extensible No reply condition timer .....	63
	5.6.3.20	Extensible Call barring information .....	63
	5.6.3.21	Extensible Call barring feature .....	63
	5.6.3.22	CUG info .....	63
	5.6.3.23	CUG subscription .....	63
	5.6.3.24	CUG interlock .....	63
	5.6.3.25	CUG index .....	63
	5.6.3.26	CUG feature .....	64
	5.6.3.27	Inter CUG options .....	64
	5.6.3.28	Intra CUG restrictions .....	64
	5.6.3.29	Extensible SS-Data .....	64
	5.6.3.30	Subscriber State .....	64
	5.6.3.31	Requested Info .....	64
	5.6.3.32	Suppression of Announcement .....	64
	5.6.3.33	Suppress T-CSI .....	65
	5.6.3.34	GMSC CAMEL Subscription Info .....	65
	5.6.3.35	VLR CAMEL Subscription Info .....	65
	5.6.3.36	Supported CAMEL Phases .....	65
	5.6.3.37	CUG Subscription Flag .....	65
	5.6.3.38	CAMEL Subscription Info Withdraw .....	65
	5.6.3.39	Voice Group Call Service (VGCS) Data .....	65
	5.6.3.40	Voice Broadcast Service (VBS) Data .....	65
5.6.4		Supplementary services parameters .....	65
	5.6.4.1	SS-Code .....	65
	5.6.4.2	SS-Status .....	65
	5.6.4.3	SS-Data .....	66
	5.6.4.4	Override Category .....	66
	5.6.4.5	CLI Restriction Option .....	66
	5.6.4.6	Forwarding Options .....	66
	5.6.4.7	No reply condition timer .....	66
	5.6.4.8 - 5.6.4.14	[Spare] .....	66
	5.6.4.15	Forwarding information .....	66
	5.6.4.16	Forwarding feature .....	66
	5.6.4.17	[Spare] .....	67
	5.6.4.18	Call barring information .....	67
	5.6.4.19	Call barring feature .....	67
	5.6.4.20	New password .....	67
	5.6.4.21	Current password .....	67
	5.6.4.22	Guidance information .....	67
	5.6.4.23	[Spare] .....	67

iTeh STANDARDS REVIEW  
(standards.itteh.ai)

https://standards.cen/catalog/standards/sist/300-974-2003-4b14-90a5-  
74200c8a969/sist-ets-300-974-2003

	5.6.4.24	SS-Info .....	67
	5.6.4.25 - 5.6.4.35 [Spare] .....	68	
	5.6.4.36	USSD Data Coding Scheme .....	68
	5.6.4.37	USSD String .....	68
	5.6.4.38	Bearer service .....	68
	5.6.4.39	Teleservice .....	68
	5.6.4.40	Basic Service Group .....	68
	5.6.4.41	eMLPP information .....	68
5.6.5	Call parameters .....	68	
	5.6.5.1	Call reference number .....	68
	5.6.5.2	Interrogation type .....	68
	5.6.5.3	OR interrogation .....	69
	5.6.5.4	OR capability .....	69
	5.6.5.5	Forwarding reason .....	69
	5.6.5.6	Forwarding interrogation required .....	69
	5.6.5.7	O-CSI .....	69
5.6.6	Radio parameters .....	69	
	5.6.6.1 - 5.6.6.6 [Spare] .....	69	
	5.6.6.7	HO-Number Not Required .....	69
5.6.7	Authentication parameters .....	69	
	5.6.7.1	Authentication set list .....	69
	5.6.7.2	Rand .....	69
	5.6.7.3	Sres .....	69
	5.6.7.4	Kc .....	69
	5.6.7.5	[Spare] .....	70
	5.6.7.6	Cksn .....	70
	5.6.7.7	Ciphering mode .....	70
5.6.8	Short message parameters .....	70	
	5.6.8.1	SM-RP-DA .....	70
	5.6.8.2	SM-RP-OA .....	70
	5.6.8.3	MWD status .....	70
	5.6.8.4	SM-RP-UI .....	70
	5.6.8.5	SM-RP-PRI .....	70
	5.6.8.6	SM Delivery Outcome .....	70
	5.6.8.7	More Messages To Send .....	71
	5.6.8.8	Alert Reason .....	71
	5.6.8.9	Absent Subscriber Diagnostic SM .....	71
5.6.9	Access and signalling system related parameters .....	71	
	5.6.9.1	BSS-apdu .....	71
	5.6.9.2	CM service type .....	71
	5.6.9.3	Access connection status .....	71
	5.6.9.4	External Signal Information .....	71
	5.6.9.5	Access signalling information .....	71
	5.6.9.6	Location update type .....	71
	5.6.9.7	Protocol ID .....	72
	5.6.9.8	Network signal information .....	72
5.6.10	System operations parameters .....	72	
	5.6.10.1	Network resources .....	72
	5.6.10.2	Trace reference .....	73
	5.6.10.3	Trace type .....	73
5.7	Representation of a list of a basic parameter in service-primitives .....	73	
6	Mobility services .....	74	
6.1	Location management services .....	74	
6.1.1	MAP_UPDATE_LOCATION_AREA service .....	74	
	6.1.1.1	Definition .....	74
	6.1.1.2	Service primitives .....	74
	6.1.1.3	parameter definitions and use .....	74
6.1.2	MAP_UPDATE_LOCATION service .....	75	
	6.1.2.1	Definition .....	75
	6.1.2.2	Service primitives .....	75
	6.1.2.3	Parameter definitions and use .....	75
6.1.3	MAP_CANCEL_LOCATION service .....	76	



	6.1.3.1	Definition.....	76
	6.1.3.2	Service primitives.....	76
	6.1.3.3	Parameter definitions and use.....	77
6.1.4	MAP_SEND_IDENTIFICATION service.....		77
	6.1.4.1	Definition.....	77
	6.1.4.2	Service primitives.....	77
	6.1.4.3	Parameter definitions and use.....	77
6.1.5	MAP_DETACH_IMSI service.....		78
	6.1.5.1	Definition.....	78
	6.1.5.2	Service primitives.....	78
	6.1.5.3	Parameter definitions and use.....	78
6.1.6	MAP_PURGE_MS service.....		79
	6.1.6.1	Definition.....	79
	6.1.6.2	Service primitives.....	79
	6.1.6.3	Parameter definitions and use.....	79
6.2	Paging and search.....		79
	6.2.1	MAP_PAGE service.....	79
	6.2.1.1	Definition.....	79
	6.2.1.2	Service primitives.....	80
	6.2.1.3	Parameter definitions and use.....	80
	6.2.2	MAP_SEARCH_FOR_MS service.....	80
	6.2.2.1	Definition.....	80
	6.2.2.2	Service primitives.....	81
	6.2.2.3	Parameter definitions and use.....	81
6.3	Access management services.....		81
	6.3.1	MAP_PROCESS_ACCESS_REQUEST service.....	81
	6.3.1.1	Definition.....	81
	6.3.1.2	Service primitives.....	82
	6.3.1.3	Parameter definitions and use.....	82
6.4	Handover services.....		83
	6.4.1	MAP_PREPARE_HANOVER service.....	83
	6.4.1.1	Definition.....	83
	6.4.1.2	Service primitives.....	83
	6.4.1.3	Parameter use.....	83
	6.4.2	MAP_SEND_END_SIGNAL service.....	84
	6.4.2.1	Definition.....	84
	6.4.2.2	Service primitives.....	84
	6.4.2.3	Parameter use.....	84
	6.4.3	MAP_PROCESS_ACCESS_SIGNALLING service.....	85
	6.4.3.1	Definition.....	85
	6.4.3.2	Service primitives.....	85
	6.4.3.3	Parameter use.....	85
	6.4.4	MAP_FORWARD_ACCESS_SIGNALLING service.....	85
	6.4.4.1	Definition.....	85
	6.4.4.2	Service primitives.....	85
	6.4.4.3	Parameter use.....	86
	6.4.5	MAP_PREPARE_SUBSEQUENT_HANOVER service.....	86
	6.4.5.1	Definition.....	86
	6.4.5.2	Service primitives.....	86
	6.4.5.3	Parameter use.....	86
	6.4.6	MAP_ALLOCATE_HANOVER_NUMBER service.....	87
	6.4.6.1	Definition.....	87
	6.4.6.2	Service primitives.....	87
	6.4.6.3	Parameter use.....	87
	6.4.7	MAP_SEND_HANOVER_REPORT service.....	87
	6.4.7.1	Definition.....	87
	6.4.7.2	Service primitives.....	87
	6.4.7.3	Parameter use.....	88
6.5	Authentication management services.....		88
	6.5.1	MAP_AUTHENTICATE service.....	88
	6.5.1.1	Definition.....	88
	6.5.1.2	Service primitives.....	88
	6.5.1.3	Parameter use.....	88

6.5.2	MAP_SEND_AUTHENTICATION_INFO service .....	89
6.5.2.1	Definition .....	89
6.5.2.2	Service primitives .....	89
6.5.2.3	Parameter use.....	89
6.6	Security management services .....	90
6.6.1	MAP_SET_CIPHERING_MODE service.....	90
6.6.1.1	Definitions .....	90
6.6.1.2	Service primitives .....	90
6.6.1.3	Parameter use.....	90
6.7	International mobile equipment identities management services.....	90
6.7.1	MAP_CHECK_IMEI service.....	90
6.7.1.1	Definition .....	90
6.7.1.2	Service primitives .....	90
6.7.1.3	Parameter use.....	91
6.7.2	MAP_OBTAIN_IMEI service.....	91
6.7.2.1	Definition .....	91
6.7.2.2	Service primitives .....	92
6.7.2.3	Parameter use.....	92
6.8	Subscriber management services.....	92
6.8.1	MAP-INSERT-SUBSCRIBER-DATA service.....	92
6.8.1.1	Definition .....	92
6.8.1.2	Service primitives .....	93
6.8.1.3	Parameter use.....	93
	Supported CAMEL Phases .....	98
6.8.1.4	Basic service information related to supplementary services .....	99
6.8.2	MAP-DELETE-SUBSCRIBER-DATA service .....	99
6.8.2.1	Definition .....	99
6.8.2.2	Service primitives .....	100
6.8.2.3	Parameter use.....	100
6.9	Identity management services.....	101
6.9.1	MAP-PROVIDE-IMSI service.....	101
6.9.1.1	Definition .....	101
6.9.1.2	Service primitives .....	102
6.9.1.3	Parameter use .....	102
6.9.2	MAP-FORWARD-NEW-TMSI service.....	102
6.9.2.1	Definition .....	102
6.9.2.2	Service primitives .....	102
6.9.2.3	Parameter use.....	102
6.10	Fault recovery services .....	102
6.10.1	MAP_RESET service.....	102
6.10.1.1	Definition .....	102
6.10.1.2	Service primitives .....	103
6.10.1.3	Parameter definition and use .....	103
6.10.2	MAP_FORWARD_CHECK_SS_INDICATION service.....	103
6.10.2.1	Definition .....	103
6.10.2.2	Service primitives .....	103
6.10.2.3	Parameter definition and use .....	103
6.10.3	MAP_RESTORE_DATA service.....	103
6.10.3.1	Definition .....	103
6.10.3.2	Service primitives .....	104
6.10.3.3	Parameter definitions and use .....	104
6.11	Subscriber Information services.....	105
6.11.1	MAP-ANY-TIME-INTERROGATION service .....	105
6.11.1.1	Definition .....	105
6.11.1.2	Service primitives .....	105
6.11.1.3	Parameter definition and use .....	105
6.11.2	MAP-PROVIDE-SUBSCRIBER-Info service .....	106
6.11.2.1	Definition .....	106
6.11.2.2	Service primitives .....	106
6.11.2.3	Parameter definition and use .....	106
7	Operation and maintenance services .....	107

7.1	Subscriber tracing services.....	107
7.1.1	MAP-ACTIVATE-TRACE-MODE service.....	107
7.1.1.1	Definition.....	107
7.1.1.2	Service primitives.....	107
7.1.1.3	Parameter use.....	107
7.1.2	MAP-DEACTIVATE-TRACE-MODE service.....	108
7.1.2.1	Definition.....	108
7.1.2.2	Service primitives.....	108
7.1.2.3	Parameter use.....	108
7.1.3	MAP-TRACE-SUBSCRIBER-ACTIVITY service.....	108
7.1.3.1	Definition.....	108
7.1.3.2	Service primitives.....	109
7.1.3.3	Parameter use.....	109
7.2	Other operation and maintenance services.....	109
7.2.1	MAP-SEND-IMSI service.....	109
7.2.1.1	Definition.....	109
7.2.1.2	Service primitives.....	109
7.2.1.3	Parameter use.....	110
8	Call handling services.....	110
8.1	MAP_SEND_ROUTING_INFORMATION service.....	110
8.1.1	Definition.....	110
8.1.2	Service primitives.....	110
8.1.3	Parameter use.....	111
8.2	MAP_PROVIDE_ROAMING_NUMBER service.....	114
8.2.1	Definition.....	114
8.2.2	Service primitives.....	114
8.2.3	Parameter use.....	114
8.3	MAP_RESUME_CALL_HANDLING service.....	116
8.3.1	Definition.....	116
8.3.2	Service primitives.....	116
8.3.3	Parameter use.....	116
9	Supplementary services related services.....	117
9.1	MAP_REGISTER_SS service.....	117
9.1.1	Definition.....	117
9.1.2	Service primitives.....	117
9.1.3	Parameter use.....	117
9.2	MAP_ERASE_SS service.....	118
9.2.1	Definition.....	118
9.2.2	Service primitives.....	119
9.2.3	Parameter use.....	119
9.3	MAP_ACTIVATE_SS service.....	120
9.3.1	Definition.....	120
9.3.2	Service primitives.....	120
9.3.3	Parameter use.....	120
9.4	MAP_DEACTIVATE_SS service.....	121
9.4.1	Definitions.....	121
9.4.2	Service primitives.....	122
9.4.3	Parameter use.....	122
9.5	MAP_INTERROGATE_SS service.....	123
9.5.1	Definitions.....	123
9.5.2	Service primitives.....	123
9.5.3	Parameter use.....	123
9.6	MAP_INVOKE_SS service.....	126
9.6.1	Definitions.....	126
9.6.2	Service primitives.....	126
9.6.3	Parameter use.....	126
9.7	MAP_REGISTER_PASSWORD service.....	127
9.7.1	Definitions.....	127
9.7.2	Service primitives.....	127
9.7.3	Parameter use.....	127
9.8	MAP_GET_PASSWORD service.....	127

SIST ETS 300 974 E10:2003

http://standards.iteh.ai/catalog/standards/sist/88395772-53a3-4b14-90a5-3c24cc0a9079/sist-ets-300-974-e10-2003

Table STANDARD PREVIEW  
(standards.iteh.ai)

	9.8.1	Definitions .....	127
	9.8.2	Service primitives.....	128
	9.8.3	Parameter use .....	128
9.9		MAP_PROCESS_UNSTRUCTURED_SS_REQUEST service .....	128
	9.9.1	Definitions .....	128
	9.9.2	Service primitives.....	128
	9.9.3	Parameter use .....	129
9.10		MAP_UNSTRUCTURED_SS_REQUEST service.....	129
	9.10.1	Definitions .....	129
	9.10.2	Service primitives.....	129
	9.10.3	Parameter use .....	130
9.11		MAP_UNSTRUCTURED_SS_NOTIFY service .....	130
	9.11.1	Definitions .....	130
	9.11.2	Service primitives.....	130
	9.11.3	Parameter use .....	131
10		Short message service management services.....	131
10.1		MAP-SEND-ROUTING-INFO-FOR-SM service.....	131
	10.1.1	Definition .....	131
	10.1.2	Service primitives.....	132
	10.1.3	Parameter use .....	132
10.2		MAP-MO-FORWARD-SHORT-MESSAGE service .....	133
	10.2.1	Definition .....	133
	10.2.2	Service primitives.....	133
	10.2.3	Parameter use .....	133
10.3		MAP-REPORT-SM-DELIVERY-STATUS service .....	134
	10.3.1	Definition .....	134
	10.3.2	Service primitives.....	134
	10.3.3	Parameter use .....	134
10.4		MAP-READY-FOR-SM service .....	135
	10.4.1	Definition .....	135
	10.4.2	Service primitives.....	136
	10.4.3	Parameter use .....	136
10.5		MAP-ALERT-SERVICE-CENTRE service .....	136
	10.5.1	Definition .....	136
	10.5.2	Service primitives.....	137
	10.5.3	Parameter use .....	137
10.6		MAP-INFORM-SERVICE-CENTRE service.....	137
	10.6.1	Definition .....	137
	10.6.2	Service primitives.....	138
	10.6.3	Parameter use .....	138
10.7		MAP-SEND-INFO-FOR-MT-SMS service.....	138
	10.7.1	Definition .....	138
	10.7.2	Service primitives.....	138
	10.7.3	Parameter use .....	138
10.8		MAP-SEND-INFO-FOR-MO-SMS service .....	139
	10.8.1	Definition .....	139
	10.8.2	Service primitives.....	139
	10.8.3	Parameter use .....	139
10.9		MAP-MT-FORWARD-SHORT-MESSAGE service.....	140
	10.9.1	Definition .....	140
	10.9.2	Service primitives.....	140
	10.9.3	Parameter use .....	140
11		General .....	142
	11.1	Overview.....	142
	11.2	Underlying services .....	142
	11.3	Model.....	142
	11.4	Conventions .....	142
12		Elements of procedure.....	143
	12.1	Dialogue establishment .....	143
	12.1.1	Handling of unknown operations .....	143

12.1.2	Receipt of a MAP-OPEN request primitive.....	144
12.1.3	Receipt of a TC-BEGIN indication.....	144
12.1.4	Receipt of a MAP-OPEN response.....	147
12.1.5	Receipt of the first TC-CONTINUE ind.....	147
12.1.6	Receipt of a TC-END ind.....	147
12.1.7	Receipt of a TC-U-ABORT ind.....	147
12.1.8	Receipt of a TC-P-ABORT ind.....	148
12.2	Dialogue continuation.....	148
12.2.1	Sending entity.....	148
12.2.2	Receiving entity.....	148
12.3	Dialogue termination.....	148
12.3.1	Receipt of a MAP-CLOSE request.....	148
12.3.2	Receipt of a TC-END indication.....	149
12.4	User Abort.....	149
12.4.1	MAP-U-ABORT request.....	149
12.4.2	TC-U-ABORT ind.....	149
12.5	Provider Abort.....	149
12.5.1	MAP PM error situation.....	149
12.5.2	TC-P-ABORT ind.....	149
12.5.3	TC-U-ABORT ind.....	150
12.6	Procedures for MAP specific services.....	150
12.6.1	Service invocation.....	150
12.6.2	Service invocation receipt.....	150
12.6.3	Service response.....	151
12.6.4	Receipt of a response.....	152
12.6.4.1	Receipt of a TC-RESULT-NL indication.....	152
12.6.4.2	Receipt of a TC-RESULT-L indication.....	152
12.6.4.3	Receipt of a TC-U-ERROR indication.....	152
12.6.4.4	Receipt of a TC-INVOKE indication.....	153
12.6.4.5	Receipt of a TC-U-REJECT indication.....	153
12.6.4.6	Receipt of a TC-L-REJECT indication.....	153
12.6.4.7	Receipt of a TC-L-CANCEL indication.....	154
12.6.4.8	Receipt of a TC-NOTICE indication.....	154
12.6.5	Other events.....	154
12.6.5.1	Receipt of a TC-U-REJECT.....	154
12.6.5.2	Receipt of a TC-R-REJECT indication.....	155
12.6.5.3	Receipt of a TC-L-REJECT indication.....	155
12.6.6	Parameter checks.....	155
12.6.7	Returning state machines to idle.....	155
12.6.8	Load control.....	156
13	Mapping on to TC services.....	156
13.1	Dialogue control.....	156
13.1.1	Directly mapped parameters.....	156
13.1.2	Use of other parameters of dialogue handling primitives.....	156
13.1.2.1	Dialogue Id.....	156
13.1.2.2	Application-context-name.....	156
13.1.2.3	User information.....	156
13.1.2.4	Component present.....	156
13.1.2.5	Termination.....	156
13.1.2.6	P-Abort-Cause.....	156
13.1.2.7	Quality of service.....	157
13.2	Service specific procedures.....	157
13.2.1	Directly mapped parameters.....	157
13.2.2	Use of other parameters of component handling primitives.....	157
13.2.2.1	Dialogue Id.....	157
13.2.2.2	Class.....	157
13.2.2.3	Linked Id.....	158
13.2.2.4	Operation.....	158
13.2.2.5	Error.....	159
13.2.2.6	Parameters.....	159
13.2.2.7	Time out.....	159
13.2.2.8	Last component.....	159

	13.2.2.9	Problem code.....	159
		13.2.2.9.1 Mapping to MAP User Error .....	159
		13.2.2.9.2 Mapping to MAP Provider Error parameter.....	159
		13.2.2.9.3 Mapping to diagnostic parameter .....	160
13.3		SDL descriptions .....	160
14		Abstract syntax of the MAP protocol.....	186
14.1		General.....	186
	14.1.1	Encoding rules .....	186
	14.1.2	Use of TC.....	186
		14.1.2.1 Use of Global Operation and Error codes defined outside MAP .....	187
	14.1.3	Use of information elements defined outside MAP.....	187
	14.1.4	Compatibility considerations .....	188
	14.1.5	Structure of the Abstract Syntax of MAP .....	188
	14.1.6	Application Contexts .....	189
14.2		Operation packages .....	191
	14.2.1	General aspects.....	191
	14.2.2	Packages specifications .....	192
		14.2.2.1 Location updating .....	192
		14.2.2.2 Location cancellation.....	192
		14.2.2.3 Roaming number enquiry.....	192
		14.2.2.4 Information retrieval .....	192
		14.2.2.5 Inter-VLR information retrieval .....	192
		14.2.2.6 IMSI retrieval .....	193
		14.2.2.7 Call control transfer .....	193
		14.2.2.8 - 14.2.2.9 [Spare] .....	193
		14.2.2.10 Interrogation .....	193
		14.2.2.11 [Spare].....	193
		14.2.2.12 Handover Control .....	193
		14.2.2.13 Subscriber Data management stand alone.....	194
		14.2.2.14 Equipment management.....	194
		14.2.2.15 Subscriber data management.....	194
		14.2.2.16 Location register restart .....	194
		14.2.2.17 Tracing stand-alone .....	195
		14.2.2.18 Functional SS handling .....	195
		14.2.2.19 Tracing .....	195
		14.2.2.20 Binding .....	195
		14.2.2.21 Unstructured SS handling .....	195
		14.2.2.22 MO Short message relay services .....	196
		14.2.2.23 Short message gateway services .....	196
		14.2.2.24 MT Short message relay services.....	196
		14.2.2.25 [Spare].....	197
		14.2.2.26 Message waiting data management .....	197
		14.2.2.27 Alerting .....	197
		14.2.2.28 Data restoration.....	197
		14.2.2.29 Purging.....	197
		14.2.2.30 Subscriber information enquiry .....	197
		14.2.2.31 Any time information enquiry.....	198
14.3		Application contexts .....	199
	14.3.1	General aspects.....	199
	14.3.2	Application context definitions.....	200
		14.3.2.1 [Spare].....	200
		14.3.2.2 Location Updating .....	200
		14.3.2.3 Location Cancellation.....	200
		14.3.2.4 Roaming number enquiry.....	200
		14.3.2.5 [Spare].....	201
		14.3.2.6 Location Information Retrieval .....	201
		14.3.2.7 Call control transfer .....	201
		14.3.2.8 - 14.3.2.10 [Spare] .....	201
		14.3.2.11 Location registers restart.....	201
		14.3.2.12 Handover control.....	201



	14.3.2.13	IMSI Retrieval .....	202
	14.3.2.14	Equipment Management.....	202
	14.3.2.15	Information retrieval.....	202
	14.3.2.16	Inter-VLR information retrieval.....	202
	14.3.2.17	Stand Alone Subscriber Data Management .....	202
	14.3.2.18	Tracing.....	203
	14.3.2.19	Network functional SS handling.....	203
	14.3.2.20	Network unstructured SS handling .....	203
	14.3.2.21	Short Message Gateway.....	203
	14.3.2.22	Mobile originating Short Message Relay .....	204
	14.3.2.23	[Spare] .....	204
	14.3.2.24	Short message alert.....	204
	14.3.2.25	Short message waiting data management .....	204
	14.3.2.26	Mobile terminating Short Message Relay .....	204
	14.3.2.27	MS purging .....	205
	14.3.2.28	Subscriber information enquiry .....	205
	14.3.2.29	Any time information enquiry .....	205
	14.3.3	ASN.1 Module for application-context-names .....	206
14.4		MAP Dialogue Information .....	207
14.5		MAP operation and error codes .....	210
14.6		MAP operation and error types .....	215
	14.6.1	Mobile Service Operations .....	215
	14.6.2	Operation and Maintenance Operations .....	219
	14.6.3	Call Handling Operations.....	221
	14.6.4	Supplementary service operations .....	223
	14.6.5	Short message service operations .....	227
	14.6.6	Errors.....	230
14.7		MAP constants and data types .....	235
	14.7.1	Mobile Service data types .....	235
	14.7.2	Operation and maintenance data types.....	245
	14.7.3	Call handling data types .....	246
	14.7.4	Supplementary service data types .....	249
	14.7.5	Supplementary service codes .....	252
	14.7.6	Short message data types .....	254
	14.7.7	Error data types .....	256
	14.7.8	Common data types .....	260
	14.7.9	Teleservice Codes.....	264
	14.7.10	Bearer Service Codes .....	266
	14.7.11	Extension data types .....	268
15		General on MAP user procedures.....	269
	15.1	Introduction .....	269
	15.2	Common aspects of user procedure descriptions .....	269
	15.2.1	General conventions.....	269
	15.2.2	Naming conventions.....	269
	15.2.3	Convention on primitives parameters.....	271
	15.2.3.1	Open service.....	271
	15.2.3.2	Close service .....	271
	15.2.4	Version handling at dialogue establishment.....	271
	15.2.4.1	Behaviour at the initiating side .....	271
	15.2.4.2	Behaviour at the responding side .....	271
	15.2.5	Abort Handling.....	272
	15.2.6	SDL conventions .....	272
	15.3	Interaction between MAP Provider and MAP Users .....	272
16		Mobility procedures .....	273
	16.1	Location management Procedures.....	273
	16.1.1	Location updating .....	278
	16.1.1.1	General .....	278
	16.1.1.2	Detailed procedure in the MSC.....	282
	16.1.1.3	Detailed procedure in the VLR.....	286
	16.1.1.4	Detailed procedure in the HLR .....	298
	16.1.1.5	Send Identification .....	301