



SLOVENSKI STANDARD
SIST EN 300 607-1 V5.10.1:2005
01-februar-2005

8 [[]HJb]`WV] b]`hY`Y_ca i b]_UW`g_]`g]ghYa `fZUnU&ZL!`GdYWZ]_UW`Ug_`UXbcghj
a cV]`bY`dcgHUY`fAGL!`%`XY.`GdYWZ]_UW`Ug_`UXbcghj`f] GA`%`%`\$!`%`fUn`]]WU
)`%`\$`%`z]nXUU`%`-`*`Ł

Digital cellular telecommunications system (Phase 2+) (GSM); Mobile Station (MS) conformance specification; Part 1: Conformance specification (GSM 11.10-1 version 5.10.1 Release 1996)

iteh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/d95db32f-aa52-41ba-bc7f-759b45f3dc2c/sist-en-300-607-1-v5-10-1-2005>

Ta slovenski standard je istoveten z: **EN 300 607-1 Version 5.10.1**

ICS:

33.070.50 Globalni sistem za mobilno Global System for Mobile
telekomunikacijo (GSM) Communication (GSM)

SIST EN 300 607-1 V5.10.1:2005 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 607-1 V5.10.1:2005

<https://standards.iteh.ai/catalog/standards/sist/d95db32f-aa52-41ba-bc7f-759b45Bdc2c/sist-en-300-607-1-v5-10-1-2005>

ETSI EN 300 607-1 V5.10.1 (2000-06)

European Standard (Telecommunications series)

**Digital cellular telecommunications system (Phase 2+);
Mobile Station (MS) conformance specification;
Part 1: Conformance specification
(GSM 11.10-1 version 5.10.1 Release 1996)**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

GSM®

GLOBAL SYSTEM FOR
MOBILE COMMUNICATIONS

[SIST EN 300 607-1 V5.10.1:2005](https://standards.iteh.ai/catalog/standards/sist/d95db32f-aa52-41ba-bc7f-759b45Bdc2c/sist-en-300-607-1-v5-10-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/d95db32f-aa52-41ba-bc7f-759b45Bdc2c/sist-en-300-607-1-v5-10-1-2005>



Reference

REN/SMG-071110QR8-1

KeywordsDigital cellular telecommunications system,
Global System for Mobile communications (GSM)**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 607-1 V5.10.1:2005<https://standards.iteh.ai/catalog/standards/sist/d95db32f-aa52-41ba-bc7f-759b45Bdc2c/sist-en-300-607-1-v5-10-1-2005>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:
editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intellectual Property Rights	24
Foreword.....	24
1 Scope	25
2 References	25
3 Definitions, conventions, and applicability	31
3.1 Mobile station definition and configurations	31
3.2 Applicability	31
3.2.1 Applicability of this specification.....	31
3.2.2 Applicability of the individual tests.....	31
3.2.3 Applicability to terminal equipment.....	57
3.3 Definitions.....	58
3.4 Conventions for mathematical notations	58
3.4.1 Mathematical signs	58
3.4.2 Powers to the base 10	58
3.5 Conventions on electrical terms	58
3.5.1 Radio Frequency (RF) input signal level.....	58
3.5.2 Reference sensitivity level.....	59
3.5.3 Power level of fading signal	59
3.6 Terms on test conditions	59
3.6.1 Radio test conditions	59
4 Test Equipment	61
4.1 Terms used to describe test equipment in this EN	61
4.2 Functional requirements of test equipment	61
5 Testing methodology in general (layers 1, 2, and 3)	61
5.1 Testing of optional functions and procedures	61
5.2 Test interfaces and facilities	61
5.3 Different protocol layers	62
5.4 Information to be provided by the apparatus supplier	62
5.5 Definitions of transmit and receive times	62
6 Reference test methods.....	62
6.1 General.....	62
6.2 Choice of frequencies in the frequency hopping mode	63
6.3 "Ideal" radio conditions.....	63
6.4 Standard test signals.....	63
6.5 Power (control) levels	63
7 Implicit testing.....	64
8 Measurement uncertainty	64
9 Format of tests	64
10 Generic call set up procedures.....	65
10.1 Generic call set-up procedure for mobile terminating speech calls	65
10.2 Generic call set-up procedure for mobile originating speech calls	70
10.3 Generic call set-up procedure for mobile terminating data calls	73
10.4 Generic call set-up procedure for mobile originating data calls	75
10.5 Generic call set-up procedure for mobile terminating multislot configuration, minimum number of timeslots allocated	78
10.6 Generic call set-up procedure for mobile originating multislot configuration, minimum number of timeslots allocated	81
11 General tests	85
11.1 Verification of support and non-support of services (multiple numbering scheme or ISDN).....	85

11.1.1	Mobile Terminated (MT) calls	85
11.1.2	Mobile Originated (MO) calls	86
11.2	Verification of support of the single numbering scheme	87
11.3	Verification of non-support of services (Advice of Charge Charging (AoCC)).....	88
11.4	Verification of non-support of services (call hold).....	90
11.5	Verification of non-support of services (multiparty).....	91
11.6	Verification of non-support of feature (Fixed Dialling Number (FDN))	91
11.7	IMEI Security	93
11.8	Coding of the Bearer Capability information element.....	93
11.8.1	Network to MS Direction	94
11.8.1.1	BS 21 to 26 - Asynchronous Service	94
11.8.1.1.1	BS 21 94	
11.8.1.1.2	BS 22 98	
11.8.1.1.3	BS 24 98	
11.8.1.1.4	BS 25 98	
11.8.1.1.5	BS 26 98	
11.8.1.1.6	BS 23 98	
11.8.1.2	BS 31 to 34 - Synchronous Service	99
11.8.1.2.1	BS 32 99	
11.8.1.2.2	BS 31 103	
11.8.1.2.3	BS 33 104	
11.8.1.2.4	BS 34 104	
11.8.1.3	BS 61 - Alternate Speech / Data	104
11.8.1.3.1	Speech/Asynchronous Data, Transparent	105
11.8.1.3.2	Speech/Asynchronous Data, Non Transparent	107
11.8.1.3.3	Speech/Synchronous Data	109
11.8.1.4	BS 81 - Speech followed by Data	110
11.8.1.4.1	Speech followed by Asynchronous Data	110
11.8.1.4.2	Speech followed by Synchronous Data	110
11.8.1.5	TS 61 - Alternate Speech / Facsimile group 3	110
11.8.1.5.1	TS 61 - Alternate Speech / Facsimile group 3, Transparent	111
11.8.1.5.2	TS 61 - Alternate Speech / Facsimile group 3, Non-Transparent	112
11.8.1.6	TS 62 - Automatic Facsimile group 3	113
11.8.2	MS to SS direction	113
11.8.2.1	BS 21 to 26 - Asynchronous Service	113
11.8.2.1.1	BS 21 114	
11.8.2.1.2	BS 22 118	
11.8.2.1.3	BS 24 118	
11.8.2.1.4	BS 25 118	
11.8.2.1.5	BS 26 118	
11.8.2.1.6	BS 23 118	
11.8.2.2	BS 31 to 34 - Synchronous Service	119
11.8.2.2.1	BS 32 119	
11.8.2.2.2	BS 31 123	
11.8.2.2.3	BS 33 124	
11.8.2.2.4	BS 34 124	
11.8.2.3	BS 41 to 46 - PAD Access Asynchronous	125
11.8.2.3.1	²⁾ BS 41.....	125
11.8.2.3.2	BS 42 127	
11.8.2.3.3	BS 44 127	
11.8.2.3.4	BS 45 127	
11.8.2.3.5	BS 46 127	
11.8.2.3.6	BS 43 127	
11.8.2.4	BS 51 to 53 - Packet Service Synchronous.....	128
11.8.2.4.1	²⁾ BS 51.....	128
11.8.2.4.2	BS 52 128	
11.8.2.4.3	BS 53 128	
11.8.2.5	BS 61 - Alternate Speech / Data	129
11.8.2.5.1	Speech/Asynchronous Data, Transparent	129
11.8.2.5.2	Speech/Asynchronous Data, Non Transparent	131
11.8.2.5.3	Speech/Synchronous Data	133
11.8.2.6	BS 81 - Speech followed by Data	134

11.8.2.6.1	Speech followed by Asynchronous Data	134
11.8.2.6.2	Speech followed by Synchronous Data	134
11.8.2.7	TS 61 - Alternate Speech / Facsimile group 3	134
11.8.2.7.1	TS 61 - Alternate Speech / Facsimile group 3, Transparent	135
11.8.2.7.2	TS 61 - Alternate Speech / Facsimile group 3, Non Transparent	136
11.8.2.8	TS 62 - Automatic Facsimile group 3	137
11.8.2.9	TS 11 and TS 12- Speech	137
11.8.2.9.1	Support of only full/half rate speech version 1	137
11.8.2.9.2	Support of speech full rate version 2 (Enhanced Full Rate)	137
12	Transceiver	139
12.1	Conducted spurious emissions	139
12.1.1	MS allocated a channel	139
12.1.2	MS in idle mode	141
12.2	Radiated spurious emissions	142
12.2.1	MS allocated a channel	142
12.2.2	MS in idle mode	144
12.3	Conducted spurious emissions for MS supporting the R-GSM frequency band	146
12.3.1	MS allocated a channel	146
12.3.2	MS in idle mode	148
12.4	Radiated spurious emissions for MS supporting the R-GSM frequency band	150
12.4.1	MS allocated a channel	150
12.4.2	MS in idle mode	152
13	Transmitter	155
13.1	Frequency error and phase error	155
13.2	Frequency error under multipath and interference conditions	158
13.3	Transmitter output power and burst timing	160
13.4	Output RF spectrum	168
13.5	Intermodulation attenuation	173
13.6	Frequency error and phase error in HSCSD multislot configurations	174
13.7	Transmitter output power and burst timing in HSCSD configurations	177
13.8	Output RF spectrum in HSCSD multislot configuration	186
13.9	Output RF spectrum for MS supporting the R-GSM band	191
14	Receiver	197
14.1	Bad frame indication	203
14.1.1	Bad frame indication - TCH/FS	203
14.1.1.1	Bad frame indication - TCH/FS - Random RF input	203
14.1.1.2	Bad frame indication - TCH/FS - Frequency hopping and downlink DTX	205
14.1.2	Bad frame indication - TCH/HS	206
14.1.2.1	Bad frame indication - TCH/HS - Random RF input	206
14.1.2.2	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX	207
14.1.3	Bad frame indication - TCH/FS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network	208
14.1.4	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network	210
14.2	Reference sensitivity	212
14.2.1	Reference sensitivity - TCH/FS	212
14.2.2	Reference sensitivity - TCH/HS (Speech frames)	214
14.2.3	Reference sensitivity - FACCH/F	216
14.2.4	Reference sensitivity - FACCH/H	217
14.2.5	Reference sensitivity - full rate data channels	218
14.2.6	Reference sensitivity - half rate data channels	219
14.2.7	Reference sensitivity - TCH/EFS	220
14.2.8	Reference sensitivity - full rate data channels in multislot configuration	222
14.2.9	Reference sensitivity - TCH/FS for MS supporting the R-GSM band	223
14.3	Usable receiver input level range	225
14.4	Co-channel rejection	227
14.4.1	Co-channel rejection - TCH/FS	227
14.4.2	Co-channel rejection - TCH/HS	228
14.4.3	Co-channel rejection - TCH/HS (SID frames)	230
14.4.4	Co-channel rejection - FACCH/F	232

14.4.5	Co-channel rejection - FACCH/H	233
14.4.6	Co-channel rejection - TCH/EFS	234
14.5	Adjacent channel rejection	235
14.5.1	Adjacent channel rejection - speech channels	235
14.5.2	Adjacent channel rejection - control channels	238
14.6	Intermodulation rejection	240
14.6.1	Intermodulation rejection - speech channels	240
14.6.2	Intermodulation rejection - control channels	241
14.7	Blocking and spurious response	243
14.7.1	Blocking and spurious response - speech channels	243
14.7.2	Blocking and spurious response - control channels	246
14.7.3	Blocking and spurious response - speech channels for MS supporting the R-GSM band	249
14.7.4	Blocking and spurious response - control channels for MS supporting the R-GSM band	252
14.8	AM suppression	255
14.8.1	AM suppression - speech channels	255
14.8.2	AM suppression - control channels	256
14.9	Paging performance at high input levels	258
15	Timing advance and absolute delay	260
16	Reception time tracking speed	262
17	Access times during handover	264
17.1	Intra cell channel change	264
17.2	Inter cell handover	266
18	Temporary reception gaps	269
18.1	Temporary reception gaps, single slot	269
18.2	Temporary reception gaps in HSCSD multislot configurations	270
19	Channel release after unrecoverable errors	272
19.1	Channel release after unrecoverable errors - 1	272
19.2	Channel release after unrecoverable errors - 2	273
19.3	Channel release after unrecoverable errors - 3	274
20	Cell selection and reselection	276
20.1	Cell selection	277
20.2	Cell selection with varying signal strength values	279
20.3	Basic cell reselection	281
20.4	Cell reselection using TEMPORARY_OFFSET, CELL_RESELECT_OFFSET, POWER_OFFSET and PENALTY_TIME parameters	283
20.5	Cell reselection using parameters transmitted in the System Information type 2bis, type 2ter, type 7 and type 8 messages	285
20.6	Cell reselection timings	287
20.7	Priority of cells	289
20.8	Cell reselection when C1 (serving cell) < 0 for 5 seconds	290
20.9	Running average of the surrounding cell BCCH carrier signal levels	291
20.10	Running average of the serving cell BCCH carrier signal level	292
20.11	Updating the list of six strongest neighbour carriers and decoding the BCCH information of a new carrier on the list	294
20.12	Decoding the BCCH information of the neighbour carriers on the list of six strongest neighbour carriers	295
20.13	Decoding the BSIC of the neighbour carriers on the list of six strongest neighbour carriers	296
20.14	Emergency calls	297
20.15	Cell reselection due to MS rejection "LA not allowed"	298
20.16	Downlink signalling failure	300
20.17	Cell selection if no suitable cell found in 10 s	301
20.18	Cell reselection due to MS rejection "Roaming not allowed in this LA"	302
20.19	Cell selection on release of SDCCH and TCH	303
20.20	Multiband cell selection and reselection	305
20.20.1	Multiband cell selection and reselection / Cell Selection	305
20.20.2	Multiband cell selection and reselection / Cell reselection	307
20.21	R-GSM cell selection and reselection	309
20.21.1	R-GSM cell selection	310
20.21.2	R-GMS cell selection with varying signal strength values	312

20.21.3	R-GSM basic cell reselection	313
20.21.4	R-GSM cell reselection using TEMPORARY_OFFSET, CELL_RESELECT_OFFSET, POWER_OFFSET and PENALTY_TIME parameters	316
20.21.5	R-GSM cell reselection using parameters transmitted in the System Information type 2bis, type 2ter, type 7 and type 8 messages	317
20.21.6	R-GSM cell reselection timings	319
20.21.7	R-GSM priority of cells	321
20.21.8	R-GSM cell reselection when C1 (serving cell) < 0 for 5 seconds	322
20.21.9	R-GSM running average of the surrounding cell BCCH carrier signal levels	323
20.21.10	R-GSM running average of the serving cell BCCH carrier signal level	324
20.21.11	Updating the list of six strongest neighbour carriers and decoding the BCCH information of a new carrier on the list	325
20.21.12	R-GSM decoding the BCCH information of the neighbour carriers on the list of six strongest neighbour carriers	326
20.21.13	R-GSM decoding the BSIC of the neighbour carriers on the list of six strongest neighbour carriers	327
20.21.14	R-GSM emergency calls	328
20.21.15	R-GSM cell reselection due to MS rejection "LA not allowed"	329
20.21.16	R-GSM downlink signalling failure	331
20.21.17	R-GSM cell selection if no suitable cell found in 10 s	332
20.21.18	R-GSM cell reselection due to MS rejection "Roaming not allowed in this LA"	333
20.21.19	R-GSM cell selection on release of SDCCH and TCH	335
21	Received signal measurements	337
21.1	Signal strength	337
21.2	Signal strength selectivity	340
21.3	Signal quality under static conditions	341
21.3.1	Signal quality under static conditions - TCH/FS	341
21.3.2	Signal quality under static conditions - TCH/HS	343
21.4	Signal quality under TU50 propagation conditions	345
21.5	Received signal measurements in HSCSD multislot configuration	347
21.5.1	Signal strength	347
22	Transmit power control timing and confirmation	352
22.1	Transmit power control timing and confirmation, single slot	352
22.2	Transmit power control timing and confirmation in HSCSD multislot configurations	353
23	Single frequency reference	355
24	Tests of the layer 1 signalling functions	356
25	Tests of the layer 2 signalling functions	357
25.1	Introduction, objective and scope	357
25.1.1	General	357
25.1.2	Test configurations	357
25.1.3	Pre-conditions	357
25.1.4	Layer 2 test frames	358
25.1.5	Establishment of the dedicated physical resource	359
25.1.6	Release of the dedicated physical resource	359
25.2	Test sequences	359
25.2.1	Initialization	360
25.2.1.1	Initialization when contention resolution required	360
25.2.1.1.1	Normal initialization	360
25.2.1.1.2	Initialization failure	361
25.2.1.1.3	Initialization denial	364
25.2.1.1.4	Total initialization failure	365
25.2.1.2	Initialization, contention resolution not required	366
25.2.1.2.1	Normal initialization without contention resolution	366
25.2.1.2.2	Initialization failure	367
25.2.1.2.3	Initialization denial	368
25.2.1.2.4	Total initialization failure	369
25.2.2	Normal information transfer	370
25.2.2.1	Sequence counting and I frame acknowledgements	370
25.2.2.2	Receipt of an I frame in the timer recovery state	373

25.2.2.3	Segmentation and concatenation.....	375
25.2.3	Normal layer 2 disconnection.....	378
25.2.4	Test of link failure	378
25.2.4.1	I frame loss (MS to SS).....	378
25.2.4.2	RR response frame loss (SS to MS).....	380
25.2.4.3	RR response frame loss (MS to SS).....	380
25.2.5	Test of frame transmission with incorrect C/R values.....	381
25.2.5.1	I frame with C bit set to zero	381
25.2.5.2	SABM frame with C bit set to zero	382
25.2.6	Test of errors in the control field.....	383
25.2.6.1	N(S) sequence error	383
25.2.6.2	N(R) sequence error.....	385
25.2.6.3	Improper F bit.....	385
25.2.7	Test on receipt of invalid frames	386
26	Testing of layer 3 functions.....	391
26.1	Default conditions and structured sequence of tests.....	391
26.1.1	Default test conditions during layer 3 tests	391
26.1.2	Structured sequence of the tests	392
26.1.3	General rules for message parameters	393
26.1.4	General rules for layer 3 testing	393
26.1.5	Format of layer 3 test descriptions	393
26.2	Initial tests	395
26.2.1	Channel request.....	395
26.2.1.1	Channel request / initial time	395
26.2.1.2	Channel request / repetition time	396
26.2.1.3	Channel request / random reference.....	398
26.2.2	IMSI detach and IMSI attach.....	399
26.2.3	Sequenced MM / CM message transfer.....	403
26.2.4	Establishment cause	404
26.3	Test of MS functions in idle mode	412
26.3.1	Initial conditions.....	412
26.3.2	MS indication of available PLMNs.....	415
26.3.3	MS will send only if BSS is "on air".....	415
26.3.4	Manual mode of PLMN selection	416
26.4	Lower layer failures in layer 3 testing.....	418
26.4.1	Introduction	418
26.4.2	Layer 1 reception failures.....	418
26.4.3	Data link layer failures	418
26.4.4	Lower layer failures, used for the tests in clause 25.....	418
26.5	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions	419
26.5.1	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown protocol discriminator.....	419
26.5.2	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / TI and skip indicator	420
26.5.2.1	TI and skip indicator / RR.....	420
26.5.2.1.1	TI and skip indicator / RR / Idle Mode.....	420
26.5.2.1.2	TI and skip indicator / RR / RR-Connection established.....	421
26.5.2.2	TI and skip indicator / MM.....	423
26.5.2.3	TI and skip indicator / CC.....	424
26.5.3	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / undefined or unexpected message type.....	426
26.5.3.1	Undefined or unexpected message type / undefined message type / CC	426
26.5.3.2	Undefined or unexpected message type / undefined message type / MM	427
26.5.3.3	Undefined or unexpected message type / undefined message type / RR	429
26.5.3.4	Undefined or unexpected message type / unexpected message type / CC.....	430
26.5.4	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unforeseen information elements in the non-imperative message part.....	431
26.5.4.1	Unforeseen information elements in the non-imperative message part / duplicated information elements	431
26.5.5	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / non-semantic mandatory IE errors	433

26.5.5.1	Non-semantic mandatory IE errors / RR.....	433
26.5.5.1.1	Non-semantic mandatory IE errors / RR / missing mandatory IE error.....	433
26.5.5.1.2	Non-semantic mandatory IE errors / RR / comprehension required	435
26.5.5.2	Non-semantic mandatory IE errors / MM.....	436
26.5.5.2.1	Non-semantic mandatory IE errors / MM / syntactically incorrect mandatory IE	437
26.5.5.2.2	Non-semantic mandatory IE errors / MM / syntactically incorrect mandatory IE	438
26.5.5.2.3	Non-semantic mandatory IE errors / MM / comprehension required	439
26.5.5.3	Non-semantic mandatory IE errors / CC.....	441
26.5.5.3.1	Non-semantic mandatory IE errors / CC / missing mandatory IE.....	441
26.5.5.3.2	Non-semantic mandatory IE errors / CC / comprehension required	443
26.5.6	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown IE, comprehension not required.....	444
26.5.6.1	Unknown information elements in the non-imperative message part / MM.....	444
26.5.6.1.1	Unknown IE, comprehension not required / MM / IE unknown in the protocol	444
26.5.6.1.2	Unknown IE, comprehension not required / MM / IE unknown in the message	446
26.5.6.2	Unknown information elements in the non-imperative message part / CC.....	447
26.5.6.2.1	Unknown information elements in the non-imperative message part / CC / Call establishment	447
26.5.6.2.2	Unknown information elements in the non-imperative message part / CC / disconnect.....	448
26.5.6.2.3	Unknown information elements in the non-imperative message part / CC / release	449
26.5.6.2.4	Unknown information elements in the non-imperative message part / CC / release complete.....	451
26.5.6.3	Unknown IE in the non-imperative message part, comprehension not required / RR	452
26.5.7	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / spare bits	454
26.5.7.1	Spare bits / RR	454
26.5.7.1.1	Spare bits / RR / paging channel.....	454
26.5.7.1.2	Spare bits / RR / BCCH	455
26.5.7.1.3	Spare bits / RR / AGCH.....	456
26.5.7.1.4	Spare bits / RR / Connected Mode.....	458
26.5.7.2	Spare bits / MM	460
26.5.7.3	Spare bits / CC.....	461
26.5.8	Default contents of messages	463
26.6	Test of the elementary procedures for radio resource management	466
26.6.1	Immediate assignment.....	466
26.6.1.1	Immediate assignment / SDCCH or TCH assignment.....	466
26.6.1.2	Immediate assignment / extended assignment.....	467
26.6.1.3	Immediate assignment / assignment rejection	469
26.6.1.4	Immediate assignment / ignore assignment	471
26.6.1.5	Immediate assignment after immediate assignment reject.....	473
26.6.2	Test of paging.....	474
26.6.2.1	Normal paging	474
26.6.2.1.1	Paging / normal / type 1	474
26.6.2.1.2	Paging / normal / type 2.....	477
26.6.2.1.3	Paging / normal / type 3.....	479
26.6.2.2	Paging / extended.....	480
26.6.2.3	Paging / reorganization	483
26.6.2.3.1	Paging / reorganization / procedure 1	483
26.6.2.3.2	Paging / reorganization / procedure 2	486
26.6.2.4	Paging / same as before	487
26.6.2.5	Paging / multislot CCCH	488
26.6.3	Test of measurement report.....	489
26.6.3.1	Measurement / no neighbours.....	489
26.6.3.2	Measurement / all neighbours present	493
26.6.3.3	Measurement / barred cells and non-permitted NCCs	497
26.6.3.4	Measurement / DTX	501
26.6.3.5	Measurement / Frequency Formats.....	505
26.6.3.6	Measurement / multiband environment	509
26.6.4	Test of the channel assignment procedure.....	514
26.6.4.1	Dedicated assignment / successful case.....	514
26.6.4.2	Dedicated assignment / failure.....	524
26.6.4.2.1	Dedicated assignment / failure / failure during active state	524
26.6.4.2.2	Dedicated assignment / failure / general case	526
26.6.5	Test of handover.....	527
26.6.5.1	Handover / successful / active call / non-synchronized	528

26.6.5.2	Handover / successful / call under establishment / non-synchronized	541
26.6.5.3	Handover / successful / active call / finely synchronized	559
26.6.5.4	Handover / successful / call under establishment / finely synchronized	564
26.6.5.5	Pre-synchronized handovers	574
26.6.5.5.1	Handover / successful / active call / pre-synchronized / Timing Advance IE not included.....	574
26.6.5.5.2	Handover / successful / call being established / pre-synchronized / timing advance IE is included / reporting of observed time difference requested	576
26.6.5.6	Handover / successful / active call / pseudo synchronized	578
26.6.5.7	Handover / successful / active call / non-synchronized / reporting of observed time difference requested	580
26.6.5.8	Handover / layer 3 failure	582
26.6.5.9	Handover / layer 1 failure	583
26.6.6	Test of frequency redefinition	584
26.6.6.1	Frequency redefinition	584
26.6.7	Test of the channel mode modify procedure	590
26.6.7.1	Test of the channel mode modify procedure / full rate	590
26.6.7.2	Test of the channel mode modify procedure / half rate.....	592
26.6.8	Test of ciphering mode setting	594
26.6.8.1	Ciphering mode / start ciphering.....	595
26.6.8.2	Ciphering mode / no ciphering	596
26.6.8.3	Ciphering mode / old cipher key.....	597
26.6.8.4	Ciphering mode / change of mode, algorithm and key	599
26.6.8.5	Ciphering mode / IMEISV request	606
26.6.9	Test of additional assignment.....	607
26.6.10	Test of partial release	607
26.6.11	Test of classmark.....	607
26.6.11.1	Classmark change.....	607
26.6.11.2	Classmark interrogation.....	609
26.6.12	Test of channel release	611
26.6.12.1	Channel release / SDCCH.....	611
26.6.12.2	Channel release / SDCCH - no L2 ACK.....	612
26.6.12.3	Channel release / TCH-F	613
26.6.12.4	Channel release / TCH-F no L2 ACK	615
26.6.13	Test of starting time.....	616
26.6.13.1	Dedicated assignment with starting time / successful case / time not elapsed.....	617
26.6.13.2	Dedicated assignment with starting time / successful case / time elapsed.....	619
26.6.13.3	Dedicated assignment with starting time and frequency redefinition / failure case / time not elapsed.....	621
26.6.13.4	Dedicated assignment with starting time and frequency redefinition / failure case / time elapsed.....	623
26.6.13.5	Handover with starting time / successful case / time not elapsed	626
26.6.13.6	Handover with starting time / successful case / time elapsed	628
26.6.13.7	Handover with starting time and frequency redefinition / failure case / time not elapsed	630
26.6.13.8	Handover with starting time and frequency redefinition / failure case / time elapsed	632
26.6.13.9	Immediate assignment with starting time / successful case / time not elapsed	634
26.6.13.10	Immediate assignment with starting time / successful case / time elapsed	636
26.6.14	Default contents of GSM 900 layer 3 messages for RR tests	638
26.6.15	Default contents of DCS 1 800 layer 3 messages for RR tests.....	649
26.7	Elementary procedures of mobility management	660
26.7.1	TMSI reallocation.....	660
26.7.2	Authentication	662
26.7.2.1	Authentication accepted.....	662
26.7.2.2	Authentication rejected.....	663
26.7.3	Identification	666
26.7.3.1	General Identification	666
26.7.3.2	Handling of IMSI shorter than the maximum length.....	668
26.7.4	Location updating.....	670
26.7.4.1	Location updating / accepted	670
26.7.4.2	Location updating / rejected.....	676
26.7.4.2.1	Location updating / rejected / IMSI invalid.....	676
26.7.4.2.2	Location updating / rejected / PLMN not allowed.....	679
26.7.4.2.3	Location updating / rejected / location area not allowed	683
26.7.4.2.4	Location updating / rejected / roaming not allowed in this location area	685
26.7.4.3	Location updating / abnormal cases.....	692

26.7.4.3.1	Location updating / abnormal cases / random access fails.....	692
26.7.4.3.2	Location updating / abnormal cases / attempt counter less or equal to 4, LAI different.....	693
26.7.4.3.3	Location updating / abnormal cases / attempt counter equal to 4	698
26.7.4.3.4	Location updating / abnormal cases / attempt counter less or equal to 4, stored LAI equal to broadcast LAI.....	705
26.7.4.4	Location updating / release / expiry of T3240	711
26.7.4.5	Location updating / periodic	712
26.7.4.5.1	Location updating / periodic spread.....	712
26.7.4.5.2	Location updating / periodic normal / test 1	713
26.7.4.5.3	Location updating / periodic normal / test 2	715
26.7.4.5.4	Location updating / periodic HPLMN search	717
26.7.4.6	Location updating / interworking of attach and periodic	721
26.7.5	MM connection	723
26.7.5.1	Introduction.....	723
26.7.5.2	MM connection / establishment with cipher.....	723
26.7.5.3	MM connection / establishment without cipher.....	724
26.7.5.4	MM connection / establishment rejected	726
26.7.5.5	MM connection / establishment rejected cause 4	727
26.7.5.6	MM connection / expiry T3230	728
26.7.5.7	MM connection / abortion by the network.....	729
26.7.5.7.1	MM connection / abortion by the network / cause #6.....	729
26.7.5.7.2	MM connection / abortion by the network / cause not equal to #6	731
26.7.5.8	MM connection / follow-on request pending.....	733
26.7.5.8.1	MM connection / follow-on request pending / test 1	733
26.7.5.8.2	MM connection / follow-on request pending / test 2	734
26.7.5.8.3	MM connection / follow-on request pending / test 3	735
26.7.6	Default contents of messages	737
26.8	Tests related to circuit switched call control	741
26.8.1	Circuit switched Call Control (CC) state machine verification	741
26.8.1.1	General on CC state machine verification	741
26.8.1.2	Establishment of an outgoing call.....	742
26.8.1.2.1	Outgoing call / U0 null state	744
26.8.1.2.2	Outgoing call / U0 to MM connection pending	745
26.8.1.2.3	Outgoing call / U1 call initiated	749
26.8.1.2.4	Outgoing call / U3 MS originating call proceeding	758
26.8.1.2.5	Outgoing call / U4 call delivered	774
26.8.1.2.6	U10 call active	784
26.8.1.2.7	U11 disconnect request	792
26.8.1.2.8	U12 disconnect indication	799
26.8.1.2.9	Outgoing call / U19 release request	804
26.8.1.3	Establishment of an incoming call / Initial conditions	810
26.8.1.3.1	Incoming call / U0 null state	812
26.8.1.3.2	Incoming call / U6 call present	813
26.8.1.3.3	Incoming call / U9 mobile terminating call confirmed	815
26.8.1.3.4	Incoming call / U7 call received	824
26.8.1.3.5	Incoming call / U8 connect request	834
26.8.1.4	In call functions	846
26.8.1.4.1	In-call functions / DTMF information transfer	846
26.8.1.4.2	In-call functions / user notification	847
26.8.1.4.3	In-call functions / channel changes.....	848
26.8.1.4.4	In-call functions / MS terminated in-call modification	852
26.8.1.4.5	In-call functions / MS originated in-call modification.....	854
26.8.2	Call Re-establishment.....	869
26.8.2.1	Call Re-establishment/call present, re-establishment allowed.....	869
26.8.2.2	Call Re-establishment/call present, re-establishment not allowed.....	871
26.8.2.3	Call Re-establishment/call under establishment, transmission stopped.....	872
26.8.3	User to user signalling.....	874
26.8.4	Default contents of message.....	876
26.9	Structured procedures.....	883
26.9.1	Structured procedures / general	883
26.9.2	Structured procedures / MS originated call / early assignment	884
26.9.3	Structured procedures / MS originated call / late assignment	886

26.9.4	Structured procedures / MS terminated call / early assignment	888
26.9.5	Structured procedures / MS terminated call / late assignment.....	891
26.9.6	Structured procedures / emergency call.....	894
26.9.6.1	Structured procedures / emergency call / idle updated	894
26.9.6.1.1	Structured procedures / emergency call / idle updated / preferred channel rate	894
26.9.6.1.2	Structured procedures / emergency call / idle updated, non-preferred channel rate	897
26.9.6.2	Structured procedures / emergency call / idle, no IMSI.....	897
26.9.6.2.1	Structured procedures / emergency call / idle, no IMSI / accept case.....	897
26.9.6.2.2	Structured procedures / emergency call / idle, no IMSI / reject case	899
26.9.7	Directed Retry / Mobile Originated Call	901
26.9.8	Directed Retry / Mobile Terminated Call	907
26.9.9	Default contents of messages	915
26.10	E-GSM or R-GSM signalling.....	921
26.10.1	E-GSM or R-GSM signalling / general considerations	921
26.10.2	E-GSM or R-GSM signalling / RR	923
26.10.2.1	E-GSM or R-GSM signalling / RR / Measurement	923
26.10.2.2	E-GSM or R-GSM signalling / RR / Immediate assignment	929
26.10.2.3	E-GSM or R-GSM signalling / RR / channel assignment procedure.....	932
26.10.2.4	E-GSM or R-GSM signalling / RR / Handover	936
26.10.2.4.1	E-GSM or R-GSM signalling / RR / Handover / Successful handover.....	936
26.10.2.4.2	E-GSM or R-GSM signalling / RR / Handover / layer 1 failure	942
26.10.2.5	E-GSM or R-GSM signalling / RR / Frequency Redefinition	944
26.10.3	E-GSM or R-GSM signalling / Structured procedure	947
26.10.3.1	E-GSM or R-GSM signalling / Structured procedure / Mobile originated call	948
26.10.3.2	E-GSM or R-GSM signalling / Structured procedures / emergency call	950
26.10.3.3	Default contents of messages.....	953
26.10.4	E-GSM or R-GSM signalling / Default message contents	953
26.11	Multiband signalling.....	959
26.11.1	General considerations	959
26.11.2	Multiband signalling / RR	959
26.11.2.1	Multiband signalling / RR / Immediate assignment procedure.....	959
26.11.2.2	Multiband signalling / RR / Handover.....	961
26.11.2.2.1	Multiband signalling / RR / Handover / successful / active call / non-synchronized	962
26.11.2.2.2	Multiband signalling / RR / Handover / layer 1 failure	967
26.11.2.2.3	Multiband signalling / RR / Handover / Multiband BCCH / successful / active call / non synchronized.....	969
26.11.2.2.4	Multiband signalling / RR / Handover / Multiband BCCH / Intracell Handover - Interband Assignment.....	972
26.11.2.3	Multiband signalling / RR / Measurement reporting	978
26.11.3	Multiband signalling / MM	981
26.11.3.1	Multiband signalling / MM / Location updating.....	981
26.11.3.1.1	Location updating / accepted.....	981
26.11.3.1.2	Location updating / periodic	984
26.11.4	Multiband signalling / CC	987
26.11.5	Multiband signalling / Structured procedures.....	987
26.11.5.1	Multiband signalling / Structured procedures / MS originated call / early assignment	987
26.11.5.2	Structured procedures / MS terminated call / late assignment	991
26.11.6	Multiband signalling / Default messages contents	995
26.12	Enhanced Full Rate signalling.....	1000
26.12.1	EFR signalling/ test of the channel mode modify procedure.....	1000
26.12.2	EFR signalling/ tests of handover.....	1003
26.12.2.1	EFR signalling / Handover / active call / successful case	1004
26.12.3	EFR Signalling / Structured procedures / MS originated call / late assignment.....	1020
26.12.4	Structured procedures / MS terminated call / early assignment	1023
26.12.5	Structured procedures / emergency call.....	1026
26.12.6	EFR Signalling / Directed Retry / Mobile Originated Call	1029
26.12.7	EFR Signalling / Directed Retry / Mobile Terminated Call	1033
26.12.8	Default contents of layer 3 messages for Enhanced Full rate speech tests	1039
26.13	Multislot signalling.....	1042
26.13.1	Multislot signalling / RR	1042
26.13.1.1	Multislot signalling / RR / Measurement.....	1042
26.13.1.1.1	Multislot signalling / RR / Measurement / symmetric	1042

26.13.1.1.2	Multislot signalling / RR / Measurement / asymmetric.....	1045
26.13.1.1.3	Multislot signaling / RR / Measurement / asymmetric / change of the reported subchannel	1049
26.13.1.2	Multislot signalling / RR / Dedicated assignment.....	1052
26.13.1.2.1	Multislot signalling / RR / Dedicated assignment / successful case.....	1052
26.13.1.2.2	Multislot signalling / RR / Dedicated assignment / failure / general case.....	1067
26.13.1.3	Test of handover	1081
26.13.1.3.1	Multislot signalling / RR / Handover / successful / active call / non-synchronized.....	1081
26.13.1.3.2	Multislot signalling / RR / Handover / successful / call under establishment / non synchronized / resource upgrading	1085
26.13.1.3.3	Multislot signalling / RR / Handover / successful / active call / finely synchronized / resource downgrading	1090
26.13.1.3.4	Multislot signalling / RR / Handover / successful / call under establishment / finely synchronized / relocation of channels.....	1093
26.13.1.3.5	Multislot signalling / RR / Handover / successful / call under establishment / pre-synchronized / resource upgrading	1099
26.13.1.4	Multislot signalling / RR / Test of the channel mode modify procedure	1103
26.13.1.5	Multislot signalling / RR / Early classmark sending.....	1105
26.13.1.6	Default contents of layer 3 messages for RR tests	1107
26.13.1.6.1	Default contents of GSM 900 layer 3 messages for RR tests.....	1107
26.13.1.6.2	Default contents of DCS 1 800 layer 3 messages for RR tests.....	1118
26.13.2	Multislot signalling / CC	1128
26.13.2.1	Multislot signalling / CC / In-call functions	1128
26.13.2.1.1	Multislot signalling / CC / In-call functions / User initiated service level upgrade / successful	1128
26.13.2.1.2	Multislot signalling / CC / In-call functions / User initiated service level downgrade / successful ..	1130
26.13.2.1.3	Multislot signalling / CC / In-call functions / User initiated service level upgrade / Time-out of timer T323	1132
26.13.2.1.4	Multislot signalling / CC / In-call functions / User initiated service level upgrade / modify reject ..	1134
26.13.2.1.5	Multislot signalling / CC / In call functions / contents of some of the messages	1135
26.13.3	Multislot signalling / Structured procedures	1136
26.13.3.1	Multislot signalling / Structured procedures / MS originated call / early assignment / HSCSD / non-transparent	1136
26.13.3.2	Multislot signalling / Structured procedures / MS originated call / late assignment / HSCSD / non-transparent	1139
26.13.3.3	Multislot signalling / Structured procedures / MS originated call / early assignment / HSCSD / Transparent.....	1142
26.13.3.4	Multislot signalling / Structured procedures / MS Terminated call / early assignment / HSCSD / non-transparent.....	1145
26.13.3.5	Multislot signalling / Structured procedures / MS Terminated call / early assignment / HSCSD / Transparent.....	1149
26.13.3.6	Default test conditions during layer 3 tests	1152
26.13.3.7	Default contents of messages.....	1154
26.14	VGCS and VBS Tests	1160
26.14.1	VGCS-VBS / Notification.....	1161
26.14.1.1	VGCS-VBS / Notification / notification indication	1161
26.14.1.2	VGCS-VBS / Notification / NCH position	1165
26.14.1.3	VGCS-VBS / Notification / Reduced NCH monitoring	1167
26.14.1.4	VGCS-VBS / Notification / Limited Service state	1173
26.14.2	VGCS-VBS / Paging	1174
26.14.2.1	VGCS-VBS / Paging / Paging indication	1174
26.14.2.2	VGCS-VBS / Paging / Notification	1178
26.14.3	VGCS-VBS / RR Procedures	1182
26.14.3.1	VGCS-VBS / RR Procedures / frequency redefinition	1182
26.14.3.2	VGCS-VBS / RR Procedures / assignment.....	1185
26.14.3.3	VGCS-VBS / RR Procedures / handover / successful in group transmit mode	1189
26.14.3.4	VGCS-VBS / RR Procedures / handover / successful at group call establishment.....	1196
26.14.3.5	VGCS-VBS / RR Procedures / handover / failure	1201
26.14.3.6	VGCS-VBS / RR / Measurement Report.....	1202
26.14.3.6.1	Measurement / all neighbours present.....	1202
26.14.4	VGCS-VBS / Uplink Access and Uplink Reply Procedures	1206
26.14.4.1	VGCS-VBS / Uplink Access / uplink investigation	1206
26.14.4.2	Uplink Access / uplink access procedure.....	1208
26.14.4.3	VGCS-VBS / Uplink Reply in VGCS receive mode.....	1212