



**SLOVENSKI STANDARD**  
**SIST EN 300 607-1 V7.1.1:2005**

01-februar-2005

---

8 [[ ]HJb]`WV] b]`hY`Y\_ca i b]\_UW`g\_]`g]ghYa `fZuU&ZL!`GdYWZ]\_UW`Ug\_`UXbcghj  
a cV]`bY`dcgHUY`fA GL!`%`XY.`GdYWZ]\_UW`Ug\_`UXbcghj`f] GA`%`%`\$!`%`fUn`] ]WU+`%`%`ž  
]nXUU%- , Ł

Digital cellular telecommunications system (Phase 2+) (GSM); Mobile Station (MS) conformance specification; Part 1: Conformance specification (GSM 11.10-1 version 7.1.1 Release 1998)

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 607-1 V7.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/42cee328-9427-412d-922f-2a7546227794/sist-en-300-607-1-v7-1-1-2005)  
<https://standards.iteh.ai/catalog/standards/sist/42cee328-9427-412d-922f-2a7546227794/sist-en-300-607-1-v7-1-1-2005>

Ta slovenski standard je istoveten z: **EN 300 607-1 Version 7.1.1**

---

**ICS:**

33.070.50	Globalni sistem za mobilno telekomunikacijo (GSM)	Global System for Mobile Communication (GSM)
-----------	---	--

**SIST EN 300 607-1 V7.1.1:2005** en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 607-1 V7.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/42cee328-9427-412d-922f-2a7546227794/sist-en-300-607-1-v7-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/42cee328-9427-412d-922f-2a7546227794/sist-en-300-607-1-v7-1-1-2005>

# EN 300 607-1 V7.1.1 (2000-06)

*European Standard (Telecommunications series)*

**Digital cellular telecommunications system (Phase 2+);  
Mobile Station (MS) conformance specification;  
Part 1: Conformance specification  
(GSM 11.10-1 version 7.1.1 Release 1998)**

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

**GSM**®

GLOBAL SYSTEM FOR  
MOBILE COMMUNICATIONS

[SIST EN 300 607-1 V7.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/42cee328-9427-412d-922f-2a7546227794/sist-en-300-607-1-v7-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/42cee328-9427-412d-922f-2a7546227794/sist-en-300-607-1-v7-1-1-2005>



## Reference

---

 REN/SMG-071110Q7R1-1

## Keywords

---

 Digital cellular telecommunications system,  
 Global System for Mobile communications (GSM)
**ETSI**

## Postal address

---

 F-06921 Sophia Antipolis Cedex - FRANCE

## Office address

---

 650 Route des Lucioles - Sophia Antipolis  
 Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

 Association à but non lucratif enregistrée à la  
 Sous-Préfecture de Grasse (06) N° 7803/88  
<https://standards.etsi.org/standards/catalogue/catalogue.aspx?No=300607-1-v7-1-1-2005>  
 2a7546227794/sist-en-300-607-1-v7-1-1-2005

## Internet

---

 secretariat@etsi.fr

 Individual copies of this ETSI deliverable  
 can be downloaded from

<http://www.etsi.org>

 If you find errors in the present document, send your  
 comment to: editor@etsi.fr
**Important notice**

This ETSI deliverable may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

**Copyright Notification**


---

No part may be reproduced except as authorized by written permission.  
 The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.  
 All rights reserved.

# Contents

Intellectual Property Rights .....	30
Foreword.....	30
1 Scope .....	31
2 References .....	31
3 Definitions, conventions, and applicability .....	37
3.1 Mobile station definition and configurations .....	37
3.2 Applicability .....	37
3.2.1 Applicability of this specification.....	37
3.2.2 Applicability of the individual tests.....	38
3.2.3 Applicability to terminal equipment.....	62
3.3 Definitions.....	62
3.4 Conventions for mathematical notations .....	62
3.4.1 Mathematical signs .....	62
3.4.2 Powers to the base 10 .....	62
3.5 Conventions on electrical terms .....	63
3.5.1 Radio Frequency (RF) input signal level.....	63
3.5.2 Reference sensitivity level.....	63
3.5.3 Power level of fading signal .....	63
3.6 Terms on test conditions .....	64
3.6.1 Radio test conditions .....	64
4 Test Equipment .....	65
4.1 Terms used to describe test equipment in this EN .....	65
4.2 Functional requirements of test equipment .....	65
5 Testing methodology in general (layers 1, 2, and 3) .....	65
5.1 Testing of optional functions and procedures .....	65
5.2 Test interfaces and facilities .....	66
5.3 Different protocol layers .....	66
5.4 Information to be provided by the apparatus supplier .....	66
5.5 Definitions of transmit and receive times .....	66
6 Reference test methods.....	67
6.1 General.....	67
6.2 Choice of frequencies in the frequency hopping mode .....	67
6.3 "Ideal" radio conditions.....	67
6.4 Standard test signals.....	68
6.5 Power (control) levels .....	68
7 Implicit testing.....	68
8 Measurement uncertainty .....	68
9 Format of tests .....	68
10 Generic call set up procedures.....	69
10.1 Generic call set-up procedure for mobile terminating speech calls .....	69
10.2 Generic call set-up procedure for mobile originating speech calls .....	74
10.3 Generic call set-up procedure for mobile terminating data calls .....	77
10.4 Generic call set-up procedure for mobile originating data calls .....	79
10.5 Generic call set-up procedure for mobile terminating multislot configuration, minimum number of timeslots allocated .....	82
10.6 Generic call set-up procedure for mobile originating multislot configuration, minimum number of timeslots allocated .....	85
11 General tests .....	89
11.1 Verification of support and non-support of services (multiple numbering scheme or ISDN).....	89
11.1.1 Mobile Terminated (MT) calls .....	89

11.1.2	Mobile Originated (MO) calls .....	90
11.2	Verification of support of the single numbering scheme .....	91
11.3	Verification of non-support of services (Advice of Charge Charging (AoCC)).....	92
11.4	Verification of non-support of services (call hold).....	94
11.5	Verification of non-support of services (multiparty).....	94
11.6	Verification of non-support of feature (Fixed Dialling Number (FDN)) .....	95
11.7	IMEI Security .....	96
11.8	Coding of the Bearer Capability information element.....	97
11.8.1	Network to MS Direction .....	98
11.8.1.1	BS 21 to 26 - Asynchronous Service .....	98
11.8.1.1.1	BS 21 98	
11.8.1.1.2	BS 22 102	
11.8.1.1.3	BS 24 102	
11.8.1.1.4	BS 25 102	
11.8.1.1.5	BS 26 102	
11.8.1.1.6	BS 23 102	
11.8.1.2	BS 31 to 34 - Synchronous Service .....	103
11.8.1.2.1	BS 32 103	
11.8.1.2.2	BS 31 107	
11.8.1.2.3	BS 33 108	
11.8.1.2.4	BS 34 108	
11.8.1.3	BS 61 - Alternate Speech / Data .....	108
11.8.1.3.1	Speech/Asynchronous Data, Transparent .....	109
11.8.1.3.2	Speech/Asynchronous Data, Non Transparent .....	111
11.8.1.3.3	Speech/Synchronous Data .....	113
11.8.1.4	BS 81 - Speech followed by Data .....	114
11.8.1.4.1	Speech followed by Asynchronous Data .....	114
11.8.1.4.2	Speech followed by Synchronous Data .....	114
11.8.1.5	TS 61 - Alternate Speech / Facsimile group 3 .....	114
11.8.1.5.1	TS 61 - Alternate Speech / Facsimile group 3, Transparent .....	115
11.8.1.5.2	TS 61 - Alternate Speech / Facsimile group 3, Non-Transparent .....	116
11.8.1.6	TS 62 - Automatic Facsimile group 3 .....	117
11.8.2	MS to SS direction .....	117
11.8.2.1	BS 21 to 26 - Asynchronous Service .....	117
11.8.2.1.1	BS 21 118	
11.8.2.1.2	BS 22 122	
11.8.2.1.3	BS 24 122	
11.8.2.1.4	BS 25 122	
11.8.2.1.5	BS 26 122	
11.8.2.1.6	BS 23 122	
11.8.2.2	BS 31 to 34 - Synchronous Service .....	123
11.8.2.2.1	BS 32 123	
11.8.2.2.2	BS 31 127	
11.8.2.2.3	BS 33 128	
11.8.2.2.4	BS 34 128	
11.8.2.3	BS 41 to 46 - PAD Access Asynchronous .....	129
11.8.2.3.1	<sup>2)</sup> BS 41 .....	129
11.8.2.3.2	BS 42 131	
11.8.2.3.3	BS 44 131	
11.8.2.3.4	BS 45 131	
11.8.2.3.5	BS 46 131	
11.8.2.3.6	BS 43 131	
11.8.2.4	BS 51 to 53 - Packet Service Synchronous .....	132
11.8.2.4.1	<sup>2)</sup> BS 51 .....	132
11.8.2.4.2	BS 52 132	
11.8.2.4.3	BS 53 132	
11.8.2.5	BS 61 - Alternate Speech / Data .....	133
11.8.2.5.1	Speech/Asynchronous Data, Transparent .....	133
11.8.2.5.2	Speech/Asynchronous Data, Non Transparent .....	135
11.8.2.5.3	Speech/Synchronous Data .....	137
11.8.2.6	BS 81 - Speech followed by Data .....	138
11.8.2.6.1	Speech followed by Asynchronous Data .....	138

11.8.2.6.2	Speech followed by Synchronous Data .....	138
11.8.2.7	TS 61 - Alternate Speech / Facsimile group 3 .....	138
11.8.2.7.1	TS 61 - Alternate Speech / Facsimile group 3, Transparent .....	139
11.8.2.7.2	TS 61 - Alternate Speech / Facsimile group 3, Non Transparent .....	140
11.8.2.8	TS 62 - Automatic Facsimile group 3 .....	141
11.8.2.9	TS 11 and TS 12- Speech .....	141
11.8.2.9.1	Support of only full/half rate speech version 1 .....	141
11.8.2.9.2	Support of speech full rate version 2 (Enhanced Full Rate) .....	141
12	Transceiver .....	143
12.1	Conducted spurious emissions .....	143
12.1.1	MS allocated a channel .....	143
12.1.2	MS in idle mode .....	145
12.2	Radiated spurious emissions .....	146
12.2.1	MS allocated a channel .....	146
12.2.2	MS in idle mode .....	148
12.3	Conducted spurious emissions for MS supporting the R-GSM frequency band .....	150
12.3.1	MS allocated a channel .....	150
12.3.2	MS in idle mode .....	152
12.4	Radiated spurious emissions for MS supporting the R-GSM frequency band .....	153
12.4.1	MS allocated a channel .....	154
12.4.2	MS in idle mode .....	156
13	Transmitter .....	158
13.1	Frequency error and phase error .....	158
13.2	Frequency error under multipath and interference conditions .....	161
13.3	Transmitter output power and burst timing .....	163
13.4	Output RF spectrum .....	171
13.5	Intermodulation attenuation .....	176
13.6	Frequency error and phase error in HSCSD multislot configurations .....	177
13.7	Transmitter output power and burst timing in HSCSD configurations .....	180
13.8	Output RF spectrum in HSCSD multislot configuration .....	189
13.9	Output RF spectrum for MS supporting the R-GSM band .....	194
13.10	[Reserved for future GSM test] .....	199
13.11	[Reserved for future GSM test] .....	199
13.12	[Reserved for future GSM test] .....	199
13.13	[Reserved for future GSM test] .....	199
13.14	[Reserved for future GSM test] .....	199
13.15	[Reserved for future GSM test] .....	199
13.16	GPRS transmitter tests .....	199
13.16.1	Frequency error and phase error in GPRS multislot configuration .....	199
13.16.2	Transmitter output power in GPRS multislot configuration .....	202
13.16.3	Output RF spectrum in GPRS multislot configuration .....	210
14	Receiver .....	216
14.1	Bad frame indication .....	222
14.1.1	Bad frame indication - TCH/FS .....	222
14.1.1.1	Bad frame indication - TCH/FS - Random RF input .....	222
14.1.1.2	Bad frame indication - TCH/FS - Frequency hopping and downlink DTX .....	224
14.1.2	Bad frame indication - TCH/HS .....	225
14.1.2.1	Bad frame indication - TCH/HS - Random RF input .....	225
14.1.2.2	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX .....	226
14.1.3	Bad frame indication - TCH/FS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network .....	227
14.1.4	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network .....	229
14.2	Reference sensitivity .....	231
14.2.1	Reference sensitivity - TCH/FS .....	231
14.2.2	Reference sensitivity - TCH/HS (Speech frames) .....	233
14.2.3	Reference sensitivity - FACCH/F .....	235
14.2.4	Reference sensitivity - FACCH/H .....	236
14.2.5	Reference sensitivity - full rate data channels .....	237
14.2.6	Reference sensitivity - half rate data channels .....	238

14.2.7	Reference sensitivity - TCH/EFS .....	239
14.2.8	Reference sensitivity - full rate data channels in multislot configuration.....	241
14.2.9	Reference sensitivity - TCH/FS for MS supporting the R-GSM band .....	243
14.3	Usable receiver input level range .....	244
14.4	Co-channel rejection.....	246
14.4.1	Co-channel rejection - TCH/FS .....	246
14.4.2	Co-channel rejection - TCH/HS .....	248
14.4.3	Co-channel rejection - TCH/HS (SID frames) .....	250
14.4.4	Co-channel rejection - FACCH/F.....	251
14.4.5	Co-channel rejection - FACCH/H.....	252
14.4.6	Co-channel rejection - TCH/EFS .....	253
14.4.7	Receiver performance in the case of frequency hopping and co-channel interference on one carrier.....	255
14.5	Adjacent channel rejection .....	256
14.5.1	Adjacent channel rejection - speech channels .....	256
14.5.2	Adjacent channel rejection - control channels.....	259
14.6	Intermodulation rejection .....	261
14.6.1	Intermodulation rejection - speech channels .....	261
14.6.2	Intermodulation rejection - control channels.....	262
14.7	Blocking and spurious response .....	264
14.7.1	Blocking and spurious response - speech channels .....	264
14.7.2	Blocking and spurious response - control channels.....	267
14.7.3	Blocking and spurious response - speech channels for MS supporting the R-GSM band.....	270
14.7.4	Blocking and spurious response - control channels for MS supporting the R-GSM band .....	273
14.8	AM suppression.....	276
14.8.1	AM suppression - speech channels.....	276
14.8.2	AM suppression - control channels .....	278
14.9	Paging performance at high input levels .....	279
14.10	[Reserved for future GSM test] .....	280
14.11	[Reserved for future GSM test] .....	280
14.12	[Reserved for future GSM test] .....	280
14.13	[Reserved for future GSM test] .....	280
14.14	[Reserved for future GSM test] .....	280
14.15	[Reserved for future GSM test] .....	280
14.16	GPRS receiver tests .....	280
14.16.1	Minimum Input level for Reference Performance.....	282
14.16.2	Co-channel rejection.....	286
14.16.2.1	Co-channel rejection for packet channels .....	286
15	Timing advance and absolute delay .....	289
15.1	Definition and applicability .....	289
15.2	Conformance requirement .....	289
15.3	Test purpose .....	289
15.4	Method of test.....	289
15.5	Test requirement.....	290
15.6	GPRS Timing advance and absolute delay.....	290
16	Reception time tracking speed .....	294
16.1	Definition and applicability .....	294
16.2	Conformance requirement .....	294
16.3	Test purpose .....	294
16.4	Method of test.....	294
16.5	Test requirement.....	295
17	Access times during handover.....	296
17.1	Intra cell channel change .....	296
17.2	Inter cell handover.....	298
18	Temporary reception gaps .....	301
18.1	Temporary reception gaps, single slot.....	301
18.2	Temporary reception gaps in HSCSD multislot configurations .....	302
19	Channel release after unrecoverable errors .....	305
19.1	Channel release after unrecoverable errors -1 .....	305
19.2	Channel release after unrecoverable errors - 2 .....	306



19.3	Channel release after unrecoverable errors - 3 .....	307
20	Cell selection and reselection .....	309
20.1	Cell selection .....	311
20.2	Cell selection with varying signal strength values .....	312
20.3	Basic cell reselection .....	314
20.4	Cell reselection using TEMPORARY_OFFSET, CELL_RESELECT_OFFSET, POWER_OFFSET and PENALTY_TIME parameters.....	316
20.5	Cell reselection using parameters transmitted in the System Information type 2bis, type 2ter, type 7 and type 8 messages .....	318
20.6	Cell reselection timings .....	320
20.7	Priority of cells .....	322
20.8	Cell reselection when C1 (serving cell) < 0 for 5 seconds .....	323
20.9	Running average of the surrounding cell BCCH carrier signal levels.....	325
20.10	Running average of the serving cell BCCH carrier signal level.....	326
20.11	Updating the list of six strongest neighbour carriers and decoding the BCCH information of a new carrier on the list.....	327
20.12	Decoding the BCCH information of the neighbour carriers on the list of six strongest neighbour carriers...328	
20.13	Decoding the BSIC of the neighbour carriers on the list of six strongest neighbour carriers.....	329
20.14	Emergency calls .....	330
20.15	Cell reselection due to MS rejection "LA not allowed" .....	331
20.16	Downlink signalling failure .....	333
20.17	Cell selection if no suitable cell found in 10 s.....	334
20.18	Cell reselection due to MS rejection "Roaming not allowed in this LA" .....	335
20.19	Cell selection on release of SDCCH and TCH.....	337
20.20	Multiband cell selection and reselection .....	338
20.20.1	Multiband cell selection and reselection / Cell Selection .....	338
20.20.2	Multiband cell selection and reselection / Cell reselection .....	340
20.21	R-GSM cell selection and reselection .....	342
20.21.1	R-GSM cell selection .....	343
20.21.2	R-GSM cell selection with varying signal strength values.....	345
20.21.3	R-GSM basic cell reselection .....	347
20.21.4	R-GSM cell reselection using TEMPORARY_OFFSET, CELL_RESELECT_OFFSET, POWER_OFFSET and PENALTY_TIME parameters.....	349
20.21.5	R-GSM cell reselection using parameters transmitted in the System Information type 2bis, type 2ter, type 7 and type 8 messages.....	351
20.21.6	R-GSM cell reselection timings .....	352
20.21.7	R-GSM priority of cells.....	354
20.21.8	R-GSM cell reselection when C1 (serving cell) < 0 for 5 seconds.....	355
20.21.9	R-GSM running average of the surrounding cell BCCH carrier signal levels.....	357
20.21.10	R-GSM running average of the serving cell BCCH carrier signal level .....	358
20.21.11	Updating the list of six strongest neighbour carriers and decoding the BCCH information of a new carrier on the list .....	359
20.21.12	R-GSM decoding the BCCH information of the neighbour carriers on the list of six strongest neighbour carriers .....	360
20.21.13	R-GSM decoding the BSIC of the neighbour carriers on the list of six strongest neighbour carriers .....	361
20.21.14	R-GSM emergency calls .....	362
20.21.15	R-GSM cell reselection due to MS rejection "LA not allowed" .....	363
20.21.16	R-GSM downlink signalling failure.....	365
20.21.17	R-GSM cell selection if no suitable cell found in 10 s.....	366
20.21.18	R-GSM cell reselection due to MS rejection "Roaming not allowed in this LA" .....	367
20.21.19	R-GSM cell selection on release of SDCCH and TCH.....	368
20.22	GPRS Cell Selection and Reselection .....	369
20.22.1	Cell selection .....	371
20.22.2	Cell reselection in Packet Idle mode .....	372
20.22.3	Priority of cells .....	374
20.22.4	Cell re-selection with cells in different routing area.....	375
20.22.5	Network controlled Cell re-selection in Transfer Mode.....	377
20.22.6	Cell reselection timings .....	378
20.22.7	Downlink signalling failure .....	379

21	Received signal measurements.....	381
21.1	Signal strength.....	381
21.2	Signal strength selectivity .....	384
21.3	Signal quality under static conditions.....	385
21.3.1	Signal quality under static conditions - TCH/FS .....	385
21.3.2	Signal quality under static conditions - TCH/HS .....	387
21.4	Signal quality under TU50 propagation conditions.....	389
21.5	Received signal measurements in HSCSD multislot configuration .....	391
21.5.1	Signal strength.....	391
22	Transmit power control timing and confirmation .....	396
22.1	Transmit power control timing and confirmation, single slot .....	396
22.2	Transmit power control timing and confirmation in HSCSD multislot configurations.....	397
22.3	GPRS Uplink Power Control - Use of $\alpha$ and $\Gamma_{CH}$ parameters.....	399
22.4	GPRS Uplink Power Control – Independence of TS Power Control .....	402
23	Single frequency reference.....	404
24	Tests of the layer 1 signalling functions.....	404
25	Tests of the layer 2 signalling functions.....	405
25.1	Introduction, objective and scope.....	405
25.1.1	General .....	405
25.1.2	Test configurations .....	405
25.1.3	Pre-conditions.....	405
25.1.4	Layer 2 test frames .....	406
25.1.5	Establishment of the dedicated physical resource .....	407
25.1.6	Release of the dedicated physical resource.....	407
25.2	Test sequences.....	407
25.2.1	Initialization .....	408
25.2.1.1	Initialization when contention resolution required.....	408
25.2.1.1.1	Normal initialization .....	408
25.2.1.1.2	Initialization failure.....	409
25.2.1.1.3	Initialization denial.....	412
25.2.1.1.4	Total initialization failure.....	413
25.2.1.2	Initialization, contention resolution not required.....	414
25.2.1.2.1	Normal initialization without contention resolution .....	414
25.2.1.2.2	Initialization failure.....	415
25.2.1.2.3	Initialization denial .....	416
25.2.1.2.4	Total initialization failure .....	417
25.2.2	Normal information transfer.....	418
25.2.2.1	Sequence counting and I frame acknowledgements .....	418
25.2.2.2	Receipt of an I frame in the timer recovery state .....	421
25.2.2.3	Segmentation and concatenation.....	423
25.2.3	Normal layer 2 disconnection.....	426
25.2.4	Test of link failure .....	426
25.2.4.1	I frame loss (MS to SS).....	426
25.2.4.2	RR response frame loss (SS to MS).....	428
25.2.4.3	RR response frame loss (MS to SS).....	428
25.2.5	Test of frame transmission with incorrect C/R values.....	429
25.2.5.1	I frame with C bit set to zero .....	429
25.2.5.2	SABM frame with C bit set to zero .....	430
25.2.6	Test of errors in the control field.....	431
25.2.6.1	N(S) sequence error .....	431
25.2.6.2	N(R) sequence error.....	433
25.2.6.3	Improper F bit .....	433
25.2.7	Test on receipt of invalid frames .....	434
26	Testing of layer 3 functions.....	439
26.1	Default conditions and structured sequence of tests.....	439
26.1.1	Default test conditions during layer 3 tests .....	439
26.1.2	Structured sequence of the tests .....	441
26.1.3	General rules for message parameters .....	441

26.1.4	General rules for layer 3 testing .....	442
26.1.5	Format of layer 3 test descriptions .....	442
26.2	Initial tests .....	444
26.2.1	Channel request .....	444
26.2.1.1	Channel request / initial time .....	444
26.2.1.2	Channel request / repetition time .....	445
26.2.1.3	Channel request / random reference .....	447
26.2.2	IMSI detach and IMSI attach .....	448
26.2.3	Sequenced MM / CM message transfer .....	452
26.2.4	Establishment cause .....	453
26.3	Test of MS functions in idle mode .....	462
26.3.1	Initial conditions .....	462
26.3.2	MS indication of available PLMNs .....	465
26.3.3	MS will send only if BSS is "on air" .....	465
26.3.4	Manual mode of PLMN selection .....	466
26.4	Lower layer failures in layer 3 testing .....	468
26.4.1	Introduction .....	468
26.4.2	Layer 1 reception failures .....	468
26.4.3	Data link layer failures .....	468
26.4.4	Lower layer failures, used for the tests in clause 25 .....	468
26.5	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions .....	469
26.5.1	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown protocol discriminator .....	469
26.5.2	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / TI and skip indicator .....	470
26.5.2.1	TI and skip indicator / RR .....	470
26.5.2.1.1	TI and skip indicator / RR / Idle Mode .....	470
26.5.2.1.2	TI and skip indicator / RR / RR-Connection established .....	471
26.5.2.2	TI and skip indicator / MM .....	473
26.5.2.3	TI and skip indicator / CC .....	474
26.5.3	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / undefined or unexpected message type .....	476
26.5.3.1	Undefined or unexpected message type / undefined message type / CC .....	476
26.5.3.2	Undefined or unexpected message type / undefined message type / MM .....	477
26.5.3.3	Undefined or unexpected message type / undefined message type / RR .....	479
26.5.3.4	Undefined or unexpected message type / unexpected message type / CC .....	480
26.5.4	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unforeseen information elements in the non-imperative message part .....	481
26.5.4.1	Unforeseen information elements in the non-imperative message part / duplicated information elements .....	481
26.5.5	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / non-semantic mandatory IE errors .....	483
26.5.5.1	Non-semantic mandatory IE errors / RR .....	483
26.5.5.1.1	Non-semantic mandatory IE errors / RR / missing mandatory IE error .....	483
26.5.5.1.2	Non-semantic mandatory IE errors / RR / comprehension required .....	485
26.5.5.2	Non-semantic mandatory IE errors / MM .....	487
26.5.5.2.1	Non-semantic mandatory IE errors / MM / syntactically incorrect mandatory IE .....	487
26.5.5.2.2	Non-semantic mandatory IE errors / MM / syntactically incorrect mandatory IE .....	488
26.5.5.2.3	Non-semantic mandatory IE errors / MM / comprehension required .....	489
26.5.5.3	Non-semantic mandatory IE errors / CC .....	491
26.5.5.3.1	Non-semantic mandatory IE errors / CC / missing mandatory IE .....	491
26.5.5.3.2	Non-semantic mandatory IE errors / CC / comprehension required .....	493
26.5.6	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown IE, comprehension not required .....	494
26.5.6.1	Unknown information elements in the non-imperative message part / MM .....	494
26.5.6.1.1	Unknown IE, comprehension not required / MM / IE unknown in the protocol .....	494
26.5.6.1.2	Unknown IE, comprehension not required / MM / IE unknown in the message .....	496
26.5.6.2	Unknown information elements in the non-imperative message part / CC .....	497
26.5.6.2.1	Unknown information elements in the non-imperative message part / CC / Call establishment .....	497
26.5.6.2.2	Unknown information elements in the non-imperative message part / CC / disconnect .....	498
26.5.6.2.3	Unknown information elements in the non-imperative message part / CC / release .....	499
26.5.6.2.4	Unknown information elements in the non-imperative message part / CC / release complete .....	501

26.5.6.3	Unknown IE in the non-imperative message part, comprehension not required / RR .....	502
26.5.7	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / spare bits ....	504
26.5.7.1	Spare bits / RR .....	504
26.5.7.1.1	Spare bits / RR / paging channel .....	504
26.5.7.1.2	Spare bits / RR / BCCH .....	505
26.5.7.1.3	Spare bits / RR / AGCH .....	506
26.5.7.1.4	Spare bits / RR / Connected Mode .....	508
26.5.7.2	Spare bits / MM .....	510
26.5.7.3	Spare bits / CC .....	511
26.5.8	Default contents of messages .....	513
26.6	Test of the elementary procedures for radio resource management .....	516
26.6.1	Immediate assignment .....	516
26.6.1.1	Immediate assignment / SDCCH or TCH assignment .....	516
26.6.1.2	Immediate assignment / extended assignment .....	517
26.6.1.3	Immediate assignment / assignment rejection .....	519
26.6.1.4	Immediate assignment / ignore assignment .....	521
26.6.1.5	Immediate assignment after immediate assignment reject .....	523
26.6.2	Test of paging .....	524
26.6.2.1	Normal paging .....	524
26.6.2.1.1	Paging / normal / type 1 .....	524
26.6.2.1.2	Paging / normal / type 2 .....	527
26.6.2.1.3	Paging / normal / type 3 .....	529
26.6.2.2	Paging / extended .....	530
26.6.2.3	Paging / reorganization .....	533
26.6.2.3.1	Paging / reorganization / procedure 1 .....	533
26.6.2.3.2	Paging / reorganization / procedure 2 .....	536
26.6.2.4	Paging / same as before .....	537
26.6.2.5	Paging / multislot CCCH .....	538
26.6.3	Test of measurement report .....	539
26.6.3.1	Measurement / no neighbours .....	539
26.6.3.2	Measurement / all neighbours present .....	543
26.6.3.3	Measurement / barred cells and non-permitted NCCs .....	547
26.6.3.4	Measurement / DTX .....	551
26.6.3.5	Measurement / Frequency Formats .....	555
26.6.3.6	Measurement / multiband environment .....	559
26.6.4	Test of the channel assignment procedure .....	564
26.6.4.1	Dedicated assignment / successful case .....	564
26.6.4.2	Dedicated assignment / failure .....	574
26.6.4.2.1	Dedicated assignment / failure / failure during active state .....	574
26.6.4.2.2	Dedicated assignment / failure / general case .....	576
26.6.5	Test of handover .....	577
26.6.5.1	Handover / successful / active call / non-synchronized .....	578
26.6.5.2	Handover / successful / call under establishment / non-synchronized .....	591
26.6.5.3	Handover / successful / active call / finely synchronized .....	609
26.6.5.4	Handover / successful / call under establishment / finely synchronized .....	614
26.6.5.5	Pre-synchronized handovers .....	624
26.6.5.5.1	Handover / successful / active call / pre-synchronized / Timing Advance IE not included .....	624
26.6.5.5.2	Handover / successful / call being established / pre-synchronized / timing advance IE is included / reporting of observed time difference requested .....	626
26.6.5.6	Handover / successful / active call / pseudo synchronized .....	628
26.6.5.7	Handover / successful / active call / non-synchronized / reporting of observed time difference requested .....	630
26.6.5.8	Handover / layer 3 failure .....	632
26.6.5.9	Handover / layer 1 failure .....	633
26.6.6	Test of frequency redefinition .....	634
26.6.6.1	Frequency redefinition .....	634
26.6.7	Test of the channel mode modify procedure .....	640
26.6.7.1	Test of the channel mode modify procedure / full rate .....	640
26.6.7.2	Test of the channel mode modify procedure / half rate .....	642
26.6.8	Test of ciphering mode setting .....	645
26.6.8.1	Ciphering mode / start ciphering .....	645
26.6.8.2	Ciphering mode / no ciphering .....	646

26.6.8.3	Ciphering mode / old cipher key.....	647
26.6.8.4	Ciphering mode / change of mode, algorithm and key .....	649
26.6.8.5	Ciphering mode / IMEISV request .....	656
26.6.9	Test of additional assignment.....	658
26.6.10	Test of partial release .....	658
26.6.11	Test of classmark.....	658
26.6.11.1	Classmark change .....	658
26.6.11.2	Classmark interrogation .....	660
26.6.12	Test of channel release .....	662
26.6.12.1	Channel release / SDCCH.....	662
26.6.12.2	Channel release / SDCCH - no L2 ACK.....	664
26.6.12.3	Channel release / TCH-F .....	665
26.6.12.4	Channel release / TCH-F - no L2 ACK .....	666
26.6.13	Test of starting time.....	668
26.6.13.1	Dedicated assignment with starting time / successful case / time not elapsed .....	669
26.6.13.2	Dedicated assignment with starting time / successful case / time elapsed.....	671
26.6.13.3	Dedicated assignment with starting time and frequency redefinition / failure case / time not elapsed.....	673
26.6.13.4	Dedicated assignment with starting time and frequency redefinition / failure case / time elapsed.....	676
26.6.13.5	Handover with starting time / successful case / time not elapsed .....	678
26.6.13.6	Handover with starting time / successful case / time elapsed .....	680
26.6.13.7	Handover with starting time and frequency redefinition / failure case / time not elapsed .....	682
26.6.13.8	Handover with starting time and frequency redefinition / failure case / time elapsed .....	685
26.6.13.9	Immediate assignment with starting time / successful case / time not elapsed .....	688
26.6.13.10	Immediate assignment with starting time / successful case / time elapsed .....	689
26.6.14	Default contents of GSM 900 layer 3 messages for RR tests .....	691
26.6.15	Default contents of DCS 1 800 layer 3 messages for RR tests.....	701
26.7	Elementary procedures of mobility management .....	712
26.7.1	TMSI reallocation.....	712
26.7.2	Authentication .....	715
26.7.2.1	Authentication accepted.....	715
26.7.2.2	Authentication rejected .....	716
26.7.3	Identification .....	719
26.7.3.1	General Identification .....	719
26.7.3.2	Handling of IMSI shorter than the maximum length .....	721
26.7.4	Location updating.....	724
26.7.4.1	Location updating / accepted .....	724
26.7.4.2	Location updating / rejected.....	729
26.7.4.2.1	Location updating / rejected / IMSI invalid .....	729
26.7.4.2.2	Location updating / rejected / PLMN not allowed.....	732
26.7.4.2.3	Location updating / rejected / location area not allowed .....	736
26.7.4.2.4	Location updating / rejected / roaming not allowed in this location area .....	739
26.7.4.3	Location updating / abnormal cases.....	746
26.7.4.3.1	Location updating / abnormal cases / random access fails.....	746
26.7.4.3.2	Location updating / abnormal cases / attempt counter less or equal to 4, LAI different.....	748
26.7.4.3.3	Location updating / abnormal cases / attempt counter equal to 4 .....	753
26.7.4.3.4	Location updating / abnormal cases / attempt counter less or equal to 4, stored LAI equal to broadcast LAI .....	760
26.7.4.4	Location updating / release / expiry of T3240 .....	766
26.7.4.5	Location updating / periodic .....	767
26.7.4.5.1	Location updating / periodic spread.....	767
26.7.4.5.2	Location updating / periodic normal / test 1 .....	769
26.7.4.5.3	Location updating / periodic normal / test 2 .....	771
26.7.4.5.4	Location updating / periodic HPLMN search .....	774
26.7.4.6	Location updating / interworking of attach and periodic .....	778
26.7.5	MM connection .....	779
26.7.5.1	Introduction.....	779
26.7.5.2	MM connection / establishment with cipher .....	780
26.7.5.3	MM connection / establishment without cipher.....	781
26.7.5.4	MM connection / establishment rejected .....	782
26.7.5.5	MM connection / establishment rejected cause 4 .....	783
26.7.5.6	MM connection / expiry T3230 .....	785
26.7.5.7	MM connection / abort by the network.....	786

26.7.5.7.1	MM connection / abortion by the network / cause #6.....	786
26.7.5.7.2	MM connection / abortion by the network / cause not equal to #6.....	789
26.7.5.8	MM connection / follow-on request pending.....	790
26.7.5.8.1	MM connection / follow-on request pending / test 1.....	790
26.7.5.8.2	MM connection / follow-on request pending / test 2.....	791
26.7.5.8.3	MM connection / follow-on request pending / test 3.....	793
26.7.6	Default contents of messages.....	794
26.8	Tests related to circuit switched call control.....	798
26.8.1	Circuit switched Call Control (CC) state machine verification.....	798
26.8.1.1	General on CC state machine verification.....	798
26.8.1.2	Establishment of an outgoing call.....	799
26.8.1.2.1	Outgoing call / U0 null state.....	801
26.8.1.2.2	Outgoing call / U0.1 MM connection pending.....	802
26.8.1.2.3	Outgoing call / U1 call initiated.....	806
26.8.1.2.4	Outgoing call / U3 MS originating call proceeding.....	815
26.8.1.2.5	Outgoing call / U4 call delivered.....	831
26.8.1.2.6	U10 call active.....	841
26.8.1.2.7	U11 disconnect request.....	849
26.8.1.2.8	U12 disconnect indication.....	855
26.8.1.2.9	Outgoing call / U19 release request.....	860
26.8.1.3	Establishment of an incoming call / Initial conditions.....	867
26.8.1.3.1	Incoming call / U0 null state.....	869
26.8.1.3.2	Incoming call / U6 call present.....	870
26.8.1.3.3	Incoming call / U9 mobile terminating call confirmed.....	872
26.8.1.3.4	Incoming call / U7 call received.....	881
26.8.1.3.5	Incoming call / U8 connect request.....	891
26.8.1.4	In call functions.....	902
26.8.1.4.1	In-call functions / DTMF information transfer.....	902
26.8.1.4.2	In-call functions / user notification.....	904
26.8.1.4.3	In-call functions / channel changes.....	905
26.8.1.4.4	In-call functions / MS terminated in-call modification.....	909
26.8.1.4.5	In-call functions / MS originated in-call modification.....	910
26.8.2	Call Re-establishment.....	926
26.8.2.1	Call Re-establishment/call present, re-establishment allowed.....	926
26.8.2.2	Call Re-establishment/call present, re-establishment not allowed.....	928
26.8.2.3	Call Re-establishment/call under establishment, transmission stopped.....	929
26.8.3	User to user signalling.....	930
26.8.4	Default contents of message.....	932
26.9	Structured procedures.....	940
26.9.1	Structured procedures / general.....	940
26.9.2	Structured procedures / MS originated call / early assignment.....	941
26.9.3	Structured procedures / MS originated call / late assignment.....	943
26.9.4	Structured procedures / MS terminated call / early assignment.....	945
26.9.5	Structured procedures / MS terminated call / late assignment.....	948
26.9.6	Structured procedures / emergency call.....	951
26.9.6.1	Structured procedures / emergency call / idle updated.....	951
26.9.6.1.1	Structured procedures / emergency call / idle updated / preferred channel rate.....	951
26.9.6.1.2	Structured procedures / emergency call / idle updated, non-preferred channel rate.....	954
26.9.6.2	Structured procedures / emergency call / idle, no IMSI.....	954
26.9.6.2.1	Structured procedures / emergency call / idle, no IMSI / accept case.....	954
26.9.6.2.2	Structured procedures / emergency call / idle, no IMSI / reject case.....	956
26.9.7	Directed Retry / Mobile Originated Call.....	958
26.9.8	Directed Retry / Mobile Terminated Call.....	964
26.9.9	Default contents of messages.....	972
26.10	E-GSM or R-GSM signalling.....	978
26.10.1	E-GSM or R-GSM signalling / general considerations.....	978
26.10.2	E-GSM or R-GSM signalling / RR.....	980
26.10.2.1	E-GSM or R-GSM signalling / RR / Measurement.....	980
26.10.2.2	E-GSM or R-GSM signalling / RR / Immediate assignment.....	987
26.10.2.3	E-GSM or R-GSM signalling / RR / channel assignment procedure.....	989
26.10.2.4	E-GSM or R-GSM signalling / RR / Handover.....	993
26.10.2.4.1	E-GSM or R-GSM signalling / RR / Handover / Successful handover.....	993

26.10.2.4.2	E-GSM or R-GSM signalling / RR / Handover / layer 1 failure .....	999
26.10.2.5	E-GSM or R-GSM signalling / RR / Frequency Redefinition .....	1001
26.10.3	E-GSM or R-GSM signalling / Structured procedure .....	1004
26.10.3.1	E-GSM or R-GSM signalling / Structured procedure / Mobile originated call .....	1005
26.10.3.2	E-GSM or R-GSM signalling / Structured procedures / emergency call .....	1007
26.10.3.3	Default contents of messages .....	1010
26.10.4	E-GSM or R-GSM signalling / Default message contents .....	1011
26.11	Multiband signalling .....	1016
26.11.1	General considerations .....	1016
26.11.2	Multiband signalling / RR .....	1016
26.11.2.1	Multiband signalling / RR / Immediate assignment procedure .....	1016
26.11.2.2	Multiband signalling / RR / Handover .....	1018
26.11.2.2.1	Multiband signalling / RR / Handover / successful / active call / non-synchronized .....	1019
26.11.2.2.2	Multiband signalling / RR / Handover / layer 1 failure .....	1023
26.11.2.2.3	Multiband signalling / RR / Handover / Multiband BCCH / successful / active call / non synchronized .....	1025
26.11.2.2.4	Multiband signalling / RR / Handover / Multiband BCCH / Intracell Handover - Interband Assignment .....	1029
26.11.2.3	Multiband signalling / RR / Measurement reporting .....	1035
26.11.3	Multiband signalling / MM .....	1038
26.11.3.1	Multiband signalling / MM / Location updating .....	1038
26.11.3.1.1	Location updating / accepted .....	1038
26.11.3.1.2	Location updating / periodic .....	1041
26.11.4	Multiband signalling / CC .....	1044
26.11.5	Multiband signalling / Structured procedures .....	1044
26.11.5.1	Multiband signalling / Structured procedures / MS originated call / early assignment .....	1044
26.11.5.2	Structured procedures / MS terminated call / late assignment .....	1048
26.11.6	Multiband signalling / Default messages contents .....	1052
26.12	Enhanced Full Rate signalling .....	1057
26.12.1	EFR signalling / test of the channel mode modify procedure .....	1057
26.12.2	EFR signalling / tests of handover .....	1060
26.12.2.1	EFR signalling / Handover / active call / successful case .....	1061
26.12.3	EFR Signalling / Structured procedures / MS originated call / late assignment .....	1077
26.12.4	Structured procedures / MS terminated call / early assignment .....	1080
26.12.5	Structured procedures / emergency call .....	1083
26.12.6	EFR Signalling / Directed Retry / Mobile Originated Call .....	1086
26.12.7	EFR Signalling / Directed Retry / Mobile Terminated Call .....	1090
26.12.8	Default contents of layer 3 messages for Enhanced Full rate speech tests .....	1096
26.13	Multislot signalling .....	1099
26.13.1	Multislot signalling / RR .....	1099
26.13.1.1	Multislot signalling / RR / Measurement .....	1099
26.13.1.1.1	Multislot signalling / RR / Measurement / symmetric .....	1099
26.13.1.1.2	Multislot signalling / RR / Measurement / asymmetric .....	1102
26.13.1.1.3	Multislot signaling / RR / Measurement / asymmetric / change of the reported subchannel .....	1107
26.13.1.2	Multislot signalling / RR / Dedicated assignment .....	1110
26.13.1.2.1	Multislot signalling / RR / Dedicated assignment / successful case .....	1110
26.13.1.2.2	Multislot signalling / RR / Dedicated assignment / failure / general case .....	1124
26.13.1.3	Test of handover .....	1138
26.13.1.3.1	Multislot signalling / RR / Handover / successful / active call / non-synchronized .....	1138
26.13.1.3.2	Multislot signalling / RR / Handover / successful / call under establishment / non synchronized / resource upgrading .....	1142
26.13.1.3.3	Multislot signalling / RR / Handover / successful / active call / finely synchronized / resource downgrading .....	1147
26.13.1.3.4	Multislot signalling / RR / Handover / successful / call under establishment / finely synchronized / relocation of channels .....	1150
26.13.1.3.5	Multislot signalling / RR / Handover / successful / call under establishment / pre-synchronized / resource upgrading .....	1156
26.13.1.4	Multislot signalling / RR / Test of the channel mode modify procedure .....	1160
26.13.1.5	Multislot signalling / RR / Early classmark sending .....	1163
26.13.1.6	Default contents of layer 3 messages for RR tests .....	1164
26.13.1.6.1	Default contents of GSM 900 layer 3 messages for RR tests .....	1164
26.13.1.6.2	Default contents of DCS 1 800 layer 3 messages for RR tests .....	1174