

SLOVENSKI STANDARD SIST EN 300 094 V2.1.1:2005

01-januar-2005

8][]hUbc ca fYÿ^Yn]bhY[f]fUb]a] 'ghcf]hj Ua] 'fkG8 BŁË'8 cdc b] bUghcf]hYj . 'df]_Un]XYbh]hYhY ffUndcnbUj bcgh]Łdf]_ '1 _Uj 'nj Yn] ff7 C @DŁË'Cd]g 'ghcf]hj Y

Integrated Services Digital Network (ISDN); Connected Line Identification Presentation (COLP) supplementary service; Service description

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten z. 1.1 300 cm 300 094 Version 2.1.1

90dcde02157e/sist-en-300-094-v2-1-1-2005

ICS:

33.080 Digitalno omrežje z

integriranimi storitvami

(ISDN)

Integrated Services Digital

Network (ISDN)

SIST EN 300 094 V2.1.1:2005

en

SIST EN 300 094 V2.1.1:2005

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 300 094 V2.1.1:2005</u> https://standards.iteh.ai/catalog/standards/sist/37f64a77-f5fe-48cd-8b6e-90dcde02157e/sist-en-300-094-v2-1-1-2005

ETSI EN 300 094 V2.1.1 (2000-06)

European Standard (Telecommunications series)

Integrated Services Digital Network (ISDN);
Connected Line Identification Presentation (COLP)
supplementary service;
Service description

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 300 094 V2.1.1:2005 https://standards.iteh.ai/catalog/standards/sist/37f64a77-f5fe-48cd-8b6e-90dcde02157e/sist-en-300-094-v2-1-1-2005



Reference

REN/SPAN-020086B

Keywords

ISDN, supplementary service, COLP, stage 1

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/ IEW

(standards.iteh.ai)

<u>SIST EN 300 094 V2.1.1:2005</u> https://standards.iteh.ai/catalog/standards/sist/37f64a77-f5fe-48cd-8b6e-90dcde02157e/sist-en-300-094-v2-1-1-2005

Important notice

Individual copies of the present document can be downloaded from: http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at http://www.etsi.org/tb/status/

If you find errors in the present document, send your comment to: editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intelle	ectual Property Rights	5				
Forew	vord	5				
1	Scope					
2	References	6				
3	Definitions and abbreviations	7				
3.1	Definitions					
3.2	Abbreviations					
4	Description					
5	Procedures					
5.1	Provision and withdrawal					
5.2	Normal procedures					
5.2.1	Activation, deactivation and registration					
5.2.2	Erasure					
5.2.3	Invocation and operation					
5.2.3.1						
5.2.3.2	ĕ					
5.2.4	Interrogation					
5.3	Exceptional procedures					
5.3.1	Activation, deactivation and registration Erasure Leas Landard PREVIEW	10				
5.3.2						
5.3.3	Invocation and operation (Standards.iteh.ai)	10				
5.3.4	Interrogation	10				
6	Intercommunication considerations IST EN 300:094:V2:1:12005	10				
6.1	Interworking with non-ISDNs iteh aircatalog/standards/sist/37f64a77-f5fe-48cd-8b6e-	10				
6.2	Interworking with private ISDNs	10				
7	Interactions with other supplementary services					
7.1	Advice of charge					
7.1.1	Charging information at call set-up time					
7.1.2	Charging information during the call					
7.1.3	Charging information at the end of the call					
7.2	Call waiting					
7.3	Call hold					
7.4	Call transfer					
7.4.1	Explicit call transfer					
7.4.2	Single step call transfer					
7.5	Number identification services					
7.5.1	Calling line identification presentation					
7.5.2	Calling line identification restriction					
7.5.3	Connected line identification presentation					
7.5.4	Connected line identification restriction					
7.6	Closed user group	12				
7.7	Completion of calls to busy subscriber					
7.8	Conference services					
7.8.1	Conference call, add-on					
7.8.2	Meet me conference					
7.9	Direct dialling in					
7.10	Diversion services					
7.10.1	Call forwarding unconditional					
7.10.2	Call forwarding busy					
7.10.3	Call forwarding no reply					
7.10.4						
7.11	Freephone	13				
	=					

ETSI EN 300 094 V2.1.1 (2000-06)

7.12	Malicious call identification	13
7.13	Multiple subscriber number	13
7.14	Subaddressing.	13
7.15	Terminal portability	14
7.16	Three party	14
7.17	User-user signalling	14
Anne	ex A (informative): Terminal interchangeability between public and private	ISDNs 15
	the first that the first t	10011010
	ex B (informative): Extended screening option	
Anne		16
Anne B.1	ex B (informative): Extended screening option	16
Anne B.1 B.2	ex B (informative): Extended screening option	16

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 300 094 V2.1.1:2005</u> https://standards.iteh.ai/catalog/standards/sist/37f64a77-f5fe-48cd-8b6e-90dcde02157e/sist-en-300-094-v2-1-1-2005

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://www.etsi.org/ipr).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

In accordance with CCITT Recommendation I.130 [1], the following three level structure is used to describe the supplementary telecommunications services as provided by European public telecommunications operators under the pan-European Integrated Services Digital Network (ISDN):

- stage 1: is an overall service description, from the user's standpoint;
- stage 2: identifies the functional capabilities and information flows needed to support the service described in stage 1; and **Teh STANDARD PREVIEW**
- stage 3: defines the signalling system protocols and switching functions needed to implement the service described in stage 1.

The present document details the stage 1 aspects (overall service description) for the Connected Line Identification Presentation (COLP) supplementary service. The stage 2 and stage 3 aspects are detailed in ETS 300 096 [9] and EN 300 097-1 [10], respectively.

90dcde02157e/sist-en-300-094-v2-1-1-2005

Addition of a new informative annex B, describing the incorporation of extended screening options. These additions describe a method of operation of the screening function that is entirely consistent with the requirements of edition 1, and therefore is entirely interoperable with existing implementations of the COLP supplementary service.

National transposition dates			
Date of adoption of this EN:	5 May 2000		
Date of latest announcement of this EN (doa):	31 August 2000		
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	28 February 2001		
Date of withdrawal of any conflicting National Standard (dow):	28 February 2001		

1 Scope

The present document defines the stage one of the Connected Line Identification Presentation (COLP) supplementary service for the pan-European Integrated Services Digital Network (ISDN) as provided by European public telecommunications operators. Stage one is an overall service description from the user's point of view (see CCITT Recommendation I.130 [1]), but does not deal with the details of the human interface itself.

The present document defines the interworking requirements of private ISDNs with the public ISDN.

In addition the present document specifies the base functionality where the service is provided to the user via a private ISDN.

The present document does not specify the additional requirements where the service is provided to the user via a telecommunications network that is not an ISDN but does include interworking requirements of other networks with the public ISDN.

Interactions with supplementary services not listed in clause 8 are outside the scope of the present document.

Charging principles are outside the scope of the present document.

The COLP supplementary service provides the calling party with the possibility to receive identification of the connected party.

The COLP supplementary service is applicable to all telecommunications services.

The present document is applicable to the stage two and stage three standards for the ISDN COLP supplementary service. The terms "stage two" and "stage three" are also defined in CCITT Recommendation I.130 [1]. Where the text indicates the status of a requirement, (i.e. as strict command or prohibition, as authorization leaving freedom, or as a capability or possibility), this shall be reflected in the text of the relevant stage two and stage three standards.

Furthermore, conformance to the present document is met by conforming to the stage three standards with the field of application appropriate to the equipment being implemented. Therefore no method of testing is provided for the present document.

https://standards.iteh.ai/catalog/standards/sist/37f64a77-f5fe-48cd-8b6e-

Stanuarus.iten.a

90dcde02157e/sist-en-300-094-v2-1-1-2005

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
- [1] CCITT Recommendation I.130 (1988): "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".
- [2] ITU-T Recommendation I.112 (1993): "Vocabulary of terms for ISDNs".
- [3] ITU-T Recommendation E.164 (1997): "The international public telecommunication numbering plan".
- [4] ITU-T Recommendation I.210 (1993): "Principles of telecommunication services supported by an ISDN and the means to describe them".
- [5] ETSI ETS 300 062: "Integrated Services Digital Network (ISDN); Direct Dialling In (DDI) supplementary service; Service description".

ETSI EN 300 094 V2.1.1 (2000-06)

		7	

[6]	ETSI ETS 300 050: "Integrated Services Digital Network (ISDN); Multiple Subscriber Number (MSN) supplementary service; Service description".
[7]	CCITT Recommendation Q.9 (1988): "Vocabulary of switching and signalling terms".
[8]	ETSI ETS 300 095: "Integrated Services Digital Network (ISDN); Connected Line Identification Restriction (COLR) supplementary service; Service description".
[9]	ETSI ETS 300 096: "Integrated Services Digital Network (ISDN); Connected Line Identification Presentation (COLP) and Connected Line Identification Restriction (COLR) supplementary services; Functional capabilities and information flows".
[10]	ETSI EN 300 097-1: "Integrated Services Digital Network (ISDN); Connected Line Identification Presentation (COLP) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".
[11]	ECMA-155: "Private Integrated Services Networks - Addressing (PTNA-2)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply.

Integrated Services Digital Network (ISDN); see ITU-T Recommendation I.112 [2], subclause 2.3, definition 308

Service; telecommunications service: see ITU-T Recommendation I 112 [2], subclause 2.2, definition 201

Supplementary service: see ITU-T Recommendation I.210 [4], subclause 2.4

ISDN number: number conforming to the numbering plan and structure specified in ITU-T Recommendation E.164 [3]

Subaddress: see ITU-T Recommendation E.164 [3], subclause 11.2-v2-1-1-2005

National (ISDN) number: see ITU-T Recommendation E.164 [3], subclause 3.2

International (ISDN) number: see ITU-T Recommendation E.164 [3], subclause 3.2

Partial number: part of an ISDN number which is significant for distinguishing between addressable entities beyond the network boundary. The partial number digits and the partial number length shall be governed by the requirements of the direct dialling in supplementary service and multiple subscriber number supplementary service (see ETS 300 062 [5] and ETS 300 050 [6])

Default number: ISDN number registered within the public ISDN following prior agreement between the connected party and the public ISDN

Screening: a process whereby the network checks that a user provided information is acceptable to the network

Special arrangement: agreement between a customer and a public network operator whereby customer supplied connected party ISDN numbers are not screened by the public ISDN

Basic access: see CCITT Recommendation Q.9 [7], subclause 1, definition 1551

Primary rate access: see CCITT Recommendation Q.9 [7], subclause 1, definition 1552

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

COLP Connected Line Identification Presentation
COLR Connected Line Identification Restriction
ISDN Integrated Services Digital Network
PSTN Public Switched Telephone Network

4 Description

The COLP supplementary service shall apply to the basic access and to the primary rate access.

The COLP supplementary service provides the calling party with the possibility to receive identification of the connected party. This supplementary service is not a dialling check.

In addition to the ISDN number, the connected line identity may include a subaddress generated by the connected user and transparently transported by the network. The network cannot be responsible for the content of this subaddress.

The network shall deliver the connected line identity to the calling party on call acceptance regardless of the terminal capability to handle the information.

NOTE: In some situations, e.g. when a default number is used, the information may not precisely identify the connected party.

iTeh STANDARD PREVIEW

5 Procedures (standards.iteh.ai)

Provision and withdrawal 094 V2.1.1.2005 https://standards.iieh.avcatalog/standards/sist/37f64a77-f5fe-48cd-8b6e-

The COLP supplementary service may be provided after prior arrangement with the service provider or be generally available.

The COLP supplementary service shall be withdrawn at the customer's request or for administrative reasons.

A special arrangement may exist whereby connected party provided ISDN numbers are not screened by the public ISDN.

5.2 Normal procedures

5.2.1 Activation, deactivation and registration

The COLP supplementary service shall be activated and deactivated by the service provider. This supplementary service requires no registration.

5.2.2 Erasure

Not applicable.

5.2.3 Invocation and operation

The network shall automatically invoke the COLP supplementary service on each outgoing call made by the calling user.

The connected line identity supplied to the calling party is made up of a number of information units:

- the national (ISDN) number;
- the country code and possible other indications only for international calls;
- optionally subaddress information, if provided by the connected party.

The public ISDN shall treat such numbers in the same manner, including those provided under the special arrangement. This means that the public ISDN shall add a country code to a national number when a call crosses an international boundary.

5.2.3.1 Connected user side

The connected user can insert the connected line identity on call acceptance.

The connected ISDN number as presented to the calling user can be generated:

- in the case of a terminal equipment directly connected to the public ISDN, normally by the public ISDN;
- in the case of a private ISDN connected to the public ISDN, normally by the private ISDN.

This information can be provided in the form of either a partial number or an ISDN number. Where a special arrangement exists this number shall be provided by the user as an E 164 [3] national or international number.

The public ISDN shall screen the provided number. In the case of a special arrangement (e.g. private network situation), no screening shall take place in the public ISDN and the public ISDN shall mark that number as "user provided, not screened".

For successful screening, the number shall be marked as "user provided, verified and passed". Where the screening performing by the public ISDN is successful, the public ISDN shall complete this number to form a national ISDN number.

If the user does not provide any number or the screening performed by the public ISDN is not successful, the public ISDN shall enter a default number marked as "network provided".

- NOTE 1: Several levels of screening performed by the network can exist. In addition to the screening function described above annex B describes an other option.
- NOTE 2: Provision of a partial number or an ISDN number will make sense only when the direct dialling in supplementary service or the multiple subscriber number supplementary service applies at the interface of the connected party. Where a special arrangement exists for not screening a connected party number provided by a private ISDN, the provision of a national ISDN number or and international ISDN number is independent of the direct dialling in supplementary service or the multiple subscriber number supplementary service at that interface.

5.2.3.2 Calling user side

When the COLP supplementary service is invoked, the user shall receive the connected line identity indicated above at call connect time.

5.2.4 Interrogation

Not applicable.