INTERNATIONAL STANDARD

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ ORGANISATION INTERNATIONALE DE NORMALISATION

Oil of cubeb

Huile essentielle de cubèbe

First edition – 1976-07-01 iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 3756:1976</u> https://standards.iteh.ai/catalog/standards/sist/fc9be793-df97-466f-9b43-08e10fb8f2d2/iso-3756-1976

UDC 668.525.23.004.1

Ref. No. ISO 3756-1976 (E)

Descriptors : essential oils, cubeb, specifications, physical properties, optical properties, chemical properties.

3756

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3756 was drawn up by Dechnical Committee VIEW ISO/TC 54, *Essential oils*, and was circulated to the Member Bodies in September 1975.

It has been approved by the Member Bodies of the following countries 276

| | https://standards.iteh.ai/catalog/standards/sist/fc9be793-df97-466f-9b43- |
|---------|---|
| Belgium | India 08e10fb92d2/iso-3756-1976 |
| Canada | Netherlands Turkey |
| France | Portugal |
| Germany | South Africa, Rep. of |

No Member Body expressed disapproval of the document.

International Organization for Standardization, 1976 •

Oil of cubeb

| 1 SCOPE AND FIELD OF APPLICATION | 4.5 Refractive index at 20 $^\circ$ C |
|--|---|
| This International Standard specifies certain characteristics | Minimum : 1,492 0 |
| of oil of cubeb with a view to facilitating the assessment of its quality. | Maximum : 1,502 0 |
| 2 REFERENCES | 4.6 Optical rotation at 20 $^{\circ}$ C |
| ISO/R 210, Essential oils – Packing. | Range – 43 $^{\circ}$ to – 20 $^{\circ}$ |
| ISO/R 211, Essential oils – Labelling and marking | 4.7 Acid value |
| containers. ISO 212, Essential oils – Sampling, Lorr AND ADD | Maximum : 1,0 |
| ISO/R 279, Determination of the density and relative density of essential oils. | 4.8 Ester value Minimum 2,0 |
| ISO/R 280, Determination of the refractive index of essential oils. ISO 3756:197 | |
| ISO 592, Essential oils – Determination of optical rota- tion. ¹⁾ | |
| ISO/R 709, Determination of ester value and calculation of ester content of essential oils. | See ISO 212. Minimum volume of final sample : 25 ml. |
| ISO 1242, Essential oils – Determination of acid value. | 6 METHODS OF TEST |
| 3 DEFINITION | 6.1 Relative density at 20/20 $^{\circ}$ C |
| oil of cubeb : The oil obtained by steam distillation of the dried ripe fruits of <i>Piper cubeba</i> Linnaeus filius. | See ISO/R 279. |
| | 6.2 Refractive index at 20 $^{\circ}$ C |
| 4 SPECIFICATION | See ISO/R 280. |
| 4.1 Appearance | 6.3 Optical rotation at 20 $^{\circ}$ C |
| Clear mobile liquid. | See ISO 592. |
| 4.2 Colour | |
| Pale yellow to bluish green, with sometimes a bluish fluor- escence. | 6.4 Acid value |
| 4.3 Odour | See ISO 1242. |
| Characteristic, spicy. | 6.5 Ester value |
| | See ISO/R 709. |
| 4.4 Relative density at 20/20 °C | |
| Minimum : 0,906 | 7 PACKING, LABELLING AND MARKING |
| Maximum : 0,930 | See ISO/R 210 and ISO/R 211. |

1) At present at the stage of draft. (Revision of ISO/R 592-1967.)

iTeh STANDARD PREVIEW (standards.iteh.ai) This page intentionally left blank

ISO 3756:1976 https://standards.iteh.ai/catalog/standards/sist/fc9be793-df97-466f-9b43-08e10fb8f2d2/iso-3756-1976