

SLOVENSKI STANDARD

DSIST EN 301 797:2001

01-1]^2001

9`Y_Hfca U[bYhbUnXfi ý`íj cghifØ A7 Ł]b`nUXYj Yj `nj Yn]`n`fUX]g_Ja `gdY_Hfca `fØFAŁ!
<Ufa cb]n]fUb]9B`nU`VfYnj fj] bYh`Y`ZcbY`7 H`&z_]`nU`Ya UV]glj YbY`nU hYj Y `YbU
`"X]fY_Hj YF/ HH9

Electromagnetic compatibility and Radio Spectrum Matters (ERM); Harmonized EN for CT2 cordless telephone equipment covering essential requirements under article 3.2 of the R&TTE directive

Ta slovenski standard je istoveten z: EN 301 797 Version 1.1.1

ICS:

33.100.99 Drugi vidiki v zvezi z EMC Other aspects related to EMC


DGIST EN 301 797:2001

en

ETSI EN 301 797 V1.1.1 (2000-09)

Candidate Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio Spectrum Matters (ERM);
Harmonized EN for
CT2 cordless telephone equipment
covering essential requirements
under article 3.2 of the R&TTE directive**



Reference

DEN/ERM-TG13-001-2

Keywords

CT, CT2, radio, regulation

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:
editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	7
1 Scope	9
2 References	9
3 Definitions and abbreviations.....	10
3.1 Definitions	10
3.2 Abbreviations	10
4 Radio frequency interface.....	11
4.1 General	11
4.2 Channel frequencies	11
4.2.1 Channel centre frequencies	11
4.2.2 Channel frequency accuracy	11
4.2.3 Rate of change of transmit centre frequency	11
4.2.4 CTA access	11
4.3 Signalling strategy.....	11
4.3.1 CTA access	11
4.3.2 Signalling whilst in the communication state	11
4.3.3 Signalling outside the communication state.....	11
4.4 Dynamic channel allocation strategy.....	12
4.4.1 Incoming calls	12
4.4.2 Outgoing calls	12
4.4.3 Channel selection strategies	12
4.4.4 Free channel	12
4.4.4.1 Free channel selection for primary services	12
4.4.4.2 Free channel selection for secondary services.....	13
4.5 Radio transmitters.....	13
4.5.1 RF power	13
4.5.1.1 Maximum RF power	13
4.5.2 Modulation.....	13
4.5.3 Transmitter burst envelope	14
4.5.3.1 Amplitude.....	14
4.5.3.2 Synchronization of transmitter burst envelopes	14
4.5.4 Adjacent channel power (narrow band)	14
4.5.5 Out of band power arising from transmitter transients	14
4.5.6 Intermodulation attenuation	14
4.6 Radio receivers.....	14
4.6.1 Sensitivity	14
4.6.1.1 Receiver sensitivity for CFP or CPP using an integral or supplied antenna.....	15
4.6.1.2 Receiver sensitivity with a 50 ohm connector.....	15
4.7 Combined radio transmitter/receivers	15
4.7.1 Adverse power supply conditions	15
4.7.2 Spurious emissions of the combined transmitter/receiver.....	15
4.8 Termination of the communication state	15
4.8.1 Clear down signal sequence.....	15
4.8.2 Cessation of RF activity.....	15
4.8.3 Off-line timing	16
4.9 Channel scanning	16
4.9.1 Response times	16
4.9.1.1 Outgoing	16
4.9.1.2 Incoming	16
4.10 Controls	16

5	Radio frequency parametric and system tests	16
5.1	Test conditions, power sources and ambient temperatures.....	16
5.1.1	Normal and extreme test conditions.....	16
5.1.2	Test power source	16
5.1.3	Normal test conditions	17
5.1.3.1	Normal temperature and humidity	17
5.1.3.2	Normal test power source.....	17
5.1.3.2.1	Mains voltage	17
5.1.3.2.2	Regulated lead acid battery power sources.....	17
5.1.3.2.3	Nickel cadmium battery.....	17
5.1.3.2.4	Other power sources	17
5.1.4	Extreme test conditions.....	17
5.1.4.1	Extreme temperatures.....	17
5.1.4.2	Extreme test source voltages	17
5.1.4.2.1	Mains voltage	17
5.1.4.2.2	Regulated lead acid battery power sources.....	18
5.1.4.2.3	Nickel cadmium battery.....	18
5.1.4.2.4	Other power sources	18
5.1.5	Procedure for tests at extreme temperatures	18
5.2	Electrical test conditions	18
5.2.1	Arrangements for signals to be applied to the fixed and portable receivers	18
5.2.2	Artificial antenna	19
5.2.3	Test fixture for integral antenna.....	19
5.2.4	Test site and general arrangements for measurements involving the use of radiated fields.....	19
5.2.4.1	Outdoor test site	19
5.2.4.2	Test antenna	19
5.2.4.3	Substitution antenna.....	20
5.2.4.4	Optional additional indoor site.....	20
5.2.5	Combined transmitter/receiver test facility.....	21
5.2.6	Guidance on the use of radiation test sites	21
5.2.7	Further optional alternative indoor test site using an anechoic chamber	21
5.2.8	Test frequencies	21
5.3	Transmitter	22
5.3.1	Transmitter carrier power	22
5.3.1.1	Definition	22
5.3.1.2	Method of measurement for equipment with an antenna connection	22
5.3.1.3	Method of measurement for equipment with an integral antenna	22
5.3.1.3.1	Method of measurement under normal test conditions	22
5.3.1.3.2	Method of measurement under extreme test conditions	23
5.3.1.4	Limits	23
5.3.2	Adjacent channel power (narrow-band).....	23
5.3.2.1	Definition	23
5.3.2.2	Method of measurement.....	23
5.3.2.3	Limits	24
5.3.3	Out of band power arising from transmitter transients	24
5.3.3.1	Definition	24
5.3.3.2	Method of measurement.....	24
5.3.3.3	Limits	24
5.3.4	Intermodulation attenuation	24
5.3.4.1	Definition	24
5.3.4.2	Method of measurement	24
5.3.4.3	Limits	25
5.3.5	Prevention of mis-operation due to adverse power supply conditions	25
5.3.5.1	Definition	25
5.3.5.2	Method of measurement	25
5.3.5.3	Limits	25
5.4	Spurious emissions	25
5.4.1	Spurious emissions of the combined transmitter/receiver	25
5.4.1.1	Definition	25
5.4.1.2	Method of measuring the power level, subclause 5.4.1.1, (1)	26
5.4.1.3	Method of measuring the effective radiated power, subclause 5.4.1.1, (2)	26
5.4.1.4	Limits	26

5.5	Radio frequency system operation	27
5.5.1	Definitions	27
5.5.2	Channel frequencies.....	27
5.5.2.1	Ability to receive when the carrier frequency is up to ± 10 kHz from nominal	27
5.5.2.2	Ability to receive when carrier frequency is varying at a rate of up to 1 kHz/ms	27
5.5.3	Dynamic RF channel allocation strategy	27
5.5.3.1	No channel is occupied	27
5.5.3.2	One channel only below the threshold	27
5.5.3.3	All channels occupied	27
5.5.4	RF modulation	27
5.5.4.1	Peak frequency deviation: transmission	27
5.5.4.2	Peak frequency deviation: reception	28
5.5.5	RF envelope	28
5.5.5.1	Transmitter output: ramp-down	28
5.5.5.2	Transmitter output: ramp-up	28
5.5.5.3	CPP transmit amplitude during off period	28
5.5.5.4	CFP transmit amplitude during off period	28
5.5.6	Radio receiver sensitivity.....	28
5.5.6.1	Raw bit error rate	28
5.6	Transmitter modulation	29
5.7	Power supply units	29
5.8	Declarations by the manufacturer.....	30
5.9	Identification	30
Annex A (normative):	The EN Requirements Table (EN-RT)	31
Annex B (normative):	Accuracy of measurement.....	33
B.1	Radio frequency parametric and system tests	33
History	34	

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [7] laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

National transposition dates	
Date of adoption of this EN:	21 July 2000
Date of latest announcement of this EN (doa):	31 October 2000
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2001
Date of withdrawal of any conflicting National Standard (dow):	30 April 2001