
International Standard



3774

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Cinematography — 35 mm motion-picture film perforated 8 mm Type S (1-3-5-7-0) and (1-0) — Cutting and perforating dimensions

Cinématographie — Film cinématographique 35 mm perforé 8 mm, type S (1-3-5-7-0) et (1-0) — Dimensions de coupe et de perforation

Second edition — 1982-02-01

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 3774:1982](#)

<https://standards.iteh.ai/catalog/standards/sist/1dcf6acc-4a02-42e9-a017-30ec573e6f52/iso-3774-1982>

UDC 77.021.174 : 171.531.351

Ref. No. ISO 3774-1982 (E)

Descriptors : cinematography, motion-picture film 35 mm, motion-picture film 8 mm, specification, perforating, cutting.

Price based on 3 pages

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3774 was developed by Technical Committee ISO/TC 36, *Cinematography*.

This second edition was submitted directly to the ISO Council, in accordance with clause 5.10.1 of part 1 of the Directives for the technical work of ISO. It cancels and replaces the first edition (i.e. ISO 3774-1976), which had been approved by the member bodies of the following countries :

Austria	Italy	Sweden
Belgium	Japan	Switzerland
Canada	Korea, Rep. of	Turkey
Czechoslovakia	Mexico	United Kingdom
Denmark	Netherlands	USA
France	Romania	USSR
Germany, F. R.	South Africa, Rep. of	Yugoslavia
India	Spain	

No member body had expressed disapproval of the document.

Cinematography — 35 mm motion-picture film perforated 8 mm Type S (1-3-5-7-0) and (1-0) — Cutting and perforating dimensions

iTeh STANDARD PREVIEW
(standards.iteh.ai)

1 Scope and field of application

This International Standard specifies the cutting and perforating dimensions for 35 mm motion-picture raw stock either with five rows of perforations in positions 1-3-5-7-0 or with two rows of perforations in positions 1-0, as well as the width of the 8 mm strip after processing and slitting the print stock.

2 Reference

ISO 543, *Cinematography — Motion-picture safety film — Definition, testing and marking.*

3 Dimensions

The dimensions and tolerances shall be as shown in the figures and given in the table. They apply to safety raw stock, as described in ISO 543. Except for dimensions A' and E_1 , they are measured immediately after cutting and perforating. If required by usage, the manufacturer should indicate the atmospheric conditions applied to dimensional control at the time of cutting and perforating.