



**SLOVENSKI STANDARD**  
**SIST EN 300 607-4 V5.0.1:2003**  
**01-december-2003**

8 [[ ]HJb]`WV] b]`hY`Y\_ca i b]\_ UW`g\_ ]`g]ghYa `fZUnU&ZL`E`GdYWZ\_ UW`Ug\_ `UXbcgh  
a cV]`bY`dcgHUY`fAGL`E` ("XY.`GdYWZ\_ UW`Ug\_ `UXbcgh`Ud`]\_ UW`g\_ Y[ UcfX`UG-A  
f) GA`%%`\$!( žfUn`] JWU) '\$`%ž]nXUU%- \* Ł

Digital cellular telecommunications system (Phase 2+) (GSM); Mobile Station (MS) conformance specification; Part 4: SIM Application Toolkit conformance specification (GSM 11.10-4 version 5.0.1 Release 1996)

**iteh STANDARD PREVIEW**  
**(standards.iteh.ai)**

<https://standards.iteh.ai/catalog/standards/sist/ae61ffe0-6ac1-4aee-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003>

**Ta slovenski standard je istoveten z: EN 300 607-4 Version 5.0.1**

**ICS:**

33.070.50	Globalni sistem za mobilno telekomunikacijo (GSM)	Global System for Mobile Communication (GSM)
-----------	---	--

**SIST EN 300 607-4 V5.0.1:2003**                      **en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 607-4 V5.0.1:2003](https://standards.iteh.ai/catalog/standards/sist/ae61ff0-6ac1-4ace-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/ae61ff0-6ac1-4ace-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003>

# ETSI EN 300 607-4 V5.0.1 (2000-06)

*European Standard (Telecommunications series)*

**Digital cellular telecommunications system (Phase 2+);  
Mobile Station (MS) conformance specification;  
Part 4: SIM Application Toolkit conformance specification  
(GSM 11.10-4 version 5.0.1 Release 1996)**

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

**GSM**®  
GLOBAL SYSTEM FOR  
MOBILE COMMUNICATIONS

[SIST EN 300 607-4 V5.0.1:2003](https://standards.iteh.ai/catalog/standards/sist/ae61ff0-6ac1-4ace-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/ae61ff0-6ac1-4ace-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003>



---

**Reference**

DEN/SMG-071110Q-4

---

**Keywords**Digital cellular telecommunications system,  
Global System for Mobile communications (GSM)**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**SIST EN 300 607-4 V5.0.1:2003<https://standards.iteh.ai/catalog/standards/sist/ae61ff0-6ac1-4ace-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003>

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>If you find errors in the present document, send your comment to:  
editor@etsi.fr

---

**Copyright Notification**No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.© European Telecommunications Standards Institute 2000.  
All rights reserved.

# Contents

Intellectual Property Rights.....	8
Foreword .....	8
1 Scope.....	10
2 References.....	10
3 Definitions, conventions, and applicability .....	11
3.1 Mobile station definition and configurations.....	11
3.2 Applicability.....	11
3.2.1 Applicability of this specification .....	11
3.2.2 Applicability of the individual tests.....	11
3.2.3 Applicability to terminal equipment .....	12
3.3 Definitions .....	13
3.4 Conventions for mathematical notations.....	13
3.5 Conventions on electrical terms.....	13
3.6 Terms on test conditions.....	13
4 Test Equipment .....	13
5 Testing methodology in general.....	13
5.1 Testing of optional functions and procedures.....	13
5.2 Test interfaces and facilities .....	13
5.3 Different protocol layers.....	13
5.4 Information to be provided by the apparatus supplier.....	14
5.5 Definitions of transmit and receive times .....	14
6 Reference test methods .....	14
7 Implicit testing .....	14
8 Measurement uncertainty .....	14
9 Format of tests.....	14
10 Generic call set up procedures .....	15
11 – 26 Not used.....	15
27 Testing of the SIM/ME interface .....	16
27.1 – 27.21 Not used .....	16
27.22 SIM Application Toolkit .....	16
27.22.1 Initialisation of SIM Application Toolkit Enabled SIM by SIM Application Toolkit Enabled ME (Profile Download) .....	85
27.22.1.1 Definition and applicability.....	85
27.22.1.2 Conformance requirement.....	85
27.22.1.3 Test Purpose.....	85
27.22.1.4 Method of test .....	85
27.22.1.5 Test Requirement .....	85
27.22.2 Contents of the TERMINAL PROFILE command.....	86
27.22.2.1 Definition and applicability.....	86
27.22.2.2 Conformance requirement.....	86
27.22.2.3 Test Purpose.....	86
27.22.2.4 Method of Test.....	86
27.22.2.5 Test Requirement .....	86
27.22.3 Servicing of Proactive SIM Commands.....	86
27.22.3.1 Definition and applicability.....	86
27.22.3.2 Conformance requirement.....	87
27.22.3.3 Test Purpose.....	87
27.22.3.4 Method of test .....	87
27.22.3.5 Test Requirement .....	87

27.22.4	Proactive SIM Commands .....	87
27.22.4.1	DISPLAY TEXT .....	87
27.22.4.1.1	Definition and applicability .....	87
27.22.4.1.2	Conformance requirement .....	88
27.22.4.1.3	Test Purpose .....	88
27.22.4.1.4	Method of test.....	88
27.22.4.1.5	Test Requirement.....	90
27.22.4.2	GET INKEY .....	90
27.22.4.2.1	Definition and applicability .....	90
27.22.4.2.2	Conformance Requirement .....	90
27.22.4.2.3	Test Purpose .....	91
27.22.4.2.4	Method of Test .....	91
27.22.4.2.5	Test Requirement.....	92
27.22.4.3	GET INPUT .....	93
27.22.4.3.1	Definition and applicability .....	93
27.22.4.3.2	Conformance Requirement .....	93
27.22.4.3.3	Test Purpose .....	93
27.22.4.3.4	Method of Test .....	94
27.22.4.3.5	Test Requirement.....	95
27.22.4.4	MORE TIME .....	96
27.22.4.4.1	Definition and applicability .....	96
27.22.4.4.2	Conformance Requirement .....	96
27.22.4.4.3	Test Purpose .....	97
27.22.4.4.4	Method of Test .....	97
27.22.4.4.5	Test Requirement.....	97
27.22.4.5	PLAY TONE .....	97
27.22.4.5.1	Definition and applicability .....	97
27.22.4.5.2	Conformance Requirement .....	97
27.22.4.5.3	Test Purpose .....	98
27.22.4.5.4	Method of Test .....	98
27.22.4.5.5	Test Requirement.....	100
27.22.4.6	POLL INTERVAL .....	101
27.22.4.6.1	Definition and applicability .....	101
27.22.4.6.2	Conformance Requirement .....	101
27.22.4.6.3	Test Purpose .....	101
27.22.4.6.4	Method of Test .....	101
27.22.4.6.5	Test Requirement.....	102
27.22.4.7	REFRESH .....	102
27.22.4.7.1	Definition and applicability .....	102
27.22.4.7.2	Conformance Requirement .....	102
27.22.4.7.3	Test Purpose .....	103
27.22.4.7.4	Method of Test .....	103
27.22.4.7.5	Test Requirement.....	104
27.22.4.8	SET UP MENU.....	105
27.22.4.8.1	Definition and applicability .....	105
27.22.4.8.2	Conformance Requirement .....	105
27.22.4.8.3	Test Purpose .....	105
27.22.4.8.4	Method of Test .....	105
27.22.4.9	SELECT ITEM .....	107
27.22.4.9.1	Definition and applicability .....	107
27.22.4.9.2	Conformance Requirement .....	107
27.22.4.9.3	Test Purpose .....	108
27.22.4.9.4	Method of Test .....	108
27.22.4.9.5	Test Requirement.....	109
27.22.4.10	SEND SHORT MESSAGE.....	110
27.22.4.10.1	Definition and applicability .....	110
27.22.4.10.2	Conformance Requirement .....	110
27.22.4.10.3	Test Purpose .....	111
27.22.4.10.4	Method of Test .....	111
27.22.4.10.5	Test Requirement.....	112

27.22.4.11	SEND SS .....	112
27.22.4.11.1	Definition and applicability .....	112
27.22.4.11.2	Conformance Requirement .....	112
27.22.4.11.5	Test Requirement.....	114
27.22.4.12	SEND USSD .....	114
27.22.4.13	SET UP CALL .....	115
27.22.4.13.1	Definition and applicability .....	115
27.22.4.13.2	Conformance Requirement .....	115
27.22.4.13.3	Test Purpose .....	116
27.22.4.13.4	Method of Test .....	116
27.22.4.13.5	Test Requirement.....	119
27.22.4.14	POLLING OFF .....	120
27.22.4.14.1	Definition and applicability .....	120
27.22.4.14.2	Conformance Requirement .....	120
27.22.4.14.3	Test Purpose .....	120
27.22.4.14.4	Method of Test .....	121
27.22.4.14.4.2	Procedure .....	121
27.22.4.14.5	Test Requirement.....	121
27.22.4.15	PROVIDE LOCAL INFORMATION .....	121
27.22.4.15.1	Definition and applicability .....	121
27.22.4.15.2	Conformance Requirement .....	121
27.22.4.15.3	Test Purpose .....	121
27.22.4.15.4	Method of Test .....	121
27.22.4.15.2	Procedure.....	122
27.22.4.15.5	Test Requirement.....	122
27.22.5	Data Download to SIM .....	122
27.22.5.1	SMS-PP Data Download .....	122
27.22.5.1.1	Definition and applicability .....	122
27.22.5.1.2	Conformance requirement .....	122
27.22.5.1.3	Test Purpose .....	123
27.22.5.1.4	Method of Test .....	123
27.22.5.1.5	Test Requirement.....	124
27.22.5.2	SMS-CB Data Download .....	124
27.22.5.2.1	Definition and applicability .....	124
27.22.5.2.2	Conformance requirement .....	124
27.22.5.2.3	Test Purpose .....	125
27.22.5.2.4	Method of Test .....	125
27.22.5.2.5	Test Requirement.....	125
27.22.5.3	Menu Selection.....	125
27.22.5.3.1	Definition and applicability .....	125
27.22.5.3.2	Conformance requirement .....	126
27.22.5.3.3	Test Purpose .....	126
27.22.5.3.4	Method of Test .....	126
27.22.6	Call control .....	128
27.22.6.1	Procedure for mobile originated calls .....	128
27.22.6.1.1	Definition and applicability .....	128
27.22.6.1.2	Conformance Requirement .....	128
27.22.6.1.3	Test Purpose .....	128
27.22.6.1.4	Method of Test .....	128
27.22.6.1.5	Test Requirement.....	129
27.22.6.2	Procedure for Supplementary Services .....	130
27.22.6.2.1	Definition and applicability .....	130
27.22.6.2.2	Conformance Requirement .....	130
27.22.6.2.3	Test Purpose .....	130
27.22.6.2.4	Method of Test .....	131
27.22.6.2.5	Test Requirement.....	131
27.22.6.3	Interaction with Fixed Dialling Number.....	132
27.22.6.3.1	Definition and applicability .....	132
27.22.6.3.2	Conformance Requirement .....	132
27.22.6.3.3	Test Purpose .....	132

27.22.6.3.4	Method of Test .....	133
27.22.6.3.5	Test Requirement.....	134
27.22.6.4	Support of Barred Dialling number (BDN) service.....	134
27.22.6.4.1	Definition and applicability .....	134
27.22.6.4.2	Conformance Requirement .....	134
27.22.6.4.3	Test Purpose .....	134
27.22.6.4.4	Method of Test .....	135
27.22.6.4.5	Test Requirement.....	136
<b>Annex A (normative): The Requirement Table .....</b>		<b>137</b>
A.1	Introduction to the Requirement Table .....	137
A.2	Format of the tables.....	137
A.3	References to EN.....	138
A.4	Notations used in the RT .....	138
A.4.1	Status Notations.....	138
A.4.2	Support Answer Notations.....	138
A.4.3	Value Allowed Notations .....	138
A.4.4	Value Supported Notations.....	138
A.5	The Requirement Tables .....	139
A.5.1	Static Requirements, RT .....	139
A.5.1.1	General Mobile Station Features .....	139
A.5.1.2	SIM Application Toolkit mechanism.....	140
A.5.1.2.1	Terminal Profile .....	140
A.5.1.2.2	Proactive commands .....	142
A.5.1.2.2.1	Display Text .....	143
A.5.1.2.2.2	Get Inkey .....	143
A.5.1.2.2.3	Get Input.....	144
A.5.1.2.2.4	More Time.....	144
A.5.1.2.2.5	Play Tone.....	144
A.5.1.2.2.6	Poll Interval .....	145
A.5.1.2.2.7	Refresh.....	145
A.5.1.2.2.8	Set Up Menu.....	145
A.5.1.2.2.9	Select Item.....	146
A.5.1.2.2.10	Send Short Message.....	146
A.5.1.2.2.11	Send SS.....	147
A.5.1.2.2.12	Not used.....	147
A.5.1.2.2.13	Set Up Call .....	147
A.5.1.2.2.14	Polling Offl.....	148
A.5.1.2.2.15	Provide Local Information.....	148
A.5.1.2.3	Data Download.....	148
A.5.1.2.4	Menu Selection.....	148
A.5.1.2.5	Call Control.....	148



<b>Annex B (informative):</b>	<b>Proactive Command Validation Tables.....</b>	<b>150</b>
B.1	Display Text.....	150
B.2	Get Inkey.....	150
B.3	Get Input.....	151
B.4	More Time.....	151
B.5	Play Tone.....	152
B.6	Poll Interval.....	152
B.7	Refresh.....	153
B.8	Set Up Menu.....	153
B.9	Select Item.....	153
B.10	Send Short Message.....	154
B.11	Send SS.....	154
B.12	Set Up Call.....	155
B.13	Polling Off.....	155
B.14	Provide Local Information.....	156
<b>Annex C (informative):</b>	<b>Document change History.....</b>	<b>157</b>
History.....		158

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 607-4 V5.0.1:2003](https://standards.iteh.ai/catalog/standards/sist/ae61ff0-6ac1-4ace-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/ae61ff0-6ac1-4ace-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003>

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This European Standard (Telecommunications series) has been produced by the Special Mobile Group (SMG).

The present document describes the technical characteristics and methods of test for Mobile Stations (MSs), operating in the 900 MHz and 1 800 MHz frequency band (GSM 900 and DCS 1 800) within the digital cellular telecommunications system.

The present document is part 4 of a multi-part specification covering the Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification, as identified below:

- Part 1: Conformance specification  
Reference: GSM 11.10-1.
- Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification.  
Reference: GSM 11.10-2.
- Part 3: Layer 3 (L3) Abstract Test Suite (ATS)  
Reference: [GSM 11.10-3](http://standards.etsi.org/catalog/standards/sist/ae61ff0-6ac1-4aee-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003)
- Part 4: SIM Application Toolkit conformance specification**  
**Reference: GSM 11.10-4.**

The specification from which the present document has been derived was originally based on CEPT documentation, hence the presentation of the present document may not be entirely in accordance with the ETSI/PNE rules.

The contents of the present document may be subject to continuing work within SMG and may change following formal SMG approval. Should SMG modify the contents of the present document it will then be re-submitted for formal approval procedures by ETSI with an identifying change of release date and an increase in version number as follows:

Version 5.x.y

where:

- 5 indicates release 1996 of GSM Phase 2+.
- x the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- y the third digit is incremented when editorial only changes have been incorporated in the specification.

<b>National transposition dates</b>	
Date of adoption of this EN:	12 May 2000
Date of latest announcement of this EN (doa):	31 August 2000
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	28 February 2001
Date of withdrawal of any conflicting National Standard (dow):	28 February 2001

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[SIST EN 300 607-4 V5.0.1:2003](https://standards.iteh.ai/catalog/standards/sist/ae61ff0-6ac1-4ace-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/ae61ff0-6ac1-4ace-b35c-2f446b130cae/sist-en-300-607-4-v5-0-1-2003>

# 1 Scope

The present document describes the technical characteristics and methods of test for testing the SIM Application Toolkit implemented in Mobile Stations (MS) for the Pan European digital cellular communications system and Personal Communication Systems (PCS) operating in the 900 MHz and 1 800 MHz band (GSM 900 and DCS 1 800), standardized by ETSI Special Mobile Group (SMG).

The present document covers the minimum characteristics considered necessary in order to provide sufficient performance for mobile equipment and to prevent interference to other services or to other users, and to the PLMNs.

It does not necessarily include all the characteristics which may be required by a user or subscriber, nor does it necessarily represent the optimum performance achievable.

The present document is part of the GSM-series of technical specifications. The present document neither replaces any of the other GSM technical specifications or GSM related ETSs or ENs, nor is it created to provide full understanding of (or parts of) the GSM 900 and DCS 1 800 systems. The present document lists the requirements, and provides the methods of test for testing the SIM Application Toolkit implemented in a MS for conformance to the GSM standard.

For a full description of the system, reference should be made to all the GSM technical specifications or GSM related ETSs or ENs. Clause 2 provides a complete list of the GSM technical specifications, GSM related ETSs, ENs, and ETRs, on which this conformance test specifications is based.

If there is a difference between this present test specification, and any other GSM technical specification or GSM related ETS or EN, then the other GSM technical specification or GSM related ETS or EN shall prevail.

# 2 References

STANDARD PREVIEW  
(standards.iteh.ai)

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- [SIST EN 300 607-4 V5.0.1:2003](https://standards.iteh.ai/catalog/standards/sist-en-300-607-4-v5-0-1-2003)  
<https://standards.iteh.ai/catalog/standards/sist-en-300-607-4-v5-0-1-2003>
- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
  - For a specific reference, subsequent revisions do not apply.
  - For a non-specific reference, the latest version applies.
  - A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
  - For this Release 1996 document, references to GSM documents are for Release 1996 versions (version 5.x.y).
- [1] GSM 01.04 version 5.0.1: "Digital cellular telecommunications system (Phase 2+); Abbreviations and acronyms".
- [2] GSM 02.01 version 5.5.0: "Digital cellular telecommunications system (Phase 2+); Principles of telecommunication services supported by a GSM Public Land Mobile Network (PLMN)".
- [3] GSM 02.03 version 5.3.2: "Digital cellular telecommunications system (Phase 2+); Teleservices supported by a GSM Public Land Mobile Network (PLMN)".
- [4] GSM 02.04 version 5.7.1: "Digital cellular telecommunications system (Phase 2+); General on supplementary services".
- [5] GSM 02.06 version 5.1.1: "Digital cellular telecommunications system (Phase 2+); Types of Mobile Stations (MS)".
- [6] GSM 02.07 version 5.4.1: "Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) features".

- [7] GSM 03.38 version 5.6.1: "Digital cellular telecommunications system (Phase 2+); Alphabets and language-specific information".
- [8] GSM 03.40 version 5.7.0: "Digital cellular telecommunications system (Phase 2+); Technical realization of the Short Message Service (SMS); Point-to-Point (PP)".
- [9] GSM 03.41 version 5.8.1: "Digital cellular telecommunications system (Phase 2+); Technical realization of Short Message Service Cell Broadcast (SMSCB)".
- [10] GSM 04.08 version 5.6.3: "Digital cellular telecommunications system (Phase 2+); Mobile radio interface layer 3 specification".
- [11] GSM 04.11 version 5.2.1: "Digital cellular telecommunications system (Phase 2+); Point-to-Point (PP) Short Message Service (SMS) support on mobile radio interface".
- [12] GSM 11.10-1 Version 5.9.0: "Digital cellular telecommunication system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification".
- [13] GSM 11.11 Version 5.10.1: "Digital cellular telecommunication system (Phase 2+); Specification of the Subscriber Identity Module - Mobile Equipment (SIM - ME) interface".
- [14] GSM 11.12 Version 4.3.1: "Digital cellular telecommunications system (Phase 2); Specification of the 3 Volt Subscriber Identity Module - Mobile Equipment (SIM - ME) interface".
- [15] GSM 11.14 version 5.9.0: "Digital cellular telecommunications system (Phase 2+); Specification of the SIM application toolkit for the Subscriber Identity Module – Mobile Equipment (SIM – ME) interface".
- [16] GSM 11.10-2 Version 4.15.0: "Digital cellular telecommunication system (Phase 2); Mobile Station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".

STANDARD PREVIEW  
 (standards.iteh.ai)

SIST EN 300 607-4 V5.0.1:2003

## 3 Definitions, conventions, and applicability

For abbreviations and acronyms, see GSM 01.04 [1].

### 3.1 Mobile station definition and configurations

The mobile station definition and configurations specified in GSM 11.10-1 [12] clause 3.1 shall apply, unless otherwise specified in the present clause.

### 3.2 Applicability

#### 3.2.1 Applicability of this specification

The applicability specified in GSM 11.10-1 [12] clause 3.2.1 shall apply, unless otherwise specified in the present clause.

#### 3.2.2 Applicability of the individual tests

The applicability of each individual test is identified in the following table.

Table 3.1: Applicability of tests

Clause	Title	Applicability
27.22.1	Initialisation of SIM Application Toolkit Enabled SIM by SIM Application Toolkit Enabled ME (Profile Download)	ME supporting SIM Application Toolkit.
27.22.2	Contents of the TERMINAL PROFILE command	ME supporting SIM Application Toolkit.
27.22.3	Servicing of Proactive SIM Commands	ME supporting the Proactive SIM facility.
27.22.4.1	Proactive SIM Command: DISPLAY TEXT	ME supporting the DISPLAY TEXT proactive SIM facility.
27.22.4.2	Proactive SIM Command: GET INKEY	ME supporting the GET INKEY proactive SIM facility.
27.22.4.3	Proactive SIM Command: GET INPUT	ME supporting the GET INPUT proactive SIM facility.
27.22.4.4	Proactive SIM Command: MORE TIME	ME supporting the MORE TIME proactive SIM facility.
27.22.4.5	Proactive SIM Command: PLAY TONE	ME supporting the PLAY TONE proactive SIM facility.
27.22.4.6	Proactive SIM Command: POLL INTERVAL	ME supporting the POLL INTERVAL proactive SIM facility.
27.22.4.7	Proactive SIM Command: REFRESH	ME supporting the REFRESH proactive SIM facility.
27.22.4.8	Proactive SIM Command: SET UP MENU	ME supporting the SET UP MENU proactive SIM facility.
27.22.4.9	Proactive SIM Command: SELECT ITEM	ME supporting the SELECT ITEM proactive SIM facility.
27.22.4.10	Proactive SIM Command: SEND SHORT MESSAGE	ME supporting the SEND SHORT MESSAGE proactive SIM facility.
27.22.4.11	Proactive SIM Command: SEND SS	ME supporting the SEND SS proactive SIM facility.
27.22.4.12	Proactive SIM Command: SEND USSD	ME supporting the SEND USSD proactive SIM facility.
27.22.4.13	Proactive SIM Command: SET UP CALL	ME supporting the SET UP CALL proactive SIM facility.
27.22.4.14	Proactive SIM Command: POLLING OFF	ME supporting the POLLING OFF proactive SIM facility.

(continued)

Table 3.1 (continued): Applicability of tests

Clause	Title	Applicability
27.22.4.15	Proactive SIM Command: PROVIDE LOCAL INFORMATION	ME supporting the PROVIDE LOCAL INFORMATION proactive SIM facility.
27.22.5.1	SMS-PP Data Download	ME supporting the SMS-PP data download facility.
27.22.5.2	SMS-CB Data Download	ME supporting the SMS-CB data download facility.
27.22.5.3	Menu Selection	ME supporting the Menu Selection facility.
27.22.6.1	Call control: Procedure for mobile originated calls	ME supporting the call control by SIM facility.
27.22.6.2	Call control: Procedure for Supplementary Services	ME supporting the call control by SIM facility.
27.22.6.3	Call control: Interaction with Fixed Dialling Number	ME supporting both the call control by SIM facility and Fixed Dialling Numbers (FDN)
27.22.6.4	Call control: Support of Barred Dialling number (BDN) service	ME supporting both the call control by SIM facility and Barred Dialling Numbers (BDN).

### 3.2.3 Applicability to terminal equipment

The applicability to terminal equipment specified in GSM 11.10-1 [12] clause 3.2.3 shall apply, unless otherwise specified in the present clause.

### 3.3 Definitions

The definitions specified in GSM 11.10-1 [12] clause 3.3 shall apply, unless otherwise specified in the present clause.

### 3.4 Conventions for mathematical notations

The conventions for mathematical notations specified in GSM 11.10-1 [12] clause 3.4 shall apply, unless otherwise specified in the present clause.

### 3.5 Conventions on electrical terms

The conventions on electrical terms specified in GSM 11.10-1 [12] clause 3.5 shall apply, unless otherwise specified in the present clause.

### 3.6 Terms on test conditions

The terms on test conditions specified in GSM 11.10-1 [12] clause 3.6 shall apply, unless otherwise specified in the present clause.

---

## 4 Test Equipment

The test equipment is specified in GSM 11.10-1 [12] clause 4.

---

## 5 Testing methodology in general

### 5.1 Testing of optional functions and procedures

Any function or procedure which is optional, as indicated in the present document, may be subject to a conformance test if it is implemented in the ME.

A declaration by the apparatus supplier (Requirement Table as given in annex A) is used to determine whether an optional function/procedure has been implemented.

### 5.2 Test interfaces and facilities

The test interfaces and facilities specified in GSM 11.10-1 [12] clause 5.2 shall apply, unless otherwise specified in the present clause.

The SIM interface provides the main test interface for the purpose of performing conformance tests.

### 5.3 Different protocol layers

The different protocol layers specified in GSM 11.10-1 [12] clause 5.3 shall apply, unless otherwise specified in the present clause.