



SLOVENSKI STANDARD

SIST EN 28362-1:2000

01-januar-2000

Vsebniki za parenteralne farmacevtske oblike in dodatna oprema - 1. del: Viale iz cevnega stekla (ISO 8362-1:1989)

Injection containers for injectables and accessories - Part 1: Injection vials made of glass tubing (ISO 8362-1:1989)

Injektionsbehälter für Injektionspräparate und Zubehör - Teil 1: Injektionsflaschen aus Röhrenglas (ISO 8362-1:1989)

Réipients et accessoires pour produits injectables - Partie 1: Flacons en verre étiré (ISO 8362-1:1989)

[SIST EN 28362-1:2000](https://standards.iteh.ai/catalog/standards/sist/0eae8455-c538-445d-a9fa-1b944de2557c/sist-en-28362-1-2000)

[https://standards.iteh.ai/catalog/standards/sist/0eae8455-c538-445d-a9fa-](https://standards.iteh.ai/catalog/standards/sist/0eae8455-c538-445d-a9fa-1b944de2557c/sist-en-28362-1-2000)

[1b944de2557c/sist-en-28362-1-2000](https://standards.iteh.ai/catalog/standards/sist/0eae8455-c538-445d-a9fa-1b944de2557c/sist-en-28362-1-2000)

Ta slovenski standard je istoveten z: EN 28362-1:1993

ICS:

11.040.20	Transfuzijska, infuzijska in injekcijska oprema	Transfusion, infusion and injection equipment
-----------	---	---

SIST EN 28362-1:2000

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 28362-1:2000

<https://standards.iteh.ai/catalog/standards/sist/0eae8455-c538-445d-a9fa-1b944de2557c/sist-en-28362-1-2000>

EUROPEAN STANDARD

EN 28362-1:1993

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 1993

UDC 615.473.014.83-033.5

Descriptors: Medical equipment, parenteral infusion equipment, injectable products, containers, flasks, glassware, window glass, borosilicat glass, designation, dimensions, specifications, tests, marking

English version

**Injection containers for injectables and accessories
- Part 1: Injection vials made of glass tubing
(ISO 8362-1:1989)**

Réipients et accessoires pour produits
injectables - Partie 1: Flacons en verre étiré
(ISO 8362-1:1989)

Injektionsbehältnisse für Injektionspräparate
und Zubehör - Teil 1: Injektionsflaschen aus
Röhrenglas (ISO 8362-1:1989)

STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 28362-1:2000

<https://standards.iteh.ai/catalog/standards/sist/0eae8455-c538-445d-a9fa-1b944de2557c/sist-en-28362-1-2000>

This European Standard was approved by CEN on 1993-04-14. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Foreword

In 1990, the International Standard ISO 8362-1:1989 "Injection containers for injectables and accessories - Part 1: Injection vials made of glass tubing" was submitted to the CEN Primary Questionnaire procedure.

Following the positive result of the CEN/CS Proposal, ISO 8362-1:1989 was submitted to the Formal Vote.

The result of the Formal Vote was positive.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 1993, and conflicting national standards shall be withdrawn at the latest by October 1993.

According to the CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, United Kingdom.

Endorsement notice

The text of the International Standard ISO 8362-1:1989 was approved by CEN as a European Standard without any modification.

(standards.iteh.ai)

SIST EN 28362-1:2000

[https://standards.iteh.ai/catalog/standards/sist/0cae8455-c538-445d-a9fa-](https://standards.iteh.ai/catalog/standards/sist/0cae8455-c538-445d-a9fa-1b244de25578/sist-en-28362-1-2000)

[1b244de25578/sist-en-28362-1-2000](https://standards.iteh.ai/catalog/standards/sist/0cae8455-c538-445d-a9fa-1b244de25578/sist-en-28362-1-2000)

APPROVED FOR PUBLICATION BY CEN

ADMINISTRATIVE

0000 - 00

STANDARDS INSTITUTION OF EUROPE

INTERNATIONAL STANDARD

ISO
8362-1

First edition
1989-11-01

Injection containers for injectables and accessories —

Part 1 : Injection vials made of glass tubing

iTeh STANDARD PREVIEW

(standards.iteh.ai)
Réipients et accessoires pour produits injectables —

Partie 1 : Flacons en verre étiré

SIST EN 28362-1:2000

<https://standards.iteh.ai/catalog/standards/sist/0eae8455-c538-445d-a9fa-1b944de2557c/sist-en-28362-1-2000>



Reference number
ISO 8362-1 : 1989 (E)

Contents

	Page
Foreword	iii
Introduction	iv
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Dimensions and designation	2
5 Material	4
6 Performance	4
7 Requirements	4
8 Marking	4

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 28362-1:2000](https://standards.iteh.ai/catalog/standards/sist/0cae8455-c538-445d-a9fa-1b944de2557c/sist-en-28362-1-2000)

<https://standards.iteh.ai/catalog/standards/sist/0cae8455-c538-445d-a9fa-1b944de2557c/sist-en-28362-1-2000>

© ISO 1989

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 8362-1 was prepared by Technical Committee ISO/TC 76, *Transfusion, infusion and injection equipment for medical use*.

SIST EN 28362-1:2000

<https://standards.iteh.ai/catalog/standards/sist/0ca6459-4c58-445d-b718-10944dc25570/sist-en-28362-1-2000> ISO 8362 consists of the following parts under the general title *Injection containers for injectables and accessories*:

- *Part 1: Injection vials made of glass tubing*
- *Part 2: Closures for injection vials*
- *Part 3: Aluminium caps for injection vials*
- *Part 4: Injection vials made of moulded glass*

Introduction

The purpose of this part of ISO 8362 is to specify the dimensions, capacities, form and requirements of glass vials intended for medical use. Containers made from glass tubing are considered to be suitable for the packaging and storage of injectable preparations until they are administered for medicinal purposes. Such containers may be made from different types of glass which can affect the chemical resistance properties. For example, those made from borosilicate glass will have a very high level of chemical resistance whereas others made from soda-lime-silica glass will have a lower, but adequate, chemical resistance for the purpose for which they are intended. The chemical resistance of the internal surface of containers made from soda-lime-silica glass can be improved by a treatment during production to produce a chemical resistance equal to that of those made from borosilicate glass for single use. This level of chemical resistance will be maintained as long as the interior surface is not destroyed by chemical attack, in which case it will be reduced to that of untreated soda-lime-silica glass.

Because containers may be made from different types of glass and because it is the chemical behaviour of the internal surface which is important when they are filled with injectable preparations, it is essential to specify test procedures by which this performance can be measured. The procedures recommended in this part of ISO 8362 will allow this performance, based on the hydrolytic resistance, to be measured and, from the result of measurement, it is possible to classify containers into their correct category. The procedure also allows containers to be tested and to determine, after an intermediate stage, whether the hydrolytic resistance is produced by the composition of the glass as a material or by a treatment of the internal surface.

Injection containers for injectables and accessories —

Part 1 : Injection vials made of glass tubing

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 Scope

This part of ISO 8362 specifies the form, dimensions and capacities of glass vials for injectable preparations. It also specifies the material from which such containers shall be made and the performance requirements of those containers.

This part of ISO 8362 applies to colourless or amber glass containers made from borosilicate or soda-lime-silica glass, made from glass tubing, whether internally surface-treated or not, and intended to be used in the packaging, storage or transportation of products intended for injection.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 8362. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 8362 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 719 : 1985, *Glass — Hydrolytic resistance of glass grains at 98 °C — Method of test and classification.*

ISO 720 : 1985, *Glass — Hydrolytic resistance of glass grains at 121 °C — Method of test and classification.*

ISO 1101 : 1983, *Technical drawings — Geometrical tolerancing — Tolerancing of form, orientation, location and run-out — Generalities, definitions, symbols, indications on drawings.*

ISO 4802-1 : 1988, *Glassware — Hydrolytic resistance of the interior surfaces of glass containers — Part 1: Determination by titration method and classification.*

ISO 4802-2 : 1988, *Glassware — Hydrolytic resistance of the interior surfaces of glass containers — Part 2: Determination by flame spectrometry and classification.*

3 Definitions

For the purposes of this part of ISO 8362, the definitions given in ISO 4802-1 and ISO 4802-2 apply.