

INTERNATIONAL STANDARD

IEC
61850-7-1

First edition
2003-07

Communication networks and systems in substations –

Part 7-1: Basic communication structure for substation and feeder equipment – Principles and models

(<https://standards.iteh.ai>)
Document Preview

<https://standards.iteh.ai> IEC 61850-7-1:2003

<https://standards.iteh.ai/standards/iec/61850-7-1:2003>



Reference number
IEC 61850-7-1:2003(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

<https://standards.iteh.ai/> <https://standards.iec.ch/doc/46018-b112-4758-a3df-04cd1d798ce1/iec-61850-7-1-2003>

INTERNATIONAL STANDARD

IEC 61850-7-1

First edition
2003-07

Communication networks and systems in substations –

Part 7-1: Basic communication structure for substation and feeder equipment – Principles and models

(<https://standards.iteh.ai>)
Document Preview

<https://standards.iteh.ai> IEC 61850-7-1:2003

<https://standards.iteh.ai/standards/iec/61850-7-1-2003>

© IEC 2003 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

XE

For price, see current catalogue

CONTENTS

| | |
|--|----|
| FOREWORD | 7 |
| INTRODUCTION | 9 |
| | |
| 1 Scope | 11 |
| 2 Normative references | 12 |
| 3 Terms and definitions | 12 |
| 4 Abbreviated terms | 13 |
| 5 Overview of concepts the IEC 61850 series | 13 |
| 5.1 Objective | 13 |
| 5.2 Topology and communication functions of substation automation systems | 14 |
| 5.3 The information models of substation automation systems | 15 |
| 5.4 Applications modelled by logical nodes defined in IEC 61850-7-4 | 16 |
| 5.5 The semantic is attached to data | 19 |
| 5.6 The services to exchange information | 21 |
| 5.7 Services mapped to concrete communication protocols | 22 |
| 5.8 The configuration of a substation | 23 |
| 5.9 Summary | 23 |
| 6 Modelling approach of the IEC 61850 series | 24 |
| 6.1 Decomposition of application functions and information | 24 |
| 6.2 Creating information models by stepwise composition | 26 |
| 6.3 Example of an IED composition | 29 |
| 6.4 Information exchange models | 29 |
| 7 Application view | 42 |
| 7.1 Introduction | 42 |
| 7.2 First modelling step – Logical nodes and data | 44 |
| 8 Device view | 47 |
| 8.1 Introduction | 47 |
| 8.2 Second modelling step – logical device model | 47 |
| 9 Communication view | 49 |
| 9.1 The service models of the IEC 61850 series | 49 |
| 9.2 The virtualisation | 52 |
| 9.3 Basic information exchange mechanisms | 53 |
| 9.4 The client-server building blocks | 54 |
| 9.5 Interfaces inside and between devices | 57 |
| 10 Where physical devices, application models and communication meet | 58 |
| 11 Relationships between IEC 61850-7-2, IEC 61850-7-3 and IEC 61850-7-4 | 59 |
| 11.1 Refinements of class definitions | 59 |
| 11.2 Example 1 – Logical node and data class | 60 |
| 11.3 Example 2 – Relationship of IEC 61850-7-2, IEC 61850-7-3, and IEC 61850-7-4 | 62 |
| 12 Mapping the ACSI to real communication systems | 64 |
| 12.1 Introduction | 64 |
| 12.2 Mapping example (IEC 61850-8-1) | 66 |

| | | |
|------|---|-----|
| 13 | Formal specification method | 71 |
| 13.1 | Notation of ACSI classes | 71 |
| 13.2 | Class modelling | 72 |
| 13.3 | Service tables | 77 |
| 13.4 | Referencing instances | 78 |
| 14 | Name spaces | 80 |
| 14.1 | General | 80 |
| 14.2 | Name spaces defined in IEC 61850-7-x | 82 |
| 14.3 | Specification of name spaces | 85 |
| 14.4 | Attributes for references to name spaces | 87 |
| 14.5 | Common rules for extensions of name spaces | 89 |
| 15 | Approaches for the definition of a new semantic | 91 |
| 15.1 | General | 91 |
| 15.2 | Semantic for new definition | 92 |
| 15.3 | Approach 1 (fixed semantic) | 92 |
| 15.4 | Approach 2 (flexible semantic) | 92 |
| 15.5 | Approach 3 (reusable flexible semantic) | 93 |
| | Annex A (informative) Overview of IEC 61850-7-x, IEC 61850-8-x, and IEC 61850-9-x | 94 |
| | Annex B (informative) Allocation of data to logical nodes | 97 |
| | Annex C (informative) Use of the substation configuration language (SCL) | 100 |
| | Annex D (informative) Applying the LN concept to options for future extensions | 102 |
| | Annex E (informative) Relation between logical nodes and PICOMs | 107 |
| | Annex F (informative) Relation between IEC 61850-7-x (IEC 61850-8-x) and UCA 2.0® | 108 |
| | Bibliography | 109 |
| | Index | 111 |
| | Figure 1 – Sample substation automation topology | 14 |
| | Figure 2 – Modelling approach (conceptual) | 15 |
| | Figure 3 – Logical node information categories | 18 |
| | Figure 4 – Build up of devices (principle) | 18 |
| | Figure 5 – Position information depicted as a tree (conceptual) | 19 |
| | Figure 6 – Service excerpt | 21 |
| | Figure 7 – Example of communication mapping | 22 |
| | Figure 8 – Summary | 24 |
| | Figure 9 – Decomposition and composition process (conceptual) | 25 |
| | Figure 10 – XCBR1 information depicted as a tree | 28 |
| | Figure 11 – Example of IED composition | 29 |
| | Figure 12 – Output and Input model (principle) | 30 |
| | Figure 13 – Output model (step 1) (conceptual) | 31 |
| | Figure 14 – Output model (step 2) (conceptual) | 31 |
| | Figure 15 – GSE output model (conceptual) | 32 |
| | Figure 16 – Setting data (conceptual) | 33 |

| | |
|---|----|
| Figure 17 – Input model for analogue values (step 1) (conceptual)..... | 34 |
| Figure 18 – Deadbanded value (conceptual) | 35 |
| Figure 19 – Input model for analogue values (step 2) (conceptual)..... | 35 |
| Figure 20 – Range values | 36 |
| Figure 21 – Reporting and logging model (conceptual)..... | 36 |
| Figure 22 – Data set members and reporting..... | 37 |
| Figure 23 – Buffered report control block (conceptual) | 38 |
| Figure 24 – Buffer time..... | 39 |
| Figure 25 – Data set members and inclusion-bitstring | 40 |
| Figure 26 – Log control block - conceptual | 40 |
| Figure 27 – Peer-to-peer data value publishing model (conceptual)..... | 41 |
| Figure 28 – Real world devices | 43 |
| Figure 29 – Logical nodes and data (IEC 61850-7-2)..... | 44 |
| Figure 30 – Simple example of modelling | 45 |
| Figure 31 – Basic building blocks | 45 |
| Figure 32 – Logical nodes and PICOM | 46 |
| Figure 33 – Logical nodes connected (outside view in IEC 61850-7-x) | 46 |
| Figure 34 – Logical device building block..... | 47 |
| Figure 35 – Logical devices and LLN0/LPHD..... | 48 |
| Figure 36 – Logical devices in proxies or gateways..... | 49 |
| Figure 37 – ACSI communication methods..... | 50 |
| Figure 38 – Virtualisation | 52 |
| Figure 39 – Virtualisation and usage | 52 |
| Figure 40 – Information flow and modelling | 53 |
| Figure 41 – Application of the GSE model..... | 53 |
| Figure 42 – Server building blocks | 54 |
| Figure 43 – Interaction between application process and application layer (client/server)..... | 55 |
| Figure 44 – Example for a service | 55 |
| Figure 45 – Client/server and logical nodes..... | 56 |
| Figure 46 – Client and server role | 56 |
| Figure 47 – Logical nodes communicate with logical nodes | 57 |
| Figure 48 – Interfaces inside and between devices | 57 |
| Figure 49 – Component hierarchy of different views (excerpt) | 58 |
| Figure 50 – Refinement of the DATA class | 59 |
| Figure 51 – Instances of a DATA class (conceptual)..... | 62 |
| Figure 52 – Relation between parts of the IEC 61850 series | 63 |
| Figure 53 – ACSI mapping to an application layer | 64 |
| Figure 54 – ACSI mappings (conceptual) | 65 |
| Figure 55 – ACSI mapping to communication stacks/profiles..... | 66 |
| Figure 56 – Mapping to MMS (conceptual) | 66 |
| Figure 57 – Mapping approach..... | 67 |
| Figure 58 – Mapping detail of mapping to a MMS named variable | 68 |

| | |
|---|-----|
| Figure 59 – Example of MMS named variable (process values) | 68 |
| Figure 60 – Use of MMS named variables and named variable list | 69 |
| Figure 61 – MMS Information Report message | 70 |
| Figure 62 – Mapping example | 71 |
| Figure 63 – Abstract data model example for IEC 61850-7 | 73 |
| Figure 64 – Relation of TrgOp and Reporting | 76 |
| Figure 65 – Sequence diagram | 78 |
| Figure 66 – References | 78 |
| Figure 67 – Use of FCD and FCDA | 79 |
| Figure 68 – Object names and object reference | 80 |
| Figure 69 – Definition of names and semantics | 81 |
| Figure 70 – One name with two meanings | 81 |
| Figure 71 – Name space as class repository | 82 |
| Figure 72 – All instances derived from classes in a single name space | 83 |
| Figure 73 – Instances derived from multiple name spaces | 84 |
| Figure 74 – Inherited name spaces | 84 |
| Figure 75 – Example of logical node and data name spaces | 86 |
| Figure 76 – Example common data class name spaces | 87 |
| Figure 77 – Extensions of name spaces (conceptual) | 90 |
| Figure 78 – Use of extended name space (conceptual) | 91 |
| Figure A.1 – Overall communication system architecture | 94 |
| Figure B.1 – Example for control and protection LNs combined in one physical device | 97 |
| Figure B.2 – Merging unit and sampled value exchange (topology) | 98 |
| Figure B.3 – Merging unit and sampled value exchange (data) | 98 |
| Figure C.1 – Application of SCL for LNs (conceptual) | 100 |
| Figure C.2 – Application of SCL for data (conceptual) | 101 |
| Figure D.1 – Seamless communication (simplified) | 102 |
| Figure D.2 – Example for new logical nodes | 103 |
| Figure D.3 – Example for control center view and mapping to substation view | 105 |
| Figure E.1 – Exchanged data between subfunctions (logical nodes) | 107 |
| Figure E.2 – Relationship between PICOMS and client/server model | 107 |
| Figure F.1 – Relation between the IEC 61850 series and UCA | 108 |
| | |
| Table 1 – Guide for the reader | 10 |
| Table 2 – LN groups | 16 |
| Table 3 – Logical node class XCBR (conceptual) | 27 |
| Table 4 – Excerpt of integer status setting | 33 |
| Table 5 – Comparison of the data access methods | 37 |
| Table 6 – ACSI models and services | 50 |
| Table 7 – Logical node circuit breaker | 60 |
| Table 8 – Controllable double point (DPC) | 61 |
| Table 9 – ACSI class definition | 72 |
| Table 10 – Single point status common data class (SPS) | 74 |

Table 11 – Quality components attribute definition74

Table 12 – Basic status information template (excerpt)75

Table 13 – Trigger option75

Table 14 – Logical node class (LN) definition76

Table 15 – Excerpt of logical node name plate common data class (LPL).....87

Table 16 – Excerpt of common data class88

Table A.1 – Excerpt of data classes for measurands95

Table A.2 – List of common data classes96

Withheld

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

<https://standards.iteh.ai/standards/iec/61850-7-1-2003>

<https://standards.iteh.ai/standards/iec/61850-7-1-2003>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMUNICATION NETWORKS AND SYSTEMS IN SUBSTATIONS –**Part 7-1: Basic communication structure for substation
and feeder equipment – Principles and models**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61850-7-1 has been prepared by IEC technical committee 57: Power system control and associated communications.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|-------------|------------------|
| 57/637/FDIS | 57/646/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61850 consists of the following parts, under the general title *Communication networks and systems in substations*.

- Part 1: Introduction and overview
- Part 2: Glossary ¹
- Part 3: General requirements
- Part 4: System and project management
- Part 5: Communication requirements for functions and device models
- Part 6: Configuration description language for communication in electrical substations related to IEDs ²
- Part 7-1: Basic communication structure for substation and feeder equipment – Principles and models
- Part 7-2: Basic communication structure for substation and feeder equipment – Abstract communication service interface (ACSI)
- Part 7-3: Basic communication structure for substation and feeder equipment – Common data classes
- Part 7-4: Basic communication structure for substation and feeder equipment – Compatible logical node classes and data classes
- Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS (ISO/IEC 9506-1 and ISO/IEC 9506-2) and to ISO/IEC 8802-3 ²
- Part 9-1: Specific communication service mapping (SCSM) – Sampled values over serial unidirectional multidrop point to point link
- Part 9-2: Specific communication service mapping (SCSM) – Sampled values over ISO/IEC 8802-3 ²
- Part 10: Conformance testing ²

The content of this part is based on existing or emerging standards and applications.

The committee has decided that the contents of this publication will remain unchanged until 2005. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

¹ To be published.

² Under consideration.

INTRODUCTION

This part of the IEC 61850 series provides an overview of the architecture for communication and interactions between substation devices such as protection devices, breakers, transformers, substation hosts etc.

This document is part of a set of specifications which details a layered substation communication architecture. This architecture has been chosen to provide abstract definitions of classes (representing hierarchical information models) and services such that the specifications are independent of specific protocol stacks, implementations, and operating systems.

The goal of the IEC 61850 series is to provide interoperability between the IEDs from different suppliers or, more precisely, between functions to be performed in a substation but residing in equipment (physical devices) from different suppliers. Interoperable functions may be those functions that represent interfaces to the process (for example, circuit breaker) or substation automation functions such as protection functions. This part of the IEC 61850 series uses simple examples of functions to describe the concepts and methods applied in the IEC 61850 series.

This part of the IEC 61850 series describes the relationships between other parts of the IEC 61850 series. Finally this part defines how inter-operability is reached.

NOTE Interchangeability, i.e. the ability to replace a device from the same vendor, or from different vendors, utilising the same communication interface and as a minimum, providing the same functionality, and with no impact on the rest of the system. If differences in functionality are accepted, the exchange may require some changes somewhere in the system also. Interchangeability implies a standardisation of functions and, in a strong sense, of devices which are both outside the scope of this standard. Interchangeability is outside the scope, but it will be supported following this standard for interoperability.

<https://standards.iteh.ai/>

<https://standards.iteh.ai/standards/iec/61850-7-1-2003>

Table 1 – Guide for the reader

| User | | IEC 61850-1 (Introduction and overview) | IEC 61850-5 (Requirements) | IEC 61850-7-1 (Principles) | IEC 61850-7-4 (Logical nodes and data classes) | IEC 61850-7-3 (Common data classes) | IEC 61850-7-2 (Information exchange) | IEC 61850-6 ^a (Configuration language) | IEC 61850-8-x IEC 61850-9-x ^a (Concrete communication stack) |
|--|------------------------|--|-------------------------------|-------------------------------|---|--|---|--|---|
| Utility | Manager | x | - | Clause 5 | - | - | - | - | - |
| | Engineer | x | x | x | x | x | In extracts | x | - |
| Vendor | Application engineer | x | x | x | x | x | In extracts | x | In extracts |
| | Communication engineer | x | x | x | - | - | x | - | x |
| | Product manager | x | x | x | x | In extracts | In extracts | In extracts | - |
| | Marketing | x | x | Clause 5 | In extracts | In extracts | In extracts | In extracts | - |
| Consultant | Application engineer | x | x | x | x | x | - | x | - |
| | Communication engineer | x | - | x | - | - | x | x | x |
| All others | | x | x | x | - | - | - | - | - |
| <p>The “x” means that this part of the IEC 61850 series should be read.</p> <p>The “in extracts” means that extracts of this part of the IEC 61850 series should be read to understand the conceptual approach used.</p> <p>The “-” means that this part of the IEC 61850 series may be read.</p> <p>^a These documents are under consideration.</p> | | | | | | | | | |

This part of the IEC 61850 series is intended for all stakeholders of standardised communication and standardised systems in the utility industry. It provides an overview of and an introduction to IEC 61850-7-4, IEC 61850-7-3, IEC 61850-7-2, IEC 61850-6, and IEC 61850-8-1.

Table 1 provides a simplified guide as to which parts of the IEC 61850 series should be read by various stakeholders. Four groups are shown: utility, vendor, various consultants, and others.

COMMUNICATION NETWORKS AND SYSTEMS IN SUBSTATIONS –

Part 7-1: Basic communication structure for substation and feeder equipment – Principles and models

1 Scope

This part of the IEC 61850 series introduces the modelling methods, communication principles, and information models that are used in the parts of IEC 61850-7-x. The purpose of this part of the IEC 61850 series is to provide – from a conceptual point of view – assistance to understand the basic modelling concepts and description methods for:

- substation-specific information models for substation automation systems,
- device functions used for substation automation purposes, and
- communication systems to provide interoperability within substations.

Furthermore, this part of the IEC 61850 series provides explanations and provides detailed requirements relating to the relation between IEC 61850-7-4, IEC 61850-7-3, IEC 61850-7-2 and IEC 61850-5. This part explains how the abstract services and models of IEC 61850-7-x are mapped to concrete communication protocols as defined in IEC 61850-8-1.

The concepts and models provided in this part of the IEC 61850 series may also be applied to describe information models and functions for:

- substation to substation information exchange,
- substation to control centre information exchange,
- information exchange for distributed automation,
- information exchange for metering,
- condition monitoring and diagnosis, and
- information exchange with engineering systems for device configuration.

NOTE 1 This part of IEC 61850 uses examples and excerpts from other parts of the IEC 61850 series. These excerpts are used to explain concepts and methods. These examples and excerpts are informative in this part of IEC 61850.

NOTE 2 Examples in this part use names of classes (e.g. XCBR for a class of a logical node) defined in IEC 61850-7-4, IEC 61850-7-3, and service names defined in IEC 61850-7-2. The normative names are defined in IEC 61850-7-4, IEC 61850-7-3, and IEC 61850-7-2 only.

NOTE 3 This part of IEC 61850 does not provide a comprehensive tutorial. It is recommended that this part be read first – in conjunction with IEC 61850-7-4, IEC 61850-7-3, and IEC 61850-7-2. In addition, it is recommended that IEC 61850-1 and IEC 61850-5 also be read.

NOTE 4 This part of IEC 61850 does not discuss implementation issues.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61850-2, *Communication networks and systems in substations – Part 2: Glossary*³

IEC 61850-5, *Communication networks and systems in substations – Part 5: Communication requirements for functions and devices models*³

IEC 61850-7-2, *Communication networks and systems in substations – Part 7-2: Basic communication structure for substation and feeder equipment – Abstract communication service interface (ACSI)*

IEC 61850-7-3, *Communication networks and systems in substations – Part 7-3: Basic communication structure for substation and feeder equipment – Common data classes*

IEC 61850-7-4, *Communication networks and systems in substations – Part 7-4: Basic communication structure for substation and feeder equipment – Compatible logical node classes and data classes*

ISO/IEC 8802-3:2000, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO/IEC 8825 (all parts), *Information technology – ASN.1 encoding rules*

ISO 9506-1:2003, *Industrial automation systems – Manufacturing Message Specification – Part 1: Service definition*

ISO 9506-2:2003, *Industrial automation systems – Manufacturing Message Specification – Part 2: Protocol specification*

3 Terms and definitions

For the purposes of this International Standard, the terms and definitions given in IEC 61850-2³ as well as the following, apply.

3.1 information

knowledge concerning objects, such as facts, events, things, processes, or ideas, including concepts, that within a certain context has a particular meaning

(IEV 101-12-01)

3.2 information model

represents the knowledge concerning substation functions and devices in which the functions are implemented. This knowledge is made visible and accessible through the means of the IEC 61850 series. The model describes in an abstract way a communication oriented representation of a real function or device.

³ To be published.