**Designation:** D5579 - 15 D5579 - 16

# Standard Test Method for Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test<sup>1</sup>

This standard is issued under the fixed designation D5579; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\varepsilon$ ) indicates an editorial change since the last revision or reapproval.

#### INTRODUCTION

This test method is written for use by laboratories that use the portions of the test method that refer to ASTM Test Monitoring Center (TMC) services (see <u>Annex A1 – Annex A4Annex A1).</u> Laboratories that choose not to use the TMC services may simply disregard these portions.

The TMC provides reference oils, and engineering and statistical services to laboratories that desire to produce test results that are statistically similar to those produced by laboratories previously calibrated by the TMC.

In general, the Test Purchaser decides if a calibrated test stand is to be used. Organizations such as the American Chemistry Council require that a laboratory use the TMC services as part of their test registration process. In addition, the American Petroleum Institute and the Gear Lubricant Review Committee of the Lubricant Review Institute (SAE International) require that a laboratory use the TMC services in seeking qualification of oils against their specifications.

Note 1—The advantage of using the TMC services to calibrate test stands is that the test laboratory (and hence the Test Purchaser) has an assurance that the test stand was operating at the proper level of test severity. It should also be borne in mind that results obtained in a non calibrated test stand may not be the same as those obtained in a test stand participating in the ASTM TMC services process.

### 1. Scope\*

- 1.1 This test method covers the thermal stability of fluids for use in heavy duty manual transmissions when operated at high temperatures.
- 1.2 The lubricant performance is measured by the number of shifting cycles that can be performed without failure of synchronization when the transmission is operated while continuously cycling between high and low range.
- 1.3 Correlation of test results with truck transmission service has not been established. However, the procedure has been shown to appropriately separate two transmission lubricants, which have shown satisfactory and unsatisfactory field performance in the trucks of one manufacturer.
- 1.4 Changes in this test method may be necessary due to refinements in the procedure, obsolescence of parts, or reagents, and so forth. These changes will be incorporated by Information Letters issued by the ASTM Test Monitoring Center (TMC).<sup>2</sup> The test method will be revised to show the content of all the letters, as issued.
- 1.5 The values stated in inch-pound units are to be regarded as standard. The values given in parentheses are mathematical conversions to SI units that are provided for information only and are not considered standard.
  - 1.5.1 Exception—When materials, products, or equipment are available only in inch-pound units, SI units are omitted.
- 1.6 This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

<sup>&</sup>lt;sup>1</sup> This test method is under the jurisdiction of ASTM Committee D02 on Petroleum Products, Liquid Fuels, and Lubricants and is the direct responsibility of Subcommittee D02.B0.03 on Automotive Gear Lubricants & Fluids.

Current edition approved April 1, 2015 April 1, 2016. Published May 2015 April 2016. Originally approved in 1994. Last previous edition approved in 2014 2015 as D5579 – 14:D5579 – 15. DOI: 10.1520/D5579-15:10.1520/D5579-16.

This edition incorporates revisions in all Information Letters through No. 14-1:15-1.

<sup>&</sup>lt;sup>2</sup> ASTM Test Monitoring Center, 6555 Penn Ave., Pittsburgh, PA 15206-4489.—

1.7 This test method is arranged as follows:

# iTeh Standards (https://standards.iteh.ai) Document Preview

ASTM D5579-16

https://standards.iteh.ai/catalog/standards/sist/33f8d70b-935a-4557-a985-ed6d55571d82/astm-d5579-16

	Section
Scope	1
Referenced Documents	2
Terminology	3
Summary of Test Method	4
Significance and Use	5
Apparatus	6
Test Transmission	6.2
Transmission Mounts	6.3
Oil-Circulating System	6.4
Oil Return Hole	6.5
Air Pressure Controls	6.6
Drive System	6.7
Instrumentation	6.8
Thermocouple Placement	6.9
Reagents and Materials	7
Safety	8
Preparation of Apparatus	9
Cleaning of Parts	9.1
Assembly	9.2
Calibration	10
Transmission and Test Stand Calibration	10.1
Reference Oils	10.2
Reference Oil Test Frequency	10.3
Instrumentation Calibration	10.4
Shift Time Calibration	10.5
Operating Procedure	11
System Flush and Charge	11.1
Test Operation	11.2
Shut-Down Procedure	11.3
Transmission Disassembly	11.4
Determination of Test Results	12
Failure Criteria	12.1
Shifter Fork Wear	12.2
lest validity Determination	12.3
Report	13
Precision and Bias https://standards.iteh.ai	14
	15
Test Validity Calculations and Limits	Annex A5
HTCT Test Report Forms and Data Dictionary  Manual Transmission Cyclic Durability Test Parts	Annex A6
	Annex A7
Inspection and Wear Measurements	

### 2. Referenced Documents

2.1 ASTM Standards:<sup>3</sup>

D235 Specification for Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent) 1d82/astm-d5579-16

D7422 Test Method for Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine

E29 Practice for Using Significant Digits in Test Data to Determine Conformance with Specifications

2.2 SAE Standard:

SAE J308 Axle and Manual Transmission Lubricants<sup>4</sup>

2.3 Military Standard:

MIL-L-2105 Lubricating Oil, Gear, Multipurpose<sup>5</sup>

2.4 Other Standard:

GO-H Mack Trucks Oil, Gear: Multi-Purpose<sup>6</sup>

<sup>&</sup>lt;sup>3</sup> For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

<sup>&</sup>lt;sup>4</sup> Available from Society of Automotive Engineers-SAE International (SAE), 400 Commonwealth Dr., Warrendale, PA 15096-0001.15096, http://www.sae.org.

<sup>&</sup>lt;sup>5</sup> Available from Standardization Documents Order Desk, DODSSP, Bldg. 4, Section D, 700 Robbins Ave., Philadelphia, PA 19111-5098.

<sup>&</sup>lt;sup>6</sup> Available from Volvo Powertrain, North America, 13302 Pennsylvania Ave., Hagerstown, MD 21742.

### 3. Terminology

- 3.1 Definitions:
- 3.1.1 *wear, n*—the loss of material from a surface, generally occurring between two surfaces in relative motion, and resulting from mechanical or chemical action or a combination of both.

  D7422
  - 3.2 Definitions of Terms Specific to This Standard:
- 3.2.1 *dual-range transmission*, *n*—a type of transmission in which the driver first shifts through all of the mainbox gear ratios in low range, and then shifts to high range and shifts through the mainbox again. The section containing the high-low range is the compound section.
  - 3.2.2 friction disk, n—a steel circular plate to which a friction material has been bonded.
- 3.2.3 *glazed, adj*—the condition of the friction disks when precipitates have filled the pores in the friction material, polishing the surface, and changing the frictional properties.
  - 3.2.4 reaction disk, n—a steel disk that mates with the friction disk during synchronization.
- 3.2.5 *shift time*, *n*—the period of time required, when shifting from high range to low range, for the countershaft speed to increase from (500500 r/min to 1700)1700 r/r/min; min; or when shifting from low range to high range, for the countershaft speed to decrease from (1700)1700 r/min to 500)500 r r/min/min.
- 3.2.6 *synchronizer*, *n*—a pack of friction and reaction plates used to match the speeds of the low- and high-range gears prior to engagement.
- 3.2.7 *unsynchronized shift*, *n*—a shift in which the speed of the mating gears is not matched to the speed of the transmission output shaft by the synchronizer.

### 4. Summary of Test Method

- 4.1 Prior to each test run, the transmission is disassembled and all parts, including the case and the oil-circulating and heating systems, are thoroughly cleaned. The transmission is rebuilt with a new synchronizer assembly, including measured shifter fork, friction, and reaction disks. All other worn or defective parts are replaced.
  - 4.2 The rebuilt transmission is installed on a test stand.
  - 4.3 The transmission and oil system are flushed with the test oil in accordance with the flush procedure.
  - 4.4 The flush oil is drained, and the test oil is measured and charged to the transmission.
  - 4.5 The transmission is started and operated in low range until the oil temperature reaches the test operating range.
- 4.6 The transmission is automatically cycled between low and high range until two unsynchronized shifts occur or the desired length of test is reached without failure. The time required to shift from high range to low range is recorded each hour.
- 4.7 At the conclusion of the test, the test parts are removed and visually inspected. The shifter fork and friction plates are measured again to determine wear.

#### 5. Significance and Use

- 5.1 This test method is used to evaluate automotive manual transmission fluids for thermal instability, which results in deterioration of synchronizer performance.
- 5.2 This test method may also be utilized in other specifications and classifications of transmission and gear lubricants such as the following:
  - 5.2.1 (final API designation of PG-1),
  - 5.2.2 Military Specification MIL-L-2105,
  - 5.2.3 SAE Information Report J308 Axle and Manual Transmission Lubricants, and
  - 5.2.4 Mack Truck GO-H Gear Lubricant Specification.

#### 6. Apparatus

- 6.1 Table 1 is a list of the make and model of recommended instruments and equipment.
- 6.2 Test Transmission—The test transmission is a MACK T2180, configuration 11KBA51431 (see Fig. 1). Some parts in the transmission are to be removed and some are to be added before testing, as listed in Table 2. The main box shift rail cover can be replaced with an aluminum plate to facilitate transmission cleaning at end of test.
  - 6.3 Transmission Mounts—The transmission is mounted as shown in Fig. 2.
- 6.4 Oil-Circulating System—The system heats the oil to the specified operating temperature of  $\frac{250250 \text{ °F}}{2.7 \text{ °C}} \pm \frac{5 \text{ °F}}{2.7 \text{ °C}}$  and maintains this temperature throughout the duration of the test. The power density of the heater is not high enough to cause degradation of the oil  $\frac{(22-(22 \text{ W/in.}^2 \text{ to 25 W/in.}^2 \text{ (3.4 W W/em/cm}^2 \text{ to 3.9 W/cm}^2)}{2.4 \text{ (3.4 W W/em/cm}^2 \text{ to 3.9 W/cm}^2)}$ . The oil flow rate is between

**TABLE 1 Recommended Test Stand Components** 


Panel Meters	Item	Manufacturer	Part No.
Countershaft rpm         Newport         P-6031D20D           Shift time         Newport         P-6031D20D           Coast down time         Newport         P-6031D20D           Control Indication           Temperature controller Temperature indicator         Omron         ESEX-AF           Temperature indicator         Newport         INF-0-0-0-0-JF           Cycle counter         Redington         P2-1006-115AC           Cycle timer         Omron         H5BR-B-AC100-240           T/C selector switch         Thermo Electric         33112           Oil psi gage/safety         Murphy         A-20EO, O-30 psi           Air supply gage         U.S. Gage         P44U, O-160 psi           Air regulator         Norgren         RO-8-300 RNMA           Shift solenoid         Asco         8317G35, 3-way           solenoid         Mag. pickup         Electro         3010AN           12 VDC Power supply         Sola         SLS-12-017           Air pressure switch         Penn         P61AG-1		Panel Meters	
Shift time         Newport         P-6031D20D           Coast down time         Newport         P-6031D20D           Control Indication           Temperature controller Temperature indicator         Omron         ESEX-AF           Temperature indicator         Newport         INF-0-0-0-0-JF           Cycle counter         Redington         P2-1006-115AC           Cycle timer         Omron         H5BR-B-AC100-240           T/C selector switch         Thermo Electric         33112           Oil psi gage/safety         Murphy         A-20EO, O-30 psi           Air supply gage         U.S. Gage         P44U, O-160 psi           Air regulator         Norgren         RO-8-300 RNMA           Shift solenoid         Asco         8317G35, 3-way           solenoid         Mag. pickup         Electro         3010AN           12 VDC Power supply         Sola         SLS-12-017           Air pressure switch         Penn         P61AG-1	Tailshaft rpm	Newport	P-6031D20D
Coast down time  Newport  Control Indication  Temperature controller Temperature indicator Cycle counter Cycle timer Tollipsi gage/safety Air supply gage Air regulator Shift solenoid Mag. pickup Mag. pickup Air pressure switch Mewport Mewport Newport Nebra-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0	Countershaft rpm	Newport	P-6031D20D
Control Indication  Temperature controller Temperature indicator Cycle counter Cycle counter Cycle timer Cycle timer Omron Cycle timer Omron Cycle timer Cycle tim	Shift time	Newport	P-6031D20D
Temperature controller Temperature indicator Cycle counter Cycle counter Cycle timer Tollipsi gage/safety Air supply gage Air regulator Shift solenoid Mag. pickup 12 VDC Power supply Air pressure switch Domon H5BR-B-AC100-240 H	Coast down time	Newport	P-6031D20D
Temperature indicator Cycle counter Redington P2-1006-115AC P2-1006-115AC Cycle timer Omron H5BR-B-AC100-240 T/C selector switch Thermo Electric 33112 Oil psi gage/safety Murphy A-20EO, O-30 psi Air supply gage U.S. Gage P44U, O-160 psi Air regulator Norgren RO-8-300 RNMA Shift solenoid Asco 8317G35, 3-way solenoid Mag. pickup Electro 3010AN 12 VDC Power supply Sola SLS-12-017 Air pressure switch Penn P61AG-1		Control Indication	
Cycle counter Redington P2-1006-115AC Cycle timer Omron H5BR-B-AC100-240 T/C selector switch Thermo Electric 33112 Oil psi gage/safety Murphy A-20EO, O-30 psi Air supply gage U.S. Gage P44U, O-160 psi Air regulator Norgren RO-8-300 RNMA Shift solenoid Asco 8317G35, 3-way solenoid Mag. pickup Electro 3010AN 12 VDC Power supply Sola SLS-12-017 Air pressure switch Penn P61AG-1	Temperature controller	Omron	ESEX-AF
Cycle timer Omron H5BR-B-AC100-240 T/C selector switch Thermo Electric 33112 Oil psi gage/safety Murphy A-20EO, O-30 psi Air supply gage U.S. Gage P44U, O-160 psi Air regulator Norgren RO-8-300 RNMA Shift solenoid Asco 8317G35, 3-way solenoid Mag. pickup Electro 3010AN 12 VDC Power supply Sola SLS-12-017 Air pressure switch Penn P61AG-1	Temperature indicator	Newport	INF-0-0-0-JF
T/C selector switch Oil psi gage/safety Murphy A-20EO, O-30 psi Air supply gage U.S. Gage P44U, O-160 psi Air regulator Norgren RO-8-300 RNMA Shift solenoid Asco 8317G35, 3-way solenoid Mag. pickup Electro 3010AN 12 VDC Power supply Sola SLS-12-017 Air pressure switch Penn 33112	Cycle counter	Redington	P2-1006-115AC
Oil psi gage/safety Murphy A-20EO, O-30 psi Air supply gage U.S. Gage P44U, O-160 psi Air regulator Norgren RO-8-300 RNMA Shift solenoid Asco 8317G35, 3-way solenoid Mag. pickup Electro 3010AN 12 VDC Power supply Sola SLS-12-017 Air pressure switch Penn P61AG-1	Cycle timer	Omron	H5BR-B-AC100-240
Air supply gage         U.S. Gage         P44U, O-160 psi           Air regulator         Norgren         RO-8-300 RNMA           Shift solenoid         Asco         8317G35, 3-way           solenoid         solenoid           Mag. pickup         Electro         3010AN           12 VDC Power supply         Sola         SLS-12-017           Air pressure switch         Penn         P61AG-1	T/C selector switch	Thermo Electric	33112
Air regulator         Norgren         RO-8-300 RNMA           Shift solenoid         Asco         8317G35, 3-way solenoid           Mag. pickup         Electro         3010AN           12 VDC Power supply         Sola         SLS-12-017           Air pressure switch         Penn         P61AG-1	Oil psi gage/safety	Murphy	A-20EO, O-30 psi
Shift solenoid         Asco         8317G35, 3-way solenoid           Mag. pickup         Electro         3010AN           12 VDC Power supply         Sola         SLS-12-017           Air pressure switch         Penn         P61AG-1	Air supply gage	U.S. Gage	P44U, O-160 psi
Solenoid	Air regulator	Norgren	RO-8-300 RNMA
Mag. pickup         Electro         3010AN           12 VDC Power supply         Sola         SLS-12-017           Air pressure switch         Penn         P61AG-1	Shift solenoid	Asco	8317G35, 3-way
12 VDC Power supply Sola SLS-12-017 Air pressure switch Penn P61AG-1			solenoid
Air pressure switch Penn P61AG-1	Mag. pickup	Electro	3010AN
·	12 VDC Power supply	Sola	SLS-12-017
	Air pressure switch	Penn	P61AG-1
Relays—AC Potter & Brumfield KUP14A15	Relays—AC	Potter & Brumfield	KUP14A15
Relays—DC Potter & Brumfield KUP14D15	Relays—DC	Potter & Brumfield	KUP14D15
Mechanical Components			
Air lines Mack 101AX24R, % in. OD	Air lines	Mack	101AX24R, 3/8 in. OD
Pump Brown & Sharp No. 2	Pump	Brown & Sharp	No. 2
Heater element Chromalox MOT330A, 220v, 1Ph	Heater element	Chromalox	MOT330A, 220v, 1Ph
Oil lines Aeroquip EC-350, No. 12	Oil lines	Aeroquip	EC-350, No. 12
U Joint yoke Mack 1710 Series,	U Joint yoke	Mack	1710 Series,
38MU3413M			38MU3413M
Drive shaft Rockwell 1710 Series, 52 in.	Drive shaft	Rockwell	1710 Series, 52 in.
collapsed			collapsed
Drive motor General Electric 25-hp Induction Motor,	Drive motor	General Electric	25-hp Induction Motor,
1760 rpm	116		
High-Speed Recording System			em
Pressure transducers Sensotec A-5/1034, 0-100 psi		4-0 10 0 0 14 0	
Oscillograph Astro-Med Dash 4	Oscillograph	Astro-Med	Dash 4

# Document Preview

66 gal/min and 10 gal/min (23 L/min to 38 L/min). A layout of the oil-circulation system is shown in Fig. 3. A detailed drawing of the recommended oil heating chamber is shown in Fig. 4. The total oil capacity of the test system is 5.25 gal 5.25 gal (19.87 L) with the oil level in the transmission at the lower edge of the fill hole. If the system capacity is too small, increase by lengthening oil hoses. When the system capacity is too great, decrease by shortening hoses, if it is practical to do so; otherwise, install an inert (stainless steel) block in the transmission main box sump to raise the oil level. Route the oil lines so that they will empty completely when draining the system.

- 6.5 Oil Return Hole—Drill and tap a hole in the compound case for the oil to return after flowing through the heat exchanger. The location and size of this hole are shown in Fig. 5.
- 6.6 Air Pressure Controls—The transmission is shifted by air pressure applied to alternating sides of the range shift piston. The air pressure is provided by a pilot valve, which is cycled by a solenoid valve at a rate of 5-cpm. These cycles are recorded by a counter, which provides the cycles to mis-shift data for the pass/fail criteria of the test. A typical air control system is shown in Fig. 6.
- 6.7 *Drive System*—In the truck operation, opposing torques help the synchronizer to complete the shift. In the test stand, the transmission is driven from the rear by an electric motor and belt drive with no loading on the input pinion. The torques, therefore, are not present, and shifting can be delayed. To help the synchronizer shift smoothly without the opposing torque, a vibration in the drive line is intentionally excited. The driveline is set out of phase by rotating the yoke at one end of the shaft with respect to the other by a one spline tooth offset (22°). The transmission output shaft is offset from the shaft of the motor or jack shaft, thereby placing the driveline at an angle. A layout showing the offset of the transmission relative to the jack shaft is shown in Fig. 2.
  - 6.8 Instrumentation—Supply sensors and displays, either on the test console or in a data logging computer, as follows:
  - 6.8.1 Oil sump temperature,
  - 6.8.2 Countershaft speed,
  - 6.8.3 Tail shaft speed,
  - 6.8.4 Air pressure (system),
  - 6.8.5 Air pressure (dynamic during shifting), and
  - 6.8.6 Coast down time.





Note 1-Left side view.

Note 2—See Table 2 for references to letters in brackets.

FIG. 1 Transmission Modified for Testing

TABLE 2 Transmission Parts to Be Added or Removed Before Testing


Note 1—Letters in brackets, [], refer to locations indicated on Fig. 1.

7 637		
	Parts to Be Removed	1 • )
Rails, forks, springs, and ball from the mainbox shift cover [A] All main box gearing [B]: Main shaft gears and thrust washers Countershaft assemblies	cument Previe	en.ar) ew
Sliding clutches	Mack part numbers 320KB3136 (2)320KB3137A	or Volvo part numbers 25101998 (2)25503685
Compound [C]		
Splitter clutch	Mack part number 320KB3141	
Splitter piston and ards iteh ai/catalog/standard	Mack part number 336KC333	or Volvo part number 25125890
Splitter fork	Mack part number 575KB3378	or Volvo part number 25502825
Bell Housing [D]		
All clutch related parts		
Shafts	Mack part number 604KC277A, 604KC34B	or Volvo part number 25085391 N/A
Yoke	Mack part number 301KD43B	or Volvo part number 25128328
	Parts to Be Added	
Speedometer plug	Mack part number 37KC12	or Volvo part number N/A
Speedometer washer	Mack part number 37AX419	or Volvo part number 20704759
Orifice to range valve	Mack part number 63AX3466	or Volvo part number 25107528
Replace cast iron piston housing cover		
with fabricated steel cover [E]		

6.9 Thermocouple Placement—Transmission sump temperature is measured in the compound section of the transmission with a thermocouple and conventional display equipment. Drill and tap the compound case to accept the thermocouple at a position located along the centerline of the transmission 8.0 in. (203 mm) forward of the back wall of the main case. Position the tip of the thermocouple to extend 1.5 in. (38 mm) into the sump. As a means of ensuring that the oil is not exposed to excessive heat in the heater, place an additional thermocouple to measure the oil temperature leaving the heater as shown in Fig. 7.

#### 7. Reagents and Materials


- 7.1 Oil—Approximately 12 gal (45.4 L) of test oil is required. The integrity of the test oil is the responsibility of the oil supplier.
- 7.2 Solvent—Use only mineral spirits meeting the requirements of Specification D235, Type II, Class C for Aromatic Content (0-2% vol), Flash Point (142°F/61 °C, min), and Color (not darker than +25 on Saybolt Scale or 25 on Pt-Co Scale). (Warning—Combustible. Health hazard.) Obtain a Certificate of Analysis for each batch of solvent from the supplier.



# 8. Safety

- 8.1 The following are suggestions of procedures and equipment that may assist in reducing safety hazards. No attempt has been made to address all possible safety problems. The user of this test method is responsible for establishing appropriate safety and health practices.
- 8.2 The operating of transmission tests can expose personnel and facilities to a number of safety hazards. Only personnel who are thoroughly trained and experienced in transmission testing should undertake the design, installation, and operation of transmission test stands.






Note 1-Material 1018 is similar material.

Note 2—All dimensions are in inches, unless otherwise noted.

FIG. 4 Typical Oil Heater Chamber



Note 1—Figure is not drawn to scale.

FIG. 5 Oil Return Hole Location

- 8.3 Each laboratory conducting transmission tests should have its test installation inspected and approved by its safety department. Personnel working on the transmissions should be provided with the proper tools, be alert to common sense safety practices, and avoid contact with moving or hot transmission parts, or both. Heavy-duty guards should be installed around the driveline. When the test stand is operating, personnel should be cautioned against working alongside the transmission and drivelines. All oil lines and electrical wiring should be properly routed and grounded, guarded, and kept in good order. Safety masks or glasses should always be worn by personnel working on the transmissions. Loose or flowing clothing, long hair, or other accessories to dress that could become entangled, should not be worn near rotating equipment.
- 8.4 The external parts of the transmission and the floor area around the transmission should be kept clean and free of oil spills. In addition, the working area should be free of all tripping hazards. In case of injury, no matter how slight, first aid attention should be applied at once and the incident reported. Personnel should be alert for leaking oil, which represents a fire hazard. Do not permit containers of oil to accumulate in the test area.
- 8.5 A remote station for shutting off the motor, pump, and heater is recommended. Fixed fire-protection equipment should be provided.

# **∰** D5579 − 16





FIG. 6 Air Control and Supply System




https://standards. FIG. 7 Location of Oil Out-of-Heater Thermocouple, Pressure Regulator, and Sensor //astm-d5579-16

- 8.6 Normal precautions should be taken when using flammable solvents for cleaning purposes. Make sure adequate ventilation is provided and fire-fighting equipment is immediately accessible.
- 8.7 It is recommended that safeties be provided to shut down the drive motor and oil heater when the following conditions occur:
  - 8.7.1 Oil temperature in transmission sump becomes excessive,
  - 8.7.2 Oil temperature leaving the oil-heating chamber becomes excessive,
  - 8.7.3 Oil-circulating system loses pressure,
  - 8.7.4 Motor over-speeds or under-speeds, and
  - 8.7.5 The fire-protection system is activated.
  - 8.8 See Fig. 8 for a typical schematic of safety circuits.

## 9. Preparation of Apparatus

- 9.1 Cleaning of Parts:
- 9.1.1 *Transmission Case*—Thoroughly clean the transmission case with a cleaning solvent (see 7.2) to remove any oil, sludge, or varnish deposits remaining from the previous test and then air dry.
  - 9.1.2 Gears, Shafts, Synchronizer—Remove all sludge, varnish, and deposits. Rinse with a cleaning solvent (see 7.2) and air dry.
- 9.1.3 Heater, Oil-Circulating System—Flush oil lines with a cleaning solvent (see 7.2) to remove any previous test oil and then air dry. Disassemble the heater, clean, and air dry after each test. Check the heater periodically for leaks and replace when necessary.
  - 9.2 Assembly:






FIG. 8 Typical Schematics of Safety Circuits

# **Document Preview**

- 9.2.1 *General*—Assemble all parts as instructed in the Mack Transmission Service Manual T2130/2180,<sup>6</sup> except where the service manual applies to parts that are modified for this test method. Refer to Table 3 for a list of approved test hardware part numbers. Use test oil for lubricating parts during assembly. D5579-16
- 9.2.2 New Parts—Obtain the following parts from an authorized Mack truck dealer. Install the new parts listed in Table 4 for each test:
  - 9.2.2.1 Inspect the following parts after each test and replace if worn or damaged:

		Number	Mack	Volvo	
		Required	Part No.	Part No.	
Thrust	Washer	3	223KD249	25500345	
Thrust	Washer	2	223KD316A	25500919	
Clutch	Housing	2	53KC486C	25502585	
High F	Range Main Shaft Gear	1	751KB4123 <sup>A</sup>	25502562 <sup>A</sup>	
			or 751KB4176 <sup><i>B</i></sup>	or 21649207 <sup><i>B</i></sup>	

<sup>&</sup>lt;sup>A</sup> One of the parts required in hardware "CONFIGURATION 2".

- 9.2.3 *Inspection of Air Valves*—Inspect the piston of the range shift valve and the fork air cylinder and replace if damaged or visibly worn. Replace the O-rings in these valves when nicked, cut, softened, or hardened. However, replace these O-rings at least every six months. Install a ½6-in. (1.59 mm) thick shim between the shaft cylinder and the transmission case for "CONFIGURATION 2" and "CONFIGURATION 3" tests.
- 9.2.4 *Pre-test Measurements*—Measure the range fork for hardness and thickness at the locations shown in Fig. A7.1. The hardness of the fork pads shall be a minimum of  $55 R_c$  at each of the four locations. Mark the friction disks on the spline tangs with an etching tool at three locations equally spaced. Measure and record the pad thickness at these locations in the Data Dictionary (see Annex A6).
- 9.2.4.1 This hardness is greater than the manufacturing minimum. Some parts meeting the manufacturing specification may be rejected for this test method.
  - 9.2.5 Countershaft Bearing Preload—Measure the pre-load on each of the three countershafts prior to each test as follows:
- 9.2.5.1 Assemble the transmission as specified in the Mack Transmission Service Manual up to and including installing the yoke on the output shaft. Rotate the transmission so that the shafts are vertical.

<sup>&</sup>lt;sup>B</sup> One of the parts required in hardware "CONFIGURATION 3".