

SLOVENSKI STANDARD SIST EN ISO 10993-7:2009

01-januar-2009

BUXca Yý U. SIST EN ISO 10993-7:2000

6]c`cý_c`cjfYXbchYb^Y`aYX]W]bg_]\ `df]dcac _cj`!`+"XY`.`CghUb_]`dc`ghYf]`]nUW]/]`n Yh]`Ybc_g]Xca`fHGC`%--' !+.&\$\$, と

Biological evaluation of medical devices - Part 7: Ethylene oxide sterilization residuals (ISO 10993-7:2008)

Biologische Beurteilung von Medizinprodukten - Teil 7. Ethylenoxid Sterilisationsrückstände (ISO 10993-7:2008) (standards.iteh.ai)

Evaluation biologique des dispositif<u>s médicaux 9 Partie</u>7: Résidus de stérilisation a l'oxyde d'éthylene (ISO:/10993-7:2008)log/standards/sist/25e0db50-fla5-4351-b99ce391b2fa0d10/sist-en-iso-10993-7-2009

Ta slovenski standard je istoveten z: EN ISO 10993-7:2008

ICS:

11.100.20 Óą[[[z\[Á[ç¦^å}[ơ^}b^ {^åã&a]•\ã@Á[¦a][{[\[ç

Biological evaluation of medical devices

SIST EN ISO 10993-7:2009

en

SIST EN ISO 10993-7:2009

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 10993-7:2009</u> https://standards.iteh.ai/catalog/standards/sist/25e0db50-fl a5-4351-b99ce391b2fa0d10/sist-en-iso-10993-7-2009

SIST EN ISO 10993-7:2009

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 10993-7

October 2008

ICS 11.100.20

Supersedes EN ISO 10993-7:1995

English Version

Biological evaluation of medical devices - Part 7: Ethylene oxide sterilization residuals (ISO 10993-7:2008)

Évaluation biologique des dispositifs médicaux - Partie 7: Résidus de stérilisation à l'oxyde d'éthylène (ISO 10993-7:2008) Biologische Beurteilung von Medizinprodukten - Teil 7: Ethylenoxid- Sterilisationsrückstände (ISO 10993-7:2008)

This European Standard was approved by CEN on 23 September 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bugaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom. <u>SIST EN ISO 10993-7:2009</u>

> https://standards.iteh.ai/catalog/standards/sist/25e0db50-fla5-4351-b99ce391b2fa0d10/sist-en-iso-10993-7-2009



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2008 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 10993-7:2008: E

EN ISO 10993-7:2008 (E)

Contents	Page
Foreword	3
Annex ZA (informative) Relationship between this International Standard and the Essential Requirements of EU Directive 93/42/EEC Medical devices	4
Annex ZB (informative) Relationship between this International Standard and the Essential Requirements of EU Directive 90/385/EEC on Active Implantable Medical Devices	5

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 10993-7:2009</u> https://standards.iteh.ai/catalog/standards/sist/25e0db50-fl a5-4351-b99ce391b2fa0d10/sist-en-iso-10993-7-2009

Foreword

This document (EN ISO 10993-7:2008) has been prepared by Technical Committee ISO/TC 194 "Biological evaluation of medical devices" in collaboration with Technical Committee CEN/TC 206 "Biological evaluation of medical devices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2009, and conflicting national standards shall be withdrawn at the latest by October 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 10993-7:1995.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EC Directives.

For relationship with EC Directives, see informative Annexes ZA and ZB, which are an integral part of this document.

NOTE : The Essential Requirements of the Medical Devices Directives require that risks be reduced or eliminated as far as possible and, specifically, that risks posed by residues be minimized and risks posed by substances leaking from a device be reduced to a minimum. It is inherent in these Essential Requirements that, within the maximum limits specified by this standard, exposure to a genotoxic carcinogen should be reduced to levels as low as reasonably practicable, taking account of the generally acknowledged state of the art, the technological level existing at the time of design and technical and economic considerations compatible with a high level of health and safety.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 10993-7:2008 has been approved by CEN as a EN ISO 10993-7:2008 without any modification.

Annex ZA (informative)

Relationship between this International Standard and the Essential Requirements of EU Directive 93/42/EEC Medical devices

This International Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 93/42/EEC on medical devices.

Once this standard is cited in the Official Journal of the European Communities under that Directive and has been implemented as a national standard in at least one Member State, compliance with the clauses of this standard given in Table ZA confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZA — Correspondence between this International Standard and Directive 93/42/EEC on medical devices

Clause(s)/sub-clause(s) of this International Standard	Essential Requirements (ERs) of Directive 93/42/EEC	Qualifying remarks/Note
iTe	h STANDARD PRE	VIEW
4, 5	(stanex, 7.2 and 7.5 teh.ai	For presumption of conformity, the standard needs to be interpreted as explained in the European Foreword.
	SIST FN ISO 10993-7-2009	

https://standards.iteh.ai/catalog/standards/sist/25e0db50-fla5-4351-b99c-

WARNING — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this International standard.

Annex ZB (informative)

Relationship between this International Standard and the Essential Requirements of EU Directive 90/385/EEC on Active Implantable Medical Devices

This International Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 90/385/EEC on active implantable medical devices.

Once this standard is cited in the Official Journal of the European Communities under that Directive and has been implemented as a national standard in at least one Member State, compliance with the clauses of this standard given in Table ZB confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZB — Correspondence between this International Standard and Directive 90/385/EEC on active implantable medical devices

Clause(s)/sub-clause(s) of this (Essential Requirements (ERs) of Directive 90/385/EEC	Qualifying remarks/Note
4, 5 https://standards.ite e3	SIST EN ISO 10993-7:2009 h.ai/catalog/standards/six1/25e0db50-fl a5-43 91b2fa0d10/sist-en-iso-10993-7-2009	51-b99c- For presumption of conformity, the standard needs to be interpreted as explained in the European Foreword.

WARNING — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this International standard.

SIST EN ISO 10993-7:2009

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 10993-7:2009</u> https://standards.iteh.ai/catalog/standards/sist/25e0db50-fl a5-4351-b99ce391b2fa0d10/sist-en-iso-10993-7-2009

INTERNATIONAL STANDARD

ISO 10993-7

Second edition 2008-10-15

Biological evaluation of medical devices —

Part 7: **Ethylene oxide sterilization residuals**

Évaluation biologique des dispositifs médicaux **iTeh STPartie 7: Résidus de stérilisation à l'oxyde d'éthylène (standards.iteh.ai)**

SIST EN ISO 10993-7:2009 https://standards.iteh.ai/catalog/standards/sist/25e0db50-fla5-4351-b99ce391b2fa0d10/sist-en-iso-10993-7-2009



Reference number ISO 10993-7:2008(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 10993-7:2009 https://standards.iteh.ai/catalog/standards/sist/25e0db50-fla5-4351-b99ce391b2fa0d10/sist-en-iso-10993-7-2009



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Forewo	ord	iv
Introdu	uction	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4 4.1 4.2 4.3 4.4	Requirements General Categorization of devices Allowable limits Determination of EO and ECH residuals	2 2 3
5 5.1 5.2 5.3	Product release General Release of products without dissipation curve data Procedure for product release using residue dissipation curves	10 10
Annex	A (normative) Evaluation of gas chromatograms	12
Annex	B (informative) Gas chromatographic determination for EO and ECH C (informative) Flowchart and guidance for the application of this part of ISO 10993 series of standards to the determination of EO and ECH residuals in medical devices	15
Annex	D (informative) Factors influencing product residual b50-fla5-435 +-b99c-	26
	E (informative) Extraction conditions for determination of residual EO	
Annex	F (informative) Rationale for the provisions of this part of ISO 10993	29
Annex	G (informative) Establishment of allowable limits for EO	33
Annex	H (informative) Establishment of allowable limits for ECH	50
Annex	I (informative) Establishment of allowable limits for EG	59
Annex	J (informative) Preparation of EO and ECH standards	63
	K (informative) Ethylene oxide residue measuring methods	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10993-7 was prepared by Technical Committee ISO/TC 194, Biological evaluation of medical devices.

This second edition cancels and replaces the first edition (ISO 10993-7:1995) which has been technically revised.

ISO 10993 consists of the following parts, under the general title *Biological evaluation of medical devices*:

- Part 1: Evaluation and testing within a risk management system https://standards.iteh.ai/catalog/standards/sist/25e0db50-fla5-4351-b99c-
- Part 2: Animal welfare requirements e^{391b2fa0d10/sist-en-iso-10993-7-2009}
- Part 3: Tests for genotoxicity, carcinogenicity and reproductive toxicity
- Part 4: Selection of tests for interactions with blood
- Part 5: Tests for in vitro cytotoxicity
- Part 6: Tests for local effects after implantation
- Part 7: Ethylene oxide sterilization residuals
- Part 9: Framework for identification and quantification of potential degradation products
- Part 10: Tests for irritation and skin sensitization
- Part 11: Tests for systemic toxicity
- Part 12: Sample preparation and reference materials
- Part 13: Identification and quantification of degradation products from polymeric medical devices
- Part 14: Identification and quantification of degradation products from ceramics
- Part 15: Identification and quantification of degradation products from metals and alloys

- Part 16: Toxicokinetic study design for degradation products and leachables
- Part 17: Establishment of allowable limits for leachable substances
- Part 18: Chemical characterization of materials
- Part 19: Physico-chemical, morphological and topographical characterization of materials [Technical Specification]
- Part 20: Principles and methods for immunotoxicology testing of medical devices [Technical Specification]

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 10993-7:2009</u> https://standards.iteh.ai/catalog/standards/sist/25e0db50-f1a5-4351-b99ce391b2fa0d10/sist-en-iso-10993-7-2009

Introduction

Requirements for the development, validation and routine control of an ethylene oxide sterilization process for medical devices are given in International Standards developed by ISO/TC 198. Certain requirements relating to medical devices for biological testing, selection of tests, and the allocation of devices to categories are dealt with in a variety of International Standards developed by ISO/TC 194. The specific requirement for ethylene oxide and other sterilization process residuals was referred to ISO/TC 194. Other International Standards delineate particular requirements for biological testing for specific products.

As noted in the introduction to ISO 11135-1:2007, when determining the suitability of ethylene oxide (EO) for sterilization of medical devices, it is important to ensure that the levels of residual EO, ethylene chlorohydrin (ECH) and ethylene glycol (EG) pose a minimal risk to the patient in normal product use. Therefore, it is important that the use of alternative materials and sterilization processes be considered during product design and development. EO is known to exhibit a number of biological effects. In the development of this part of ISO 10993, consideration was given to these effects, which include irritation, organ damage, mutagenicity and carcinogenicity in humans and animals, and reproductive effects in animals. Similar consideration was given to the harmful effects of ECH and EG. In practice, for most devices, exposure to EO and ECH is considerably lower than the maximum values specified in this part of ISO 10993.

Moreover, when the choice for EO sterilization has been made, irrespective of the provisions of this part of ISO 10993, exposure to EO residues should be minimized. Requirements herein are in addition to the biological evaluation and testing requirements for each individually designed medical device as indicated in ISO 10993-1. The biological evaluation and testing requirements, combined with the EO-sterilization process residue limits, form the justification that an EO-sterilized device is acceptable for use. Maximum allowable residues for ethylene chlorohydrin (ECH), when ECH has been found to be present in medical devices sterilized with EO, are also specified. Local effects (e.g., irritation) have been considered and are incorporated in the tolerable contact limit (TCL) as given in (413.5.2 and Annex G for EO, and in 413.5.3 and Annex H for ECH.

Biological evaluation of medical devices —

Part 7: **Ethylene oxide sterilization residuals**

1 Scope

This part of ISO 10993 specifies allowable limits for residual ethylene oxide (EO) and ethylene chlorohydrin (ECH) in individual EO-sterilized medical devices, procedures for the measurement of EO and ECH, and methods for determining compliance so that devices may be released. Additional background, including guidance and a flowchart showing how this document is applied, are also included in the informative annexes.

EO-sterilized devices that have no patient contact (e.g., *in vitro* diagnostic devices) are not covered by this part of ISO 10993.

NOTE This part of ISO 10993 does not specify limits for ethylene glycol (EG).

2 Normative references STANDARD PREVIEW

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. ISO 10993-7:2009

https://standards.iteh.ai/catalog/standards/sist/25e0db50-fla5-4351-b99c-

ISO 10993-1:—¹⁾, Biological evaluation of medical devices <u>7-2</u> Part 1: Evaluation and testing within a risk management process

ISO 10993-3, Biological evaluation of medical devices — Part 3: Tests for genotoxicity, carcinogenicity and reproductive toxicity

ISO 10993-10, Biological evaluation of medical devices — Part 10: Tests for irritation and delayed-type hypersensitivity

ISO 10993-12, Biological evaluation of medical devices — Part 12: Sample preparation and reference materials

ISO 10993-17:2002, Biological evaluation of medical devices — Part 17: Establishment of allowable limits for leachable substances

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 10993-1, ISO 10993-17 and the following apply.

3.1

simulated-use extraction

extraction to demonstrate compliance with the requirements of this part of ISO 10993, by evaluating residue levels available to the patient or user from devices during the routine use of a device with water extraction to simulate product use

¹⁾ To be published. (Revision of ISO 10993-1:2003)