



Designation: D4608 – 89 (Reapproved 2017)

Standard Test Method for Citrate in Detergents¹

This standard is issued under the fixed designation D4608; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This test method covers a potentiometric titration procedure for the determination of citrate in liquid and powder detergents.

1.2 The values stated in SI units are to be regarded as standard. No other units of measurement are included in this standard.

1.3 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.* Material Safety Data Sheets are available for reagents and materials. Review them for hazards prior to usage. Specific safety precautions are given in Section 8.

2. Referenced Documents

2.1 *ASTM Standards:*²

E70 Test Method for pH of Aqueous Solutions With the Glass Electrode

E180 Practice for Determining the Precision of ASTM Methods for Analysis and Testing of Industrial and Specialty Chemicals (Withdrawn 2009)³

3. Summary of Test Method

3.1 The sample is titrated in an aqueous solution buffered at pH 8.5, with standard copper sulfate solution. The endpoint is detected potentiometrically using a copper ion selective electrode. The citrate content is calculated from the amount of standard copper sulfate solution consumed.

¹ This test method is under the jurisdiction of ASTM Committee D12 on Soaps and Other Detergents and is the direct responsibility of Subcommittee D12.12 on Analysis and Specifications of Soaps, Synthetics, Detergents and their Components.

Current edition approved Jan. 1, 2017. Published February 2017. Originally approved in 1986. Last previous edition approved in 2009 as D4608 – 89(2009). DOI: 10.1520/D4608-89R17.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

³ The last approved version of this historical standard is referenced on www.astm.org.

4. Significance and Use

4.1 This test method is suitable in research, development, and manufacturing control to monitor the level of citrate, a sequestering agent, in powder and liquid detergents.

4.2 Accurate determination of sequestering agent is important in evaluating cost and performance of detergent products.

5. Interferences

5.1 Other complexing agents such as nitrilotriacetic acid (NTA), ethylenedinitrilotetraacetic acid (EDTA), phosphates, etc. will titrate as citrate in this method. For accurate citrate determinations, such complexing agents must be absent.

6. Apparatus

6.1 *pH Meter*, with millivolt capability.⁴

6.2 *Copper Ion Selective Electrode*.⁵

6.3 *Calomel Reference Electrode*.⁶

6.4 *Glass Electrode Triple Purpose*.⁷

6.5 *Buret*, semi-micro, 25 mL capacity with 0.1 mL graduations.

6.6 *Magnetic Stirrer*, and TFE-fluorocarbon-coated magnetic stirring bars.

7. Reagents

7.1 *Purity of Reagents*—Reagent grade chemicals shall be used in all tests. Unless otherwise indicated, it is intended that all reagents shall conform to specifications of the Committee on Analytical Reagents of the American Chemical Society, where such specifications are available.⁸ Other grades may be used, provided it is first ascertained that the reagent is of

⁴ An automatic titrator may be used.

⁵ Orion Model 94-29A or equivalent has been found suitable for this purpose. Available from Orion Inc.

⁶ Orion Model 90-22 or equivalent has been found suitable for this purpose. Available from Orion Inc.

⁷ Corning Model No. 476022 or equivalent has been found suitable for this purpose. Available from Corning Inc.

⁸ *Reagent Chemicals, American Chemical Society Specifications*, American Chemical Society, Washington, DC. For suggestions on the testing of reagents not listed by the American Chemical Society, see *Analar Standards for Laboratory Chemicals*, BDH Ltd., Poole, Dorset, U.K., and the *United States Pharmacopeia and National Formulary*, U.S. Pharmacopeial Convention, Inc. (USPC), Rockville, MD.