
Akustika - Emisija hrupa naprav in opreme - Merjenje emisijske ravni zvočnega tlaka na mestu delovanja in na drugih opredeljenih mestih - Informativna metoda na mestu vgradnje (ISO 11202:1995)

Acoustics - Noise emitted by machinery and equipment - Measurement of emission sound pressure levels at a work station and at other specified positions - Survey method in situ (ISO 11202:1995)

iTeh STANDARD PREVIEW

Akustik - Geräuschabstrahlung von Maschinen und Geräten - Messung von Emissions-Schalldruckpegeln am Arbeitsplatz und an anderen festgelegten Orten - Verfahren der Genauigkeitsklasse 3 für Messungen unter Einsatzbedingungen (ISO 11202:1995)

[SIST EN ISO 11202:1997](https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-11202-1997)

<https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-11202-1997>

Acoustique - Bruit émis par les machines et équipements - Mesurage des niveaux de pression acoustique d'émission au poste de travail et en d'autres positions spécifiées - Méthode de contrôle in situ (ISO 11202:1995)

Ta slovenski standard je istoveten z: EN ISO 11202:1995

ICS:

17.140.20	Emisija hrupa naprav in opreme	Noise emitted by machines and equipment
-----------	--------------------------------	---

SIST EN ISO 11202:1997

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 11202:1997](#)

<https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-11928ca1d3ce/sist-en-iso-11202-1997>

EUROPEAN STANDARD

EN ISO 11202

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 1995

ICS 17.140.00

Descriptors: acoustics, operating stations, human factors engineering, noise : sound, engine noise, acoustic measurements, sound pressure, level quantity, field tests

English version

Acoustics - Noise emitted by machinery and equipment - Measurement of emission sound pressure levels at a work station and at other specified positions - Survey method in situ (ISO 11202:1995)

Acoustique - Bruit émis par les machines et équipements - Mesurage des niveaux de pression acoustique d'émission au poste de travail et en d'autres positions spécifiées - Méthode de contrôle in situ (ISO 11202:1995)

Akustik - Geräuschabstrahlung von Maschinen und Geräten - Messung von Emissions-Schalldruckpegeln am Arbeitsplatz und an anderen festgelegten Orten Verfahren der Genauigkeitsklasse 3 für Messungen unter Einsatzbedingungen (ISO 11202:1995)

STANDARD PREVIEW
<https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-11928ca1d3ce/sist-en-iso-11202-1997>

This European Standard was approved by CEN on 1995-11-21. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
 Comité Européen de Normalisation
 Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

© 1995

All rights of reproduction and communication in any form and by any means reserved in all countries to CEN and its members.

Ref. No. EN ISO 11202:1995 E

Page 2
EN 11202:1995

Foreword

The text of the International Standard ISO 11202:1995 has been prepared by the Technical Committee ISO/TC 43 "Acoustics" in collaboration with the Technical Committee CEN/TC 211 "Acoustics".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 1996, and conflicting national standards shall be withdrawn at the latest by June 1996.

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

According to the CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Endorsement notice

SIST EN ISO 11202:1997

<https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-11928ca1d5cc/sist-en-iso-11202-1997>

The text of the International Standard ISO 11202:1995 was approved by CEN as a European Standard without any modification.

MODIFIED**Foreword**

The text of the International Standard ISO 11202:1995 has been prepared by Technical Committee ISO/TC 43 "Acoustics" in collaboration with Technical Committee CEN/TC 211 "Acoustics", the secretariat of which is held by DS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 1996, and conflicting national standards shall be withdrawn at the latest by June 1996.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of the International Standard ISO 11202:1995 was approved by CEN as a European Standard without any modification.

[https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-](https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-11928ca1d3ce/sist-en-iso-11202-1997)

NOTE: Normative references to International Standards are listed in annex ZA (normative).

Annex ZA (normative)
Normative references to international publications
with their relevant European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN</u>	<u>Year</u>
ISO 3744	1994	Acoustics - Determination of sound power levels of noise sources using sound pressure - Engineering method in an essentially free field over a reflecting plane	EN ISO 3744	1995
ISO 3746	1995	Acoustics - Determination of sound power levels of noise sources using sound pressure - Survey method using an enveloping measurement surface over a reflecting plane	EN ISO 3746	1995
ISO 11200	1995	Acoustics - Noise emitted by machinery and equipment - Guidelines for the use of basic standards for the determination of emission sound pressure levels at a work station and at other specified positions	EN ISO 11200	1995

SIST EN ISO 11202:1997
<https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-11928ca1d3ce/sist-en-iso-11202-1997>

INTERNATIONAL
STANDARD

ISO
11202

First edition
1995-12-15

**Acoustics — Noise emitted by machinery
and equipment — Measurement of
emission sound pressure levels at a work
station and at other specified positions —
Survey method *in situ***

<https://standards.iteh.ai/catalog/standards/sist/9c12175d-879c-4ed7-baa1-1125ca10cc58/sist-iso-11202-1997>
*Acoustique — Bruit émis par les machines et équipements — Mesurage
des niveaux de pression acoustique d'émission au poste de travail et en
d'autres positions spécifiées — Méthode de contrôle in situ*

INTERNATIONAL

ISO



Reference number
ISO 11202:1995(E)

ISO 11202:1995(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 11202 was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*.

Annex A forms an integral part of this International Standard. Annexes B, C and D are for information only.

© ISO 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Introduction

0.1 This International Standard specifies a method for measuring the emission sound pressure levels at a work station and at other specified positions in the vicinity of a machine or piece of equipment. The method specified in this International Standard follows the method specified in ISO 11201 (engineering method), except for the following:

- a) measurements are permitted *in situ*; and
- b) a simplified method is specified for determining a local environmental correction which yields results approximating those obtained in a free field over a reflecting plane. This correction is used to derive the emission sound pressure levels at specified positions, including work stations. The results are limited to the survey grade of accuracy.

0.2 This International Standard is one of a series (ISO 11200 to ISO 11204) which specifies various methods for determining the noise emissions of a piece of machinery or equipment, or a sub-assembly of such equipment (machine under test). ISO 11200 gives guidance on the choice of the method to be used to determine the emission sound pressure levels of machinery and equipment. It also gives details of International Standards giving methods for the determination of sound power levels.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST EN ISO 11202:1997
<https://standards.iteh.ai/catalog/standards/sist/6c12f33a-870c-41ed-abaa-11978ca1d3e3/sist-en-iso-11202-1997>

iTeh STANDARD PREVIEW
This page intentionally left blank
(standards.iteh.ai)

[SIST EN ISO 11202:1997](https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-11928ca1d3ce/sist-en-iso-11202-1997)

<https://standards.iteh.ai/catalog/standards/sist/5c12f35a-876c-4fed-abaa-11928ca1d3ce/sist-en-iso-11202-1997>

Acoustics — Noise emitted by machinery and equipment — Measurement of emission sound pressure levels at a work station and at other specified positions — Survey method *in situ*

1 Scope

1.1 General

This International Standard specifies a method for measuring the emission sound pressure levels of machinery and equipment, at a work station and at other specified positions nearby, in a semi-reverberant field. Emission sound pressure level are measured as A-weighted and, if required, C-weighted peak.

NOTE 1 The contents of this and related International Standards are summarized in table 1 of ISO 11200:1995.

A method is given for determining a local environment correction (subject to a specified limiting maximum value) to be applied to the measured sound pressure levels in order to exclude at least part of the effects of reflections from reflecting surfaces other than the plane on which the machinery or equipment is placed. This correction is based on the equivalent sound absorption area of the test room.

A work station is occupied by an operator. It may be located in open space in the room where the source operates, or in a cab fixed to the source, or in an enclosure remote from the source. One or more specified positions may be located in the vicinity of an attended or unattended machine. Such positions are sometimes referred to as bystander positions.

This International Standard specifies requirements for the survey grade of accuracy on the test environment and instrumentation. Instructions are given for the installation and operation of the machine under test and for the choice of microphone positions for the work

station and for other specified positions. The purpose of the measurements is to permit comparison of the performance of different units of a given family of machinery or equipment, under defined environmental conditions and standardized mounting and operating conditions. The data obtained may also be used for the declaration and verification of emission sound pressure levels as specified in ISO 4871.

NOTE 2 At any given position in relation to a particular machine, and for given mounting and operating conditions, the emission sound pressure levels determined by the method of this International Standard will in general be lower than the directly measured sound pressure levels for the same machine in the typical workroom where it is used. This is due to reverberation and the contributions of other machines. A method of calculating the sound pressure levels in the vicinity of a machine operating alone in a workroom is given in ISO 11690-3. Commonly observed differences are 1 dB to 5 dB, but in extreme cases the difference may be even greater.

1.2 Types of noise and noise sources

The method specified in this International Standard is applicable to all types of machinery, both moving and stationary, for indoor or outdoor use.

The method is applicable to machines of all sizes, and to all types of noise as defined in ISO 2204 and ISO 12001.

1.3 Test environment

The method is applicable to an indoor or outdoor environment with one or more reflecting planes present, meeting specified requirements.

1.4 Specified positions

This International Standard is applicable to work stations and other specified positions where emission sound pressure levels are to be measured.

Examples of appropriate positions where measurements may be made include the following:

- a) work station located in the vicinity of the machine under test; this is the case for many industrial machines and domestic appliances;
- b) work station within a cab which is an integral part of the machine under test; this is the case for many industrial trucks and earth-moving machines;
- c) work station within a partial or total enclosure (or behind a screen) supplied by the manufacturer as an integral part of the machinery or equipment;
- d) work station partially or totally enclosed by the machine under test; this situation may be encountered with some large industrial machines;
- e) bystander positions occupied by individuals not responsible for the operation of the machine under test, but who may be in its immediate vicinity, either occasionally or continuously;
- f) other specified positions, not necessarily work stations or bystander positions.

The work station may also lie on a specified path along which an operator moves (see 11.4).

1.5 Measurement uncertainty

While it is not possible to give universal values for the standard deviation of reproducibility of emission sound pressure levels at work stations, guidance is given in clause 4.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

1) To be published.

Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 2204:1979, *Acoustics — Guide to International Standards on the measurement of airborne acoustical noise and evaluation of its effects on human beings*.

ISO 3744:1994, *Acoustics — Determination of sound power levels of noise sources using sound pressure — Engineering method in an essentially free field over a reflecting plane*.

ISO 3746:1995, *Acoustics — Determination of sound power levels of noise sources using sound pressure — Survey method using an enveloping measurement surface over a reflecting plane*.

ISO 11200:1995, *Acoustics — Noise emitted by machinery and equipment — Guidelines for the use of basic standards for the determination of emission sound pressure levels at a work station and at other specified positions*.

ISO 12001:—¹⁾, *Acoustics — Noise emitted by machinery and equipment — Rules for the drafting and presentation of a noise test code*.

IEC 651:1979, *Sound level meters*.

IEC 804:1985, *Integrating-averaging sound level meters*.

IEC 942:1988, *Sound calibrators*.

3 Definitions

For the purposes of this International Standard, the following definitions apply. More detailed definitions may be found in noise test codes for specific types of machinery and equipment.

3.1 emission: Airborne sound radiated by a well-defined noise source (e.g. the machine under test).

NOTE 3 Noise emission descriptors may be incorporated in a product label and/or product specification. The basic noise emission descriptors are the sound power level of the source itself and the emission sound pressure levels at a work station and/or at other specified positions (if any) in the vicinity of the source.

3.2 emission sound pressure, p : The sound pressure, at a specified position near a noise source, when the source is in operation under specified operating and mounting conditions on a reflecting plane surface, excluding the effects of background noise as well as