



Designation: **D841 – 17** **D841 – 17a**

Standard Specification for Nitration Grade Toluene¹

This standard is issued under the fixed designation D841; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reappraisal. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reappraisal.

1. Scope

1.1 This specification covers nitration grade toluene.

1.2 The following applies to all specified limits in this standard specification: for purposes of determining conformance with this standard specification, an observed value or a calculated value shall be rounded off “to the nearest unit” in the last right-hand digit used in expressing the specification limit, in accordance with the rounding-off method of Practice [E29](#).

1.3 The values stated in SI units are to be regarded as standard. No other units of measurement are included in this standard.

1.4 Consult current OSHA regulations, supplier’s Safety Data Sheets, and local regulations for all materials used in this specification.

1.5 *This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.*

2. Referenced Documents

2.1 *ASTM Standards:*²

[D848](#) Test Method for Acid Wash Color of Industrial Aromatic Hydrocarbons

[D849](#) Test Method for Copper Strip Corrosion by Industrial Aromatic Hydrocarbons

~~[D2360](#) Test Method for Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography (Withdrawn 2016)~~³

[D3437](#) Practice for Sampling and Handling Liquid Cyclic Products

[D5386](#) Test Method for Color of Liquids Using Tristimulus Colorimetry

[D7504](#) Test Method for Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and Effective Carbon Number

[E29](#) Practice for Using Significant Digits in Test Data to Determine Conformance with Specifications

[E2680](#) Test Method for Appearance of Clear, Transparent Liquids (Visual Inspection Procedure) [295/astm-d841-17a](#)

2.2 *Federal Specification:*³

[PPP-C-2020](#) Packaging of Chemicals, Liquid, Dry, and Paste

2.3 *Other Document:*

[OSHA Regulations, 29 CFR paragraphs 1910.1000 and 1910.1200](#)⁴

¹ This specification is under the jurisdiction of ASTM Committee [D16](#) on Aromatic, Industrial, Specialty and Related Chemicals and is the direct responsibility of Subcommittee [D16.01](#) on Benzene, Toluene, Xylenes, Cyclohexane and Their Derivatives.

Current edition approved ~~June 1, 2017~~ July 1, 2017. Published ~~June 1, 2017~~ September 2017. Originally approved in 1945. Last previous edition approved in ~~2013~~ 2017 as ~~D841 – 13~~ D841 – 17. DOI: ~~10.1520/D0841-17~~ 10.1520/D0841-17a.

² For referenced ASTM standards, visit the ASTM website, [www.astm.org](#), or contact ASTM Customer Service at [service@astm.org](#). For *Annual Book of ASTM Standards* volume information, refer to the standard’s Document Summary page on the ASTM website.

³ Available from DLA Document Services, Building 4/D, 700 Robbins Ave., Philadelphia, PA 19111-5094, [http://quicksearch.dla.mil](#).

⁴ Available from U.S. Government Printing Office Superintendent of Documents, 732 N. Capitol St., NW, Mail Stop: SDE, Washington, DC 20401, [http://www.access.gpo.gov](#).