



# SLOVENSKI STANDARD

## SIST ETS 300 607-1 E15:2005

01-februar-2005

---

8 [[ ]HJb]`WV] b]`hY`Y\_ca i b]\_UW`g\_]`g]ghYa `fZUnU&L!`GdYVWZ\_UW`Ug\_`UXbcghj  
a cV]`bY`dcgHUY`fA GL!`%`XY.`GdYVWZ\_UW`Ug\_`UXbcghj`fj GA`%`%`\$!`%`zfUn`] ]WU  
( "&, "%L

Digital cellular telecommunications system (Phase 2) (GSM); Mobile Station (MS) conformance specification; Part 1: Conformance specification; (GSM 11.10-1 version 4.28.1)

### iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 607-1 E15:2005](https://standards.iteh.ai/catalog/standards/sist/fbdb42c9-01f2-4375-97d2-492c1102dadf/sist-ets-300-607-1-e15-2005)

<https://standards.iteh.ai/catalog/standards/sist/fbdb42c9-01f2-4375-97d2-492c1102dadf/sist-ets-300-607-1-e15-2005>

Ta slovenski standard je istoveten z: **ETS 300 607-1 Edition 15**

---

#### **ICS:**

33.070.50	Globalni sistem za mobilno telekomunikacijo (GSM)	Global System for Mobile Communication (GSM)
-----------	---	--


**SIST ETS 300 607-1 E15:2005**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 607-1 E15:2005](https://standards.iteh.ai/catalog/standards/sist/fbdb42c9-01f2-4375-97d2-492c1102dadf/sist-ets-300-607-1-e15-2005)

<https://standards.iteh.ai/catalog/standards/sist/fbdb42c9-01f2-4375-97d2-492c1102dadf/sist-ets-300-607-1-e15-2005>



**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 607-1**

August 2000

Fifteenth Edition

Source: SMG

Reference: RE/SMG-071110PRD-1

ICS: 33.020

**Key words:** Digital cellular telecommunications system, Global System for Mobile communications (GSM)



GLOBAL SYSTEM FOR  
MOBILE COMMUNICATIONS

**Digital cellular telecommunications system (Phase 2);  
Mobile Station (MS) conformance specification;  
Part 1: Conformance specification;  
(GSM 11.10-1 version 4.28.1)**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**Internet:** secretariat@etsi.fr - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000. All rights reserved.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 607-1 E15:2005](https://standards.iteh.ai/catalog/standards/sist/fbdb42c9-01f2-4375-97d2-492c1102dadf/sist-ets-300-607-1-e15-2005)

<https://standards.iteh.ai/catalog/standards/sist/fbdb42c9-01f2-4375-97d2-492c1102dadf/sist-ets-300-607-1-e15-2005>

## Contents

Foreword .....	25
1 Scope .....	27
2 Normative references .....	27
3 Definitions, conventions, and applicability .....	33
3.1 Mobile station definition and configurations .....	33
3.2 Applicability .....	33
3.2.1 Applicability of this specification .....	33
3.2.2 Applicability of the individual tests .....	34
3.2.3 Applicability to terminal equipment .....	55
3.3 Definitions .....	56
3.4 Conventions for mathematical notations .....	56
3.4.1 Mathematical signs .....	56
3.4.2 Powers to the base 10 .....	56
3.5 Conventions on electrical terms .....	56
3.5.1 Radio Frequency (RF) input signal level .....	56
3.5.2 Reference sensitivity level .....	57
3.5.3 Power level of fading signal .....	57
3.6 Terms on test conditions .....	57
3.6.1 Radio test conditions .....	57
4 Test Equipment .....	58
4.1 Terms used to describe test equipment in this ETS .....	58
4.2 Functional requirements of test equipment .....	58
5 Testing methodology in general (layers 1, 2, and 3) .....	58
5.1 Testing of optional functions and procedures .....	58
5.2 Test interfaces and facilities .....	58
5.3 Different protocol layers .....	59
5.4 Information to be provided by the apparatus supplier .....	59
5.5 Definitions of transmit and receive times .....	59
6 Reference test methods .....	60
6.1 General .....	60
6.2 Choice of frequencies in the frequency hopping mode .....	60
6.3 "Ideal" radio conditions .....	60
6.4 Standard test signals .....	60
6.5 Power (control) levels .....	60
7 Implicit testing .....	61
8 Measurement uncertainty .....	61
9 Format of tests .....	61
10 Generic call set up procedures .....	62
10.1 Generic call set-up procedure for mobile terminating speech calls .....	62
10.2 Generic call set-up procedure for mobile originating speech calls .....	67
10.3 Generic call set-up procedure for mobile terminating data calls .....	70
10.4 Generic call set-up procedure for mobile originating data calls .....	73
11 General tests .....	77
11.1 Verification of support and non-support of services (multiple numbering scheme or ISDN) .....	77

11.1.1	Mobile Terminated (MT) calls .....	77
11.1.2	Mobile Originated (MO) calls .....	78
11.2	Verification of support of the single numbering scheme .....	79
11.3	Verification of non-support of services (Advice of Charge Charging (AoCC)) .....	80
11.4	Verification of non-support of services (call hold) .....	81
11.5	Verification of non-support of services (multiparty) .....	82
11.6	Verification of non-support of feature (Fixed Dialling Number (FDN)) .....	83
11.7	IMEI Security .....	84
11.8	Coding of the Bearer Capability information element .....	85
11.8.1	Network to MS Direction .....	86
11.8.1.1	BS 21 to 26 - Asynchronous Service .....	86
11.8.1.1.1	BS 21 .....	86
11.8.1.1.2	BS 22 .....	90
11.8.1.1.3	BS 24 .....	90
11.8.1.1.4	BS 25 .....	90
11.8.1.1.5	BS 26 .....	90
11.8.1.1.6	BS 23 .....	90
11.8.1.2	BS 31 to 34 - Synchronous Service .....	91
11.8.1.2.1	BS 32 .....	91
11.8.1.2.2	BS 31 .....	95
11.8.1.2.3	BS 33 .....	96
11.8.1.2.4	BS 34 .....	96
11.8.1.3	BS 61 - Alternate Speech / Data .....	96
11.8.1.3.1	Speech/Asynchronous Data, Transparent .....	97
11.8.1.3.2	Speech/Asynchronous Data, Non Transparent .....	99
11.8.1.3.3	Speech/Synchronous Data .....	101
11.8.1.4	BS 81 - Speech followed by Data .....	102
11.8.1.4.1	Speech followed by Asynchronous Data .....	102
11.8.1.4.2	Speech followed by Synchronous Data .....	102
11.8.1.5	TS 61 - Alternate Speech / Facsimile group 3 .....	102
11.8.1.5.1	TS 61 - Alternate Speech / Facsimile group 3, Transparent .....	103
11.8.1.5.2	TS 61 - Alternate Speech / Facsimile group 3, Non-Transparent .....	104
11.8.1.6	TS 62 - Automatic Facsimile group 3 .....	105
11.8.2	MS to SS direction .....	105
11.8.2.1	BS 21 to 26 - Asynchronous Service .....	105
11.8.2.1.1	BS 21 .....	106
11.8.2.1.2	BS 22 .....	110
11.8.2.1.3	BS 24 .....	110
11.8.2.1.4	BS 25 .....	110
11.8.2.1.5	BS 26 .....	110
11.8.2.1.6	BS 23 .....	110
11.8.2.2	BS 31 to 34 - Synchronous Service .....	111
11.8.2.2.1	BS 32 .....	111
11.8.2.2.2	BS 31 .....	115
11.8.2.2.3	BS 33 .....	116
11.8.2.2.4	BS 34 .....	116
11.8.2.3	BS 41 to 46 - PAD Access Asynchronous .....	117
11.8.2.3.1	<sup>2)</sup> BS 41 .....	117
11.8.2.3.2	BS 42 .....	118
11.8.2.3.3	BS 44 .....	119
11.8.2.3.4	BS 45 .....	119
11.8.2.3.5	BS 46 .....	119
11.8.2.3.6	BS 43 .....	119
11.8.2.4	BS 51 to 53 - Packet Service Synchronous .....	120
11.8.2.4.1	<sup>2)</sup> BS 51 .....	120
11.8.2.4.2	BS 52 .....	120
11.8.2.4.3	BS 53 .....	120

## ETS 300 607-1 (GSM 11.10-1 version 4.28.1): August 2000

11.8.2.5	BS 61 - Alternate Speech / Data .....	121
11.8.2.5.1	Speech/Asynchronous Data, Transparent.....	121
11.8.2.5.2	Speech/Asynchronous Data, Non Transparent.....	124
11.8.2.5.3	Speech/Synchronous Data.....	126
11.8.2.6	BS 81 - Speech followed by Data.....	127
11.8.2.6.1	Speech followed by Asynchronous Data .....	127
11.8.2.6.2	Speech followed by Synchronous Data .....	127
11.8.2.7	TS 61 - Alternate Speech / Facsimile group 3.....	127
11.8.2.7.1	TS 61 - Alternate Speech / Facsimile group 3, Transparent .....	128
11.8.2.7.2	TS 61 - Alternate Speech / Facsimile group 3, Non Transparent.....	129
11.8.2.8	TS 62 - Automatic Facsimile group 3 .....	130
11.8.2.9	TS 11 and TS 12- Speech .....	130
11.8.2.9.1	Support of only full/half rate speech version 1 .....	130
11.8.2.9.2	Support of speech full rate version 2 (Enhanced Full Rate).....	130
12	Transceiver.....	132
12.1	Conducted spurious emissions.....	132
12.1.1	MS allocated a channel.....	132
12.1.2	MS in idle mode.....	133
12.2	Radiated spurious emissions.....	135
12.2.1	MS allocated a channel.....	135
12.2.2	MS in idle mode.....	137
13	Transmitter.....	140
13.1	Frequency error and phase error.....	140
13.2	Frequency error under multipath and interference conditions.....	143
13.3	Transmitter output power and burst timing.....	145
13.4	Output RF spectrum .....	152
13.5	Intermodulation attenuation .....	158
14	Receiver.....	160
14.1	Bad frame indication .....	166
14.1.1	Bad frame indication - TCH/FS .....	166
14.1.1.1	Bad frame indication - TCH/FS - Random RF input.....	166
14.1.1.2	Bad frame indication - TCH/FS - Frequency hopping and downlink DTX.....	167
14.1.2	Bad frame indication - TCH/HS.....	168
14.1.2.1	Bad frame indication - TCH/HS - Random RF input.....	168
14.1.2.2	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX.....	169
14.1.3	Bad frame indication - TCH/FS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network .....	170
14.1.4	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network .....	172
14.2	Reference sensitivity.....	175
14.2.1	Reference sensitivity - TCH/FS.....	175
14.2.2	Reference sensitivity - TCH/HS (Speech frames).....	177
14.2.3	Reference sensitivity - FACCH/F.....	180
14.2.4	Reference sensitivity - FACCH/H.....	181
14.2.5	Reference sensitivity - full rate data channels .....	182
14.2.6	Reference sensitivity - half rate data channels .....	183
14.2.7	Reference sensitivity - TCH/EFS .....	184
14.3	Usable receiver input level range .....	186
14.4	Co-channel rejection.....	187
14.4.1	Co-channel rejection - TCH/FS.....	187

14.4.2	Co-channel rejection - TCH/HS .....	189
14.4.3	Co-channel rejection - TCH/HS (SID frames) .....	191
14.4.4	Co-channel rejection - FACCH/F .....	193
14.4.5	Co-channel rejection - FACCH/H .....	194
14.4.6	Co-channel rejection - TCH/EFS .....	195
14.5	Adjacent channel rejection .....	196
14.5.1	Adjacent channel rejection - speech channels .....	196
14.5.2	Adjacent channel rejection - control channels .....	199
14.6	Intermodulation rejection .....	201
14.6.1	Intermodulation rejection - speech channels .....	201
14.6.2	Intermodulation rejection - control channels .....	203
14.7	Blocking and spurious response .....	204
14.7.1	Blocking and spurious response - speech channels .....	204
14.7.2	Blocking and spurious response - control channels .....	207
14.8	AM suppression .....	211
14.8.1	AM suppression - speech channels .....	211
14.8.2	AM suppression - control channels .....	212
14.9	Paging performance at high input levels .....	214
15	Timing advance and absolute delay .....	216
16	Reception time tracking speed .....	218
17	Access times during handover .....	220
17.1	Intra cell channel change .....	220
17.2	Inter cell handover .....	222
18	Temporary reception gaps .....	225
19	Channel release after unrecoverable errors .....	227
19.1	Channel release after unrecoverable errors - 1 .....	227
19.2	Channel release after unrecoverable errors - 2 .....	228
19.3	Channel release after unrecoverable errors - 3 .....	229
20	Cell selection and reselection .....	231
20.1	Cell selection .....	232
20.2	Cell selection with varying signal strength values .....	234
20.3	Basic cell reselection .....	236
20.4	Cell reselection using TEMPORARY_OFFSET, CELL_RESELECT_OFFSET, POWER_OFFSET and PENALTY_TIME parameters .....	238
20.5	Cell reselection using parameters transmitted in the System Information type 2bis, type 2ter, type 7 and type 8 messages .....	240
20.6	Cell reselection timings .....	242
20.7	Priority of cells .....	244
20.8	Cell reselection when C1 (serving cell) < 0 for 5 seconds .....	245
20.9	Running average of the surrounding cell BCCH carrier signal levels .....	246
20.10	Running average of the serving cell BCCH carrier signal level .....	247
20.11	Updating the list of six strongest neighbour carriers and decoding the BCCH information of a new carrier on the list .....	249
20.12	Decoding the BCCH information of the neighbour carriers on the list of six strongest neighbour carriers .....	250
20.13	Decoding the BSIC of the neighbour carriers on the list of six strongest neighbour carriers .....	251
20.14	Emergency calls .....	252
20.15	Cell reselection due to MS rejection "LA not allowed" .....	253
20.16	Downlink signalling failure .....	255
20.17	Cell selection if no suitable cell found in 10 s .....	256
20.18	Cell reselection due to MS rejection "Roaming not allowed in this LA" .....	257
20.19	Cell selection on release of SDCCH and TCH .....	258
20.20	Multiband cell selection and reselection .....	260
20.20.1	Multiband cell selection and reselection / Cell Selection .....	260
20.20.2	Multiband cell selection and reselection / Cell reselection .....	262

ITeH STANDARD PREVIEW

(standards.iteh.ai)

SVT ETS 300 607-1 E15:2005

<https://standards.iteh.ai/catalog/standards/sist/fdb42c9-01f2-4375-97d2-492c1102dadf/sist-ets-300-607-1-e15-2005>



21	Received signal measurements .....	264
21.1	Signal strength .....	264
21.2	Signal strength selectivity .....	267
21.3	Signal quality under static conditions .....	268
21.3.1	Signal quality under static conditions - TCH/FS .....	268
21.3.2	Signal quality under static conditions - TCH/HS .....	270
21.4	Signal quality under TU50 propagation conditions .....	272
22	Transmit power control timing and confirmation .....	275
23	Single frequency reference .....	276
24	Tests of the layer 1 signalling functions .....	277
25	Tests of the layer 2 signalling functions .....	278
25.1	Introduction, objective and scope .....	278
25.1.1	General .....	278
25.1.2	Test configurations .....	278
25.1.3	Pre-conditions .....	278
25.1.4	Layer 2 test frames .....	279
25.1.5	Establishment of the dedicated physical resource .....	279
25.1.6	Release of the dedicated physical resource .....	280
25.2	Test sequences .....	280
25.2.1	Initialization .....	281
25.2.1.1	Initialization when contention resolution required .....	281
25.2.1.1.1	Normal initialization .....	281
25.2.1.1.2	Initialization failure .....	282
25.2.1.1.3	Initialization denial .....	285
25.2.1.1.4	Total initialization failure .....	286
25.2.1.2	Initialization, contention resolution not required .....	287
25.2.1.2.1	Normal initialization without contention resolution .....	287
25.2.1.2.2	Initialization failure .....	288
25.2.1.2.3	Initialization denial .....	289
25.2.1.2.4	Total initialization failure .....	290
25.2.2	Normal information transfer .....	291
25.2.2.1	Sequence counting and I frame acknowledgements .....	291
25.2.2.2	Receipt of an I frame in the timer recovery state .....	294
25.2.2.3	Segmentation and concatenation .....	296
25.2.3	Normal layer 2 disconnection .....	299
25.2.4	Test of link failure .....	299
25.2.4.1	I frame loss (MS to SS) .....	299
25.2.4.2	RR response frame loss (SS to MS) .....	301
25.2.4.3	RR response frame loss (MS to SS) .....	301
25.2.5	Test of frame transmission with incorrect C/R values .....	302
25.2.5.1	I frame with C bit set to zero .....	302
25.2.5.2	SABM frame with C bit set to zero .....	303
25.2.6	Test of errors in the control field .....	304
25.2.6.1	N(S) sequence error .....	304
25.2.6.2	N(R) sequence error .....	306
25.2.6.3	Improper F bit .....	307
25.2.7	Test on receipt of invalid frames .....	307
26	Testing of layer 3 functions .....	312
26.1	Default conditions and structured sequence of tests .....	312
26.1.1	Default test conditions during layer 3 tests .....	312
26.1.2	Structured sequence of the tests .....	313
26.1.3	General rules for message parameters .....	314
26.1.4	General rules for layer 3 testing .....	314
26.1.5	Format of layer 3 test descriptions .....	314
26.2	Initial tests .....	316
26.2.1	Channel request .....	316
26.2.1.1	Channel request / initial time .....	316

	26.2.1.2	Channel request / repetition time.....	317
	26.2.1.3	Channel request / random reference.....	319
26.2.2		IMSI detach and IMSI attach .....	320
26.2.3		Sequenced MM / CM message transfer.....	324
26.2.4		Establishment cause.....	325
26.3		Test of MS functions in idle mode.....	333
26.3.1		Initial conditions .....	333
26.3.2		MS indication of available PLMNs .....	335
26.3.3		MS will send only if BSS is "on air" .....	336
26.3.4		Manual mode of PLMN selection.....	336
26.4		Lower layer failures in layer 3 testing.....	338
26.4.1		Introduction .....	338
26.4.2		Layer 1 reception failures .....	338
26.4.3		Data link layer failures .....	338
26.4.4		Lower layer failures, used for the tests in clause 25 .....	338
26.5		Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions.....	339
26.5.1		Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown protocol discriminator.....	339
26.5.2		Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / TI and skip indicator .....	340
	26.5.2.1	TI and skip indicator / RR.....	340
	26.5.2.1.1	TI and skip indicator / RR / Idle Mode	340
	26.5.2.1.2	TI and skip indicator / RR / RR-Connection established.....	341
	26.5.2.2	TI and skip indicator / MM.....	342
	26.5.2.3	TI and skip indicator / CC.....	344
26.5.3		Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / undefined or unexpected message type .....	346
	26.5.3.1	Undefined or unexpected message type / undefined message type / CC .....	346
	26.5.3.2	Undefined or unexpected message type / undefined message type / MM.....	347
	26.5.3.3	Undefined or unexpected message type / undefined message type / RR.....	349
	26.5.3.4	Undefined or unexpected message type / unexpected message type / CC .....	350
26.5.4		Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unforeseen information elements in the non-imperative message part .....	351
	26.5.4.1	Unforeseen information elements in the non-imperative message part / duplicated information elements .....	351
26.5.5		Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / non-semantic mandatory IE errors .....	353
	26.5.5.1	Non-semantic mandatory IE errors / RR.....	353
	26.5.5.1.1	Non-semantic mandatory IE errors / RR / missing mandatory IE error.....	353
	26.5.5.1.2	Non-semantic mandatory IE errors / RR / comprehension required .....	355
	26.5.5.2	Non-semantic mandatory IE errors / MM.....	356
	26.5.5.2.1	Non-semantic mandatory IE errors / MM / syntactically incorrect mandatory IE .....	356
	26.5.5.2.2	Non-semantic mandatory IE errors / MM / syntactically incorrect mandatory IE .....	357
	26.5.5.2.3	Non-semantic mandatory IE errors / MM / comprehension required .....	359
	26.5.5.3	Non-semantic mandatory IE errors / CC.....	361
	26.5.5.3.1	Non-semantic mandatory IE errors / CC / missing mandatory IE .....	361
	26.5.5.3.2	Non-semantic mandatory IE errors / CC / comprehension required .....	363

## ETS 300 607-1 (GSM 11.10-1 version 4.28.1): August 2000

26.5.6	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown IE, comprehension not required .....	364
26.5.6.1	Unknown information elements in the non-imperative message part / MM .....	364
26.5.6.1.1	Unknown IE, comprehension not required / MM / IE unknown in the protocol .....	364
26.5.6.1.2	Unknown IE, comprehension not required / MM / IE unknown in the message .....	366
26.5.6.2	Unknown information elements in the non-imperative message part / CC .....	367
26.5.6.2.1	Unknown information elements in the non-imperative message part / CC / Call establishment .....	367
26.5.6.2.2	Unknown information elements in the non-imperative message part / CC / disconnect .....	368
26.5.6.2.3	Unknown information elements in the non-imperative message part / CC / release .....	369
26.5.6.2.4	Unknown information elements in the non-imperative message part / CC / release complete .....	370
26.5.6.3	Unknown IE in the non-imperative message part, comprehension not required / RR .....	371
26.5.7	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / spare bits .....	373
26.5.7.1	Spare bits / RR .....	373
26.5.7.1.1	Spare bits / RR / paging channel .....	373
26.5.7.1.2	Spare bits / RR / BCCH .....	374
26.5.7.1.3	Spare bits / RR / AGCH .....	376
26.5.7.1.4	Spare bits / RR / Connected Mode .....	378
26.5.7.2	Spare bits / MM .....	380
26.5.7.3	Spare bits / CC .....	381
26.5.8	Default contents of messages .....	384
26.6	Test of the elementary procedures for radio resource management .....	387
26.6.1	Immediate assignment .....	387
26.6.1.1	Immediate assignment / SDCCH or TCH assignment .....	387
26.6.1.2	Immediate assignment / extended assignment .....	388
26.6.1.3	Immediate assignment / assignment rejection .....	391
26.6.1.4	Immediate assignment / ignore assignment .....	392
26.6.1.5	Immediate assignment after immediate assignment reject .....	394
26.6.2	Test of paging .....	395
26.6.2.1	Normal paging .....	395
26.6.2.1.1	Paging / normal / type 1 .....	395
26.6.2.1.2	Paging / normal / type 2 .....	398
26.6.2.1.3	Paging / normal / type 3 .....	400
26.6.2.2	Paging / extended .....	401
26.6.2.3	Paging / reorganization .....	405
26.6.2.3.1	Paging / reorganization / procedure 1 .....	405
26.6.2.3.2	Paging / reorganization / procedure 2 .....	408
26.6.2.4	Paging / same as before .....	409
26.6.2.5	Paging / multislot CCCH .....	410
26.6.3	Test of measurement report .....	411
26.6.3.1	Measurement / no neighbours .....	412
26.6.3.2	Measurement / all neighbours present .....	415
26.6.3.3	Measurement / barred cells and non-permitted NCCs .....	419
26.6.3.4	Measurement / DTX .....	424
26.6.3.5	Measurement / Frequency Formats .....	428
26.6.3.6	Measurement / multiband environment .....	432
26.6.4	Test of the channel assignment procedure .....	437
26.6.4.1	Dedicated assignment / successful case .....	437

	26.6.4.2	Dedicated assignment / failure.....	449
	26.6.4.2.1	Dedicated assignment / failure / failure during active state .....	449
	26.6.4.2.2	Dedicated assignment / failure / general case.....	451
26.6.5		Test of handover .....	452
	26.6.5.1	Handover / successful / active call / non-synchronized ....	453
	26.6.5.2	Handover / successful / call under establishment / non- synchronized.....	468
	26.6.5.3	Handover / successful / active call / finely synchronized ..	486
	26.6.5.4	Handover / successful / call under establishment / finely synchronized.....	491
	26.6.5.5	Pre-synchronized handovers .....	501
	26.6.5.5.1	Handover / successful / active call / pre-synchronized / Timing Advance IE not included .....	501
	26.6.5.5.2	Handover / successful / call being established / pre-synchronized / timing advance IE is included / reporting of observed time difference requested. ....	503
	26.6.5.6	Handover / successful / active call / pseudo synchronized	505
	26.6.5.7	Handover / successful / active call / non-synchronized / reporting of observed time difference requested. ....	507
	26.6.5.8	Handover / layer 3 failure.....	508
	26.6.5.9	Handover / layer 1 failure.....	510
26.6.6		Test of frequency redefinition .....	511
	26.6.6.1	Frequency redefinition .....	511
26.6.7		Test of the channel mode modify procedure .....	517
	26.6.7.1	Test of the channel mode modify procedure / full rate ....	517
	26.6.7.2	Test of the channel mode modify procedure / half rate ....	519
26.6.8		Test of ciphering mode setting .....	521
	26.6.8.1	Ciphering mode / start ciphering .....	522
	26.6.8.2	Ciphering mode / no ciphering .....	523
	26.6.8.3	Ciphering mode / old cipher key .....	524
	26.6.8.4	Ciphering mode / change of mode, algorithm and key .....	526
	26.6.8.5	Ciphering mode / IMEISV request .....	534
26.6.9		Test of additional assignment.....	535
26.6.10		Test of partial release .....	535
26.6.11		Test of classmark.....	535
	26.6.11.1	Classmark change .....	535
	26.6.11.2	Classmark interrogation .....	537
26.6.12		Test of channel release .....	539
	26.6.12.1	Channel release / SDCCH .....	539
	26.6.12.2	Channel release / SDCCH - no L2 ACK .....	540
	26.6.12.3	Channel release / TCH-F .....	542
	26.6.12.4	Channel release / TCH-F - no L2 ACK .....	543
26.6.13		Test of starting time .....	544
	26.6.13.1	Dedicated assignment with starting time / successful case / time not elapsed .....	546
	26.6.13.2	Dedicated assignment with starting time / successful case / time elapsed .....	547
	26.6.13.3	Dedicated assignment with starting time and frequency redefinition / failure case / time not elapsed .....	549
	26.6.13.4	Dedicated assignment with starting time and frequency redefinition / failure case / time elapsed .....	552
	26.6.13.5	Handover with starting time / successful case / time not elapsed.....	554
	26.6.13.6	Handover with starting time / successful case / time elapsed.....	556
	26.6.13.7	Handover with starting time and frequency redefinition / failure case / time not elapsed .....	558

## ETS 300 607-1 (GSM 11.10-1 version 4.28.1): August 2000

	26.6.13.8	Handover with starting time and frequency redefinition / failure case / time elapsed.....	561
	26.6.13.9	Immediate assignment with starting time / successful case / time not elapsed.....	563
	26.6.13.10	Immediate assignment with starting time / successful case / time elapsed.....	565
26.6.14		Default contents of GSM 900 layer 3 messages for RR tests.....	567
26.6.15		Default contents of DCS 1 800 layer 3 messages for RR tests .....	578
26.7		Elementary procedures of mobility management .....	590
	26.7.1	TMSI reallocation .....	590
	26.7.2	Authentication.....	593
	26.7.2.1	Authentication accepted .....	593
	26.7.2.2	Authentication rejected .....	594
	26.7.3	Identification .....	597
	26.7.3.1	General Identification.....	597
	26.7.3.2	Handling of IMSI shorter than the maximum length .....	599
	26.7.4	Location updating .....	602
	26.7.4.1	Location updating / accepted.....	602
	26.7.4.2	Location updating / rejected .....	608
	26.7.4.2.1	Location updating / rejected / IMSI invalid.....	608
	26.7.4.2.2	Location updating / rejected / PLMN not allowed.....	611
	26.7.4.2.3	Location updating / rejected / location area not allowed .....	615
	26.7.4.2.4	Location updating / rejected / roaming not allowed in this location area .....	618
	26.7.4.3	Location updating / abnormal cases.....	625
	26.7.4.3.1	Location updating / abnormal cases / random access fails .....	625
	26.7.4.3.2	Location updating / abnormal cases / attempt counter less or equal to 4, LAI different.....	627
	26.7.4.3.3	Location updating / abnormal cases / attempt counter equal to 4 .....	633
	26.7.4.3.4	Location updating / abnormal cases / attempt counter less or equal to 4, stored LAI equal to broadcast LAI .....	641
	26.7.4.4	Location updating / release / expiry of T3240 .....	649
	26.7.4.5	Location updating / periodic.....	650
	26.7.4.5.1	Location updating / periodic spread....	650
	26.7.4.5.2	Location updating / periodic normal / test 1 .....	652
	26.7.4.5.3	Location updating / periodic normal / test 2 .....	654
	26.7.4.5.4	Location updating / periodic HPLMN search .....	657
	26.7.4.6	Location updating / interworking of attach and periodic ....	661
26.7.5		MM connection .....	663
	26.7.5.1	Introduction .....	663
	26.7.5.2	MM connection / establishment with cipher.....	663
	26.7.5.3	MM connection / establishment without cipher.....	665
	26.7.5.4	MM connection / establishment rejected .....	666
	26.7.5.5	MM connection / establishment rejected cause 4 .....	667
	26.7.5.6	MM connection / expiry T3230 .....	668
	26.7.5.7	MM connection / abortion by the network.....	669
	26.7.5.7.1	MM connection / abortion by the network / cause #6.....	669
	26.7.5.7.2	MM connection / abortion by the network / cause not equal to #6.....	672
	26.7.5.8	MM connection / follow-on request pending .....	673
	26.7.5.8.1	MM connection / follow-on request pending / test 1 .....	673

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

SIST ETS 300 607-1 E15:2005

<https://standards.iteh.ai/catalog/standards/sist/bdb42c9-0124-4579-9022-492c1102dadf/sist-ets-300-607-1-e15-2005>

		26.7.5.8.2	MM connection / follow-on request pending / test 2.....	674	
		26.7.5.8.3	MM connection / follow-on request pending / test 3.....	675	
	26.7.6		Default contents of messages .....	677	
26.8			Tests related to circuit switched call control.....	681	
	26.8.1		Circuit switched Call Control (CC) state machine verification .....	681	
		26.8.1.1	General on CC state machine verification .....	681	
		26.8.1.2	Establishment of an outgoing call .....	682	
			26.8.1.2.1	Outgoing call / U0 null state .....	684
			26.8.1.2.2	Outgoing call / U0.1 MM connection pending.....	685
			26.8.1.2.3	Outgoing call / U1 call initiated.....	689
			26.8.1.2.4	Outgoing call / U3 MS originating call proceeding.....	697
			26.8.1.2.5	Outgoing call / U4 call delivered .....	713
			26.8.1.2.6	U10 call active .....	723
			26.8.1.2.7	U11 disconnect request .....	731
			26.8.1.2.8	U12 disconnect indication .....	737
			26.8.1.2.9	Outgoing call / U19 release request... ..	742
		26.8.1.3	Establishment of an incoming call / Initial conditions.....	748	
			26.8.1.3.1	Incoming call / U0 null state .....	751
			26.8.1.3.2.	Incoming call / U6 call present .....	752
			26.8.1.3.3	Incoming call / U9 mobile terminating call confirmed .....	754
			26.8.1.3.4	Incoming call / U7 call received.....	762
			26.8.1.3.5	Incoming call / U8 connect request....	772
		26.8.1.4	In-call functions .....	783	
			26.8.1.4.1	In-call functions / DTMF information transfer .....	783
			26.8.1.4.2	In-call functions / user notification.....	785
			26.8.1.4.3	In-call functions / channel changes....	786
			26.8.1.4.4	In-call functions / MS terminated in- call modification.....	790
			26.8.1.4.5	In-call functions / MS originated in-call modification .....	791
	26.8.2		Call Re-establishment.....	808	
		26.8.2.1	Call Re-establishment/call present, re-establishment allowed .....	808	
		26.8.2.2	Call Re-establishment/call present, re-establishment not allowed .....	810	
		26.8.2.3	Call Re-establishment/call under establishment, transmission stopped .....	811	
	26.8.3		User to user signalling .....	813	
	26.8.4		Default contents of message .....	815	
26.9			Structured procedures.....	822	
	26.9.1		Structured procedures / general .....	822	
	26.9.2		Structured procedures / MS originated call / early assignment.....	823	
	26.9.3		Structured procedures / MS originated call / late assignment.....	825	
	26.9.4		Structured procedures / MS terminated call / early assignment.....	827	
	26.9.5		Structured procedures / MS terminated call / late assignment.....	830	
	26.9.6		Structured procedures / emergency call.....	833	
		26.9.6.1	Structured procedures / emergency call / idle updated ....	833	
			26.9.6.1.1	Structured procedures / emergency call / idle updated / preferred channel rate .....	833
			26.9.6.1.2	Structured procedures / emergency call / idle updated, non-preferred channel rate .....	836
		26.9.6.2	Structured procedures / emergency call / idle, no IMSI....	836	
			26.9.6.2.1	Structured procedures / emergency call / idle, no IMSI / accept case .....	836

## ETS 300 607-1 (GSM 11.10-1 version 4.28.1): August 2000

	26.9.6.2.2	Structured procedures / emergency call / idle, no IMSI / reject case .....	838
26.9.7		Directed Retry / Mobile Originated Call.....	840
26.9.8		Directed Retry / Mobile Terminated Call .....	846
26.9.9		Default contents of messages .....	854
26.10		E-GSM signalling .....	860
	26.10.1	E-GSM signalling / general considerations .....	860
	26.10.2	E-GSM signalling / RR .....	860
		26.10.2.1 E-GSM signalling / RR / Measurement .....	860
		26.10.2.2 E-GSM signalling / RR / Immediate assignment .....	865
		26.10.2.3 E-GSM signalling / RR / channel assignment procedure ..	866
		26.10.2.4 E-GSM signalling / RR / Handover .....	869
		26.10.2.4.1 E-GSM signalling / RR / Handover / Successful handover .....	869
		26.10.2.4.2 E-GSM signalling / RR / Handover / layer 1 failure .....	873
		26.10.2.5 E-GSM signalling / RR / Frequency Redefinition .....	874
26.10.3		E-GSM signalling / Structured procedure.....	876
	26.10.3.1	E-GSM signalling / Structured procedure / Mobile originated call.....	877
	26.10.3.2	E-GSM signalling / Structured procedures / emergency call .....	879
	26.10.3.3	Default contents of messages .....	882
26.10.4		E-GSM signalling / Default message contents.....	882
26.11		Multiband signalling .....	887
	26.11.1	General considerations .....	887
	26.11.2	Multiband signalling / RR .....	887
		26.11.2.1 Multiband signalling / RR / Immediate assignment procedure.....	887
		26.11.2.2 Multiband signalling / RR / Handover .....	889
		26.11.2.2.1 Multiband signalling / RR / Handover / successful / active call / non-synchronized.....	890
		26.11.2.2.2 Multiband signalling / RR / Handover / layer 1 failure .....	894
		26.11.2.2.3 Multiband signalling / RR / Handover / Multiband BCCH / successful / active call / non synchronized. ....	897
		26.11.2.2.4 Multiband signalling / RR / Handover/ Multiband BCCH / Intracell Handover - Interband Assignment.....	900
	26.11.2.3	Multiband signalling / RR / Measurement reporting .....	906
26.11.3		Multiband signalling / MM.....	909
	26.11.3.1	Multiband signalling / MM / Location updating .....	909
		26.11.3.1.1 Location updating / accepted.....	909
		26.11.3.1.2 Location updating / periodic.....	912
26.11.4		Multiband signalling / CC .....	915
26.11.5		Multiband signalling / Structured procedures.....	915
	26.11.5.1	Multiband signalling / Structured procedures / MS originated call / early assignment .....	915
	26.11.5.2	Structured procedures / MS terminated call / late assignment .....	918
26.11.6		Multiband signalling / Default messages contents .....	922
26.12		Enhanced Full Rate signalling .....	927
	26.12.1	EFR signalling/ test of the channel mode modify procedure.....	927
	26.12.2	EFR signalling/ tests of handover .....	930
		26.12.2.1 EFR signalling / Handover / active call / successful case	931
26.12.3		EFR Signalling / Structured procedures / MS originated call / late assignment .....	948
26.12.4		Structured procedures / MS terminated call / l early assignment .....	951
26.12.5		Structured procedures / emergency call .....	954
26.12.6		EFR Signalling / Directed Retry / Mobile Originated Call.....	957
26.12.7		EFR Signalling / Directed Retry / Mobile Terminated Call .....	961

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

SIST ETS 300 607-1 E15:2005

<https://standards.iteh.ai/catalog/standards/sist/2db42c9-01e4-4592c1102dad/sist-ets-300-607-1-e15-2005>