

INTERNATIONAL STANDARD

IEC 60950-1

First edition
2001-10

Information technology equipment – Safety –

Part 1: General requirements

*This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.*



Reference number
IEC 60950-1:2001(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch

Tel: +41 22 919 02 11

Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60950-1

First edition
2001-10

Information technology equipment – Safety –

Part 1: General requirements

iTech Standards

(<https://standards.iteh.ai>)

Document Preview

IEC 60950-1:2001

<https://standards.iteh.ai/catalog/standards/iec/14ac4abb-5d5e-4d26-ada9-aa4a53b57d1f/iec-60950-1-2001>

© IEC 2001 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

CONTENTS

FOREWORD.....	27
INTRODUCTION.....	31
0 Principles of safety	31
0.1 General principles of safety.....	31
0.2 Hazards.....	33
0.2.1 Electric shock.....	33
0.2.2 Energy related hazards.....	37
0.2.3 Fire	39
0.2.4 Heat related hazards	39
0.2.5 Mechanical hazards.....	39
0.2.6 Radiation.....	41
0.2.7 Chemical hazards.....	41
0.3 Materials and components.....	41
1 General	43
1.1 Scope.....	43
1.1.1 Equipment covered by this standard.....	43
1.1.2 Additional requirements.....	45
1.1.3 Exclusions.....	47
1.2 Definitions.....	47
1.2.1 Equipment electrical ratings.....	51
1.2.2 Operating conditions.....	51
1.2.3 Equipment mobility.....	51
1.2.4 Classes of equipment – Protection against electric shock.....	53
1.2.5 Connection to the supply.....	53
1.2.6 Enclosures.....	55
1.2.7 Accessibility.....	55
1.2.8 Circuits and circuit characteristics	57
1.2.9 Insulation	61
1.2.10 Clearances and creepage distances	63
1.2.11 Components.....	63
1.2.12 Flammability.....	65
1.2.13 Miscellaneous.....	67
1.3 General requirements.....	71
1.3.1 Application of requirements	71
1.3.2 Equipment design and construction	71
1.3.3 Supply voltage.....	71
1.3.4 Constructions not specifically covered	71
1.3.5 Equivalent materials.....	73
1.3.6 Orientation during transport and use.....	73
1.3.7 Choice of criteria.....	73
1.3.8 Examples mentioned in the standard	73
1.3.9 Conductive liquids	73

1.4	General conditions for tests.....	73
1.4.1	Application of tests	73
1.4.2	Type tests	73
1.4.3	Test samples	73
1.4.4	Operating parameters for tests	75
1.4.5	Supply voltage for tests	75
1.4.6	Supply frequency for tests	77
1.4.7	Electrical measuring instruments	77
1.4.8	Normal operating voltages	77
1.4.9	Measurement of voltage to earth	79
1.4.10	Loading configuration of the EUT	79
1.4.11	Power from a telecommunication network.....	81
1.4.12	Temperature measurement conditions	81
1.4.13	Temperature measurement methods	81
1.4.14	Simulated faults and abnormal conditions.....	83
1.4.15	Compliance by inspection of relevant data.....	83
1.5	Components.....	83
1.5.1	General	83
1.5.2	Evaluation and testing of components	85
1.5.3	Thermal controls.....	85
1.5.4	Transformers.....	85
1.5.5	Interconnecting cables.....	85
1.5.6	Capacitors in primary circuits.....	85
1.5.7	Double insulation or reinforced insulation bridged by components.....	87
1.5.8	Components in equipment for IT power distribution systems.....	87
1.6	Power interface	89
1.6.1	AC power distribution systems.....	89
1.6.2	Input current.....	89
1.6.3	Voltage limit of hand-held equipment.....	89
1.6.4	Neutral conductor	89
1.7	Markings and instructions.....	91
1.7.1	Power rating.....	91
1.7.2	Safety instructions.....	95
1.7.3	Short duty cycles.....	97
1.7.4	Supply voltage adjustment.....	97
1.7.5	Power outlets on the equipment.....	97
1.7.6	Fuse identification	97
1.7.7	Wiring terminals	99
1.7.8	Controls and indicators.....	101
1.7.9	Isolation of multiple power sources.....	101
1.7.10	IT power distribution systems	103
1.7.11	Thermostats and other regulating devices	103
1.7.12	Language	103
1.7.13	Durability.....	103
1.7.14	Removable parts	103

1.7.15	Replaceable batteries	103
1.7.16	Operator access with a tool	105
1.7.17	Equipment for restricted access locations	105
2	Protection from hazards	107
2.1	Protection from electric shock and energy hazards	107
2.1.1	Protection in operator access areas	107
2.1.2	Protection in service access areas	119
2.1.3	Protection in restricted access locations	119
2.2	SELV circuits	121
2.2.1	General requirements	121
2.2.2	Voltages under normal conditions	121
2.2.3	Voltages under fault conditions	121
2.2.4	Connection of SELV circuits to other circuits	123
2.3	TNV circuits	125
2.3.1	Limits	125
2.3.2	Separation from other circuits and from accessible parts	127
2.3.3	Separation from hazardous voltages	129
2.3.4	Connection of TNV circuits to other circuits	129
2.3.5	Test for operating voltages generated externally	131
2.4	Limited current circuits	133
2.4.1	General requirements	133
2.4.2	Limit values	133
2.4.3	Connection of limited current circuits to other circuits	135
2.5	Limited power sources	135
2.6	Provisions for earthing and bonding	139
2.6.1	Protective earthing	139
2.6.2	Functional earthing	139
2.6.3	Protective earthing and protective bonding conductors	141
2.6.4	Terminals	147
2.6.5	Integrity of protective earthing	149
2.7	Overcurrent and earth fault protection in primary circuits	153
2.7.1	Basic requirements	153
2.7.2	Faults not covered in 5.3	153
2.7.3	Short-circuit backup protection	153
2.7.4	Number and location of protective devices	155
2.7.5	Protection by several devices	157
2.7.6	Warning to service persons	157
2.8	Safety interlocks	159
2.8.1	General principles	159
2.8.2	Protection requirements	159
2.8.3	Inadvertent reactivation	159
2.8.4	Fail-safe operation	161
2.8.5	Moving parts	161
2.8.6	Overriding	161
2.8.7	Switches and relays	163
2.8.8	Mechanical actuators	165

2.9	Electrical insulation	165
2.9.1	Properties of insulating materials.....	165
2.9.2	Humidity conditioning	165
2.9.3	Grade of insulation	167
2.10	Clearances, creepage distances and distances through insulation.....	173
2.10.1	General	173
2.10.2	Determination of working voltage.....	175
2.10.3	Clearances	177
2.10.4	Creepage distances.....	191
2.10.5	Solid insulation.....	195
2.10.6	Coated printed boards	201
2.10.7	Enclosed and sealed parts	209
2.10.8	Spacings filled by insulating compound	209
2.10.9	Component external terminations	211
2.10.10	Insulation with varying dimensions.....	211
3	Wiring, connections and supply.....	213
3.1	General	213
3.1.1	Current rating and overcurrent protection	213
3.1.2	Protection against mechanical damage.....	213
3.1.3	Securing of internal wiring	213
3.1.4	Insulation of conductors.....	215
3.1.5	Beads and ceramic insulators.....	215
3.1.6	Screws for electrical contact pressure	215
3.1.7	Insulating materials in electrical connections	217
3.1.8	Self-tapping and spaced thread screws	217
3.1.9	Termination of conductors	217
3.1.10	Sleeving on wiring.....	219
3.2	Connection to an a.c. mains supply or a d.c. mains supply	219
3.2.1	Means of connection	219
3.2.2	Multiple supply connections.....	221
3.2.3	Permanently connected equipment.....	221
3.2.4	Appliance inlets	223
3.2.5	Power supply cords	225
3.2.6	Cord anchorages and strain relief.....	227
3.2.7	Protection against mechanical damage.....	231
3.2.8	Cord guards	231
3.2.9	Supply wiring space.....	233
3.3	Wiring terminals for connection of external conductors	233
3.3.1	Wiring terminals	233
3.3.2	Connection of non-detachable power supply cords	233
3.3.3	Screw terminals.....	233
3.3.4	Conductor sizes to be connected.....	235
3.3.5	Wiring terminal sizes	235
3.3.6	Wiring terminal design.....	237
3.3.7	Grouping of wiring terminals	237
3.3.8	Stranded wire	237

3.4	Disconnection from the mains supply.....	239
3.4.1	General requirement.....	239
3.4.2	Disconnect devices.....	239
3.4.3	Permanently connected equipment.....	241
3.4.4	Parts which remain energized.....	241
3.4.5	Switches in flexible cords.....	241
3.4.6	Single-phase and d.c. equipment.....	241
3.4.7	Three-phase equipment.....	241
3.4.8	Switches as disconnect devices.....	243
3.4.9	Plugs as disconnect devices.....	243
3.4.10	Interconnected equipment.....	243
3.4.11	Multiple power sources.....	243
3.5	Interconnection of equipment.....	243
3.5.1	General requirements.....	243
3.5.2	Types of interconnection circuits.....	245
3.5.3	ELV circuits as interconnection circuits.....	245
4	Physical requirements.....	247
4.1	Stability.....	247
4.2	Mechanical strength.....	247
4.2.1	General.....	247
4.2.2	Steady force test, 10 N.....	249
4.2.3	Steady force test, 30 N.....	249
4.2.4	Steady force test, 250 N.....	251
4.2.5	Impact test.....	251
4.2.6	Drop test.....	253
4.2.7	Stress relief test.....	253
4.2.8	Cathode ray tubes.....	255
4.2.9	High pressure lamps.....	255
4.2.10	Wall or ceiling mounted equipment.....	255
4.3	Design and construction.....	255
4.3.1	Edges and corners.....	255
4.3.2	Handles and manual controls.....	255
4.3.3	Adjustable controls.....	257
4.3.4	Securing of parts.....	257
4.3.5	Connection of plugs and sockets.....	257
4.3.6	Direct plug-in equipment.....	259
4.3.7	Heating elements in earthed equipment.....	259
4.3.8	Batteries.....	259
4.3.9	Oil and grease.....	261
4.3.10	Dust, powders, liquids and gases.....	263
4.3.11	Containers for liquids or gases.....	263
4.3.12	Flammable liquids.....	263
4.3.13	Radiation.....	265
4.4	Protection against hazardous moving parts.....	273
4.4.1	General.....	273
4.4.2	Protection in operator access areas.....	273
4.4.3	Protection in restricted access locations.....	275
4.4.4	Protection in service access areas.....	275

4.5	Thermal requirements	275
4.5.1	Maximum temperatures	275
4.5.2	Resistance to abnormal heat	279
4.6	Openings in enclosures	281
4.6.1	Top and side openings	281
4.6.2	Bottoms of fire enclosures	287
4.6.3	Doors or covers in fire enclosures	291
4.6.4	Openings in transportable equipment	291
4.6.5	Adhesives for constructional purposes	293
4.7	Resistance to fire	293
4.7.1	Reducing the risk of ignition and spread of flame	295
4.7.2	Conditions for a fire enclosure	295
4.7.3	Materials	297
5	Electrical requirements and simulated abnormal conditions	311
5.1	Touch current and protective conductor current	311
5.1.1	General	311
5.1.2	Equipment under test (EUT)	311
5.1.3	Test circuit	311
5.1.4	Application of measuring instrument	315
5.1.5	Test procedure	317
5.1.6	Test measurements	317
5.1.7	Equipment with touch current exceeding 3,5 mA	319
5.1.8	Touch currents to telecommunication networks and cable distribution systems and from telecommunication networks	321
5.2	Electric strength	325
5.2.1	General	325
5.2.2	Test procedure	325
5.3	Abnormal operating and fault conditions	333
5.3.1	Protection against overload and abnormal operation	333
5.3.2	Motors	333
5.3.3	Transformers	333
5.3.4	Functional insulation	335
5.3.5	Electromechanical components	335
5.3.6	Simulation of faults	335
5.3.7	Unattended equipment	337
5.3.8	Compliance criteria for abnormal operating and fault conditions	339
6	Connection to telecommunication networks	341
6.1	Protection of telecommunication network service persons, and users of other equipment connected to the network, from hazards in the equipment	341
6.1.1	Protection from hazardous voltages	341
6.1.2	Separation of the telecommunication network from earth	341
6.2	Protection of equipment users from overvoltages on telecommunication networks	343
6.2.1	Separation requirements	343
6.2.2	Electric strength test procedure	345

6.3	Protection of the telecommunication wiring system from overheating.....	349
7	Connection to cable distribution systems	353
7.1	Protection of cable distribution system service persons, and users of other equipment connected to the system, from hazardous voltages in the equipment.....	353
7.2	Protection of equipment users from overvoltages on the cable distribution system	353
7.3	Insulation between primary circuits and cable distribution systems	355
7.3.1	General	355
7.3.2	Voltage surge test	355
7.3.3	Impulse test.....	357
Annex A (normative) Tests for resistance to heat and fire		359
A.1	Flammability test for fire enclosures of movable equipment having a total mass exceeding 18 kg and of stationary equipment (see 4.7.3.2).....	359
A.1.1	Samples	359
A.1.2	Conditioning of samples	359
A.1.3	Mounting of samples	359
A.1.4	Test flame	359
A.1.5	Test procedure	359
A.1.6	Compliance criteria	361
A.2	Flammability test for fire enclosures of movable equipment having a total mass not exceeding 18 kg, and for material and components located inside fire enclosures (see 4.7.3.2 and 4.7.3.4).....	361
A.2.1	Samples	361
A.2.2	Conditioning of samples	361
A.2.3	Mounting of samples	361
A.2.4	Test flame	361
A.2.5	Test procedure	361
A.2.6	Compliance criteria	363
A.2.7	Alternative test.....	363
A.3	Hot flaming oil test (see 4.6.2)	363
A.3.1	Mounting of samples	363
A.3.2	Test procedure	363
A.3.3	Compliance criterion.....	363
Annex B (normative) Motor tests under abnormal conditions (see 4.7.2.2 and 5.3.2).....		365
B.1	General requirements	365
B.2	Test conditions	365
B.3	Maximum temperatures.....	367
B.4	Running overload test.....	369
B.5	Locked-rotor overload test	369
B.6	Running overload test for d.c. motors in secondary circuits.....	371

B.7	Locked-rotor overload test for d.c. motors in secondary circuits	373
B.7.1	Test procedure	373
B.7.2	Alternative test procedure.....	373
B.7.3	Electric strength test.....	373
B.8	Test for motors with capacitors	373
B.9	Test for three-phase motors.....	375
B.10	Test for series motors	375
Annex C (normative) Transformers (see 1.5.4 and 5.3.3).....		377
C.1	Overload test.....	377
C.2	Insulation.....	379
Annex D (normative) Measuring instruments for touch-current tests (see 5.1.4).....		383
D.1	Measuring instrument	383
D.2	Alternative measuring instrument.....	385
Annex E (normative) Temperature rise of a winding (see 1.4.13).....		387
Annex F (normative) Measurement of clearances and creepage distances (see 2.10).....		389
Annex G (normative) Alternative method for determining minimum clearances.....		403
G.1	Summary of the procedure for determining minimum clearances.....	403
G.2	Determination of mains transient voltage	403
G.2.1	AC mains supply	403
G.2.2	DC mains supply	405
G.3	Determination of telecommunication network transient voltage	407
G.4	Determination of required withstand voltage	407
G.5	Measurement of transient voltage levels	409
G.6	Determination of minimum clearances	411
Annex H (normative) Ionizing radiation (see 4.3.13).....		417
Annex J (normative) Table of electrochemical potentials (see 2.6.5.6).....		419
Annex K (normative) Thermal controls (see 1.5.3 and 5.3.7).....		421
K.1	Making and breaking capacity	421
K.2	Thermostat reliability	421
K.3	Thermostat endurance test	421
K.4	Temperature limiter endurance	423
K.5	Thermal cut-out reliability.....	423
K.6	Stability of operation	423

Annex L (normative) Normal load conditions for some types of electrical business equipment (see 1.2.2.1 and 4.5.1).....	425
L.1 Typewriters.....	425
L.2 Adding machines and cash registers.....	425
L.3 Erasers.....	425
L.4 Pencil sharpeners.....	425
L.5 Duplicators and copy machines.....	425
L.6 Motor-operated files.....	427
L.7 Other business equipment.....	427
Annex M (normative) Criteria for telephone ringing signals (see 2.3.1).....	429
M.1 Introduction.....	429
M.2 Method A.....	429
M.3 Method B.....	435
M.3.1 Ringing signal.....	435
M.3.2 Tripping device and monitoring voltage.....	435
Annex N (normative) Impulse test generators (see 2.10.3.4, 6.2.2.1, 7.3.2 and clause G.5).....	439
N.1 ITU-T impulse test generators.....	439
N.2 IEC 60065 impulse test generator.....	441
Annex P (normative) Normative references.....	443
Annex Q (informative) Bibliography.....	449
Annex R (informative) Examples of requirements for quality control programmes.....	451
R.1 Minimum separation distances for unpopulated coated printed boards (see 2.10.6).....	451
R.2 Reduced clearances (see 2.10.3).....	453
Annex S (informative) Procedure for impulse testing (see 6.2.2.3).....	457
S.1 Test equipment.....	457
S.2 Test procedure.....	457
S.3 Examples of waveforms during impulse testing.....	457
Annex T (informative) Guidance on protection against ingress of water (see 1.1.2).....	461
Annex U (normative) Insulated winding wires for use without interleaved insulation (see 2.10.5.4).....	465
U.1 Wire construction.....	465
U.2 Type tests.....	465
U.2.1 Electric strength.....	465
U.2.2 Flexibility and adherence.....	465
U.2.3 Heat shock.....	467
U.2.4 Retention of electric strength after bending.....	467

U.3	Tests during manufacture	469
U.3.1	Routine testing	469
U.3.2	Sampling tests.....	469
Annex V (normative)	AC power distribution systems (see 1.6.1)	471
V.1	Introduction	471
V.2	TN power distribution systems	473
V.3	TT power distribution systems	479
V.4	IT power distribution systems.....	481
Annex W (informative)	Summation of touch currents.....	485
W.1	Touch current from electronic circuits	485
W.1.1	Floating circuits	485
W.1.2	Earthed circuits	487
W.2	Interconnection of several equipments.....	487
W.2.1	Isolation	489
W.2.2	Common return, isolated from earth	489
W.2.3	Common return, connected to protective earth	489
Annex X (informative)	Maximum heating effect in transformer tests (see clause C.1).....	491
X.1	Determination of maximum input current	491
X.2	Overload test procedure	493
Annex Y (normative)	Ultraviolet light conditioning test (see 4.3.13.3).....	495
Y.1	Test apparatus.....	495
Y.2	Mounting of test samples.....	495
Y.3	Carbon-arc light-exposure apparatus.....	495
Y.4	Xenon-arc light-exposure apparatus	495
Figure 2A	– Test finger.....	111
Figure 2B	– Test pin.....	113
Figure 2C	– Test probe.....	113
Figure 2D	– Maximum voltages permitted after a single fault	125
Figure 2E	– Test generator.....	133
Figure 2F	– Examples of application of insulation.....	173
Figure 2G	– Thermal ageing time.....	205
Figure 2H	– Abrasion resistance test for coating layers	207
Figure 4A	– Impact test using a steel ball	251
Figure 4B	– Examples of cross-sections of designs of openings preventing vertical access	283
Figure 4C	– Examples of louvre design.....	283
Figure 4D	– Enclosure openings.....	285
Figure 4E	– Typical bottom of a fire enclosure for partially enclosed component or assembly.....	287
Figure 4F	– Baffle plate construction.....	289
Figure 5A	– Test circuit for touch current of single-phase equipment on a star TN or TT power supply system	313

Figure 5B – Test circuit for touch current of three-phase equipment on a star TN or TT power supply system	315
Figure 6A – Test for separation between a telecommunication network and earth	343
Figure 6B – Application points of test voltage	347
Figure B.1 – Determination of arithmetic average temperature	367
Figure C.1 – Determination of arithmetic average temperature	379
Figure D.1 – Measuring instrument	383
Figure D.2 – Alternative measuring instrument	385
Figure F.1 – Narrow groove	389
Figure F.2 – Wide groove	391
Figure F.3 – V-shaped groove	391
Figure F.4 – Rib	391
Figure F.5 – Uncemented joint with narrow groove	393
Figure F.6 – Uncemented joint with wide groove	393
Figure F.7 – Uncemented joint with narrow and wide grooves	393
Figure F.8 – Narrow recess	395
Figure F.9 – Wide recess	395
Figure F.10 – Coating around terminals	397
Figure F.11 – Coating over printed wiring	397
Figure F.12 – Example of measurements in an enclosure of insulating material	399
Figure F.13 – Intervening, unconnected conductive part	401
Figure M.1 – Definition of ringing period and cadence cycle	431
Figure M.2 – I_{TS1} limit curve for cadenced ringing signal	433
Figure M.3 – Peak and peak-to-peak currents	433
Figure M.4 – Ringing voltage trip criteria	437
Figure N.1 – ITU-T impulse test generator circuit	439
Figure N.2 – IEC 60065 impulse test generator circuit	441
Figure S.1 – Waveform on insulation without surge suppressors and no breakdown	457
Figure S.2 – Waveforms on insulation during breakdown without surge suppressors	459
Figure S.3 – Waveforms on insulation with surge suppressors in operation	459
Figure S.4 – Waveform on short-circuited surge suppressor and insulation	459
Figure V.1 – Examples of TN-S power distribution systems	475
Figure V.2 – Example of TN-C-S power distribution system	477
Figure V.3 – Example of TN-C power distribution system	477
Figure V.4 – Example of single-phase, 3-wire TN-C power distribution system	479
Figure V.5 – Example of three line and neutral TT power distribution system	479
Figure V.6 – Example of three line TT power distribution system	481
Figure V.7 – Example of three line (and neutral) IT power distribution system	481
Figure V.8 – Example of three line IT power distribution system	483
Figure W.1 – Touch current from a floating circuit	485
Figure W.2 – Touch current from an earthed circuit	487
Figure W.3 – Summation of touch currents in a PABX	487
Table 1A – Voltage ranges of SELV and TNV circuits	61
Table 2A – Distance through insulation of internal wiring	115
Table 2B – Limits for inherently limited power sources	137