

Designation: D801 - 02 (Reapproved 2013) D801 - 02 (Reapproved 2017)

Standard Test Methods for Sampling and Testing Dipentene¹

This standard is issued under the fixed designation D801; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (8) indicates an editorial change since the last revision or reapproval.

1. Scope

- 1.1 These test methods cover procedures for sampling and testing dipentene and related terpene solvents, consisting chiefly of monocyclic terpene hydrocarbons distilling above the range for turpentine.
 - 1.2 The procedures given in these test methods appear in the following order:

	Section
Sampling	4
Detection and Removal of Separated Water	5
Appearance	6
Color	7
Odor	8
Specific Gravity	9
Refractive Index	10
Composition	11
Flash Point	12
Moisture	13

- 1.3 The values stated in SI units are to be regarded as standard. No other units of measurement are included in this standard.
- 1.4 This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety safety, health, and health environmental practices and determine the applicability of regulatory limitations prior to use.
- 1.5 This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.

2. Referenced Documents

2.1 ASTM Standards:²

D268 Guide for Sampling and Testing Volatile Solvents and Chemical Intermediates for Use in Paint and Related Coatings and Material

D890 Test Method for Water in Liquid Pine Chemicals

D1209 Test Method for Color of Clear Liquids (Platinum-Cobalt Scale)

D6166 Test Method for Color of Pine Chemicals and Related Products (Instrumental Determination of Gardner Color)

D6387 Test Methods for Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography

E300 Practice for Sampling Industrial Chemicals

3. Significance and Use

3.1 The testing procedures described in these test methods have been in use for many years and emphasize the physical properties rather than the chemical composition of dipentene. These procedures were sufficient when dipentene was used primarily as a solvent. Currently, however, dipentene finds application as a chemical raw material and a knowledge of its chemical composition is therefore important. Test Methods D6387 describe a capillary gas chromatography method which is suitable for determining both the major and minor components found in dipentene.

¹ These test methods are under the jurisdiction of ASTM Committee D01 on Paint and Related Coatings, Materials, and Applications and are the direct responsibility of Subcommittee D01.34 on Pine Chemicals and Hydrocarbon Resins.

Current edition approved June 1, 2013 Dec. 1, 2017. Published June 2013 December 2017. Originally approved in 1944. Last previous edition approved in 2009 2013 as D801 – 02 (2009). (2013). DOI: 10.1520/D0801-02R13.10.1520/D0801-02R17.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's standard's Document Summary page on the ASTM website.