

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Wideband transmission systems;
Data transmission equipment operating
in the 2,4 GHz ISM band and
using wide band modulation techniques;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 300 328 V1.8.1 \(2012-06\)](https://standards.iteh.ai/catalog/standards/etsi/e756bcee-2a57-4112-9bd1-a58f7fea8018/etsi-en-300-328-v1-8-1-2012-06)

<https://standards.iteh.ai/catalog/standards/etsi/e756bcee-2a57-4112-9bd1-a58f7fea8018/etsi-en-300-328-v1-8-1-2012-06>



Reference

REN/ERM-TG11-009

Keywords

data, ISM, LAN, mobile, radio, regulation, spread spectrum, SRD, testing, transmission, UHF

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	8
Foreword.....	8
Introduction	8
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references	10
3 Definitions, symbols and abbreviations	11
3.1 Definitions	11
3.2 Symbols	13
3.3 Abbreviations	13
4 Technical specifications	14
4.1 Environmental profile.....	14
4.2 Equipment types	14
4.2.1 Modulation types	14
4.2.2 Adaptive and non-Adaptive equipment	14
4.3 Technical requirements	14
4.3.1 Technical requirements for Frequency Hopping equipment.....	14
4.3.1.1 RF output power.....	15
4.3.1.1.1 Definition.....	15
4.3.1.1.2 Limit	15
4.3.1.1.3 Conformance	15
4.3.1.2 Duty Cycle, Tx-sequence, Tx-gap.....	15
4.3.1.2.1 Definition.....	15
4.3.1.2.2 Limit	15
4.3.1.2.3 Conformance	15
4.3.1.3 Dwell time, Minimum Frequency Occupation and Hopping Sequence	15
4.3.1.3.1 Definition.....	16
4.3.1.3.2 Limit	16
4.3.1.3.3 Other Requirements.....	16
4.3.1.3.4 Conformance	16
4.3.1.4 Hopping Frequency Separation.....	16
4.3.1.4.1 Definition.....	16
4.3.1.4.2 Limit	17
4.3.1.4.3 Conformance	17
4.3.1.5 Medium Utilisation (MU) factor	17
4.3.1.5.1 Definition.....	17
4.3.1.5.2 Limit	17
4.3.1.5.3 Conformance	17
4.3.1.6 Adaptivity (Adaptive Frequency Hopping).....	17
4.3.1.6.1 Adaptive Frequency Hopping using LBT based DAA	18
4.3.1.6.2 Adaptive Frequency Hopping using other forms of DAA (non-LBT based)	19
4.3.1.6.3 Short Control Signalling Transmissions	20
4.3.1.7 Occupied Channel Bandwidth.....	20
4.3.1.7.1 Definition.....	20
4.3.1.7.2 Limits	20
4.3.1.7.3 Conformance	20
4.3.1.8 Transmitter unwanted emissions in the out-of-band domain	20
4.3.1.8.1 Definition.....	20
4.3.1.8.2 Limit	20
4.3.1.8.3 Conformance	21
4.3.1.9 Transmitter unwanted emissions in the spurious domain.....	21
4.3.1.9.1 Definition.....	21

4.3.1.9.2	Limit	21
4.3.1.9.3	Conformance	21
4.3.1.10	Receiver spurious emissions	22
4.3.1.10.1	Definition.....	22
4.3.1.10.2	Limit	22
4.3.1.10.3	Conformance	22
4.3.1.11	Receiver Blocking.....	22
4.3.1.11.1	Definition.....	22
4.3.1.11.2	Limits	22
4.3.1.11.3	Conformance	23
4.3.2	Technical requirements for other types of Wide Band modulation	23
4.3.2.1	RF output power.....	23
4.3.2.1.1	Definition.....	23
4.3.2.1.2	Limit	23
4.3.2.1.3	Conformance	23
4.3.2.2	Power density	23
4.3.2.2.1	Definition.....	23
4.3.2.2.2	Limit	23
4.3.2.2.3	Conformance	23
4.3.2.3	Duty Cycle, Tx-sequence, Tx-gap.....	23
4.3.2.3.1	Definition.....	24
4.3.2.3.2	Limit	24
4.3.2.3.3	Conformance	24
4.3.2.4	Medium Utilisation (MU) factor	24
4.3.2.4.1	Definition.....	24
4.3.2.4.2	Limit	24
4.3.2.4.3	Conformance	24
4.3.2.5	Adaptivity (Adaptive equipment using modulations other than FHSS).....	25
4.3.2.5.1	Non-LBT based Detect and Avoid	25
4.3.2.5.2	LBT based Detect and Avoid	25
4.3.2.5.3	Short Control Signalling Transmissions.....	27
4.3.2.6	Occupied Channel Bandwidth.....	28
4.3.2.6.1	Definition.....	28
4.3.2.6.2	Limits	28
4.3.2.6.3	Conformance	28
4.3.2.7	Transmitter unwanted emissions in the out-of-band domain	28
4.3.2.7.1	Definition.....	28
4.3.2.7.2	Limit	28
4.3.2.7.3	Conformance	29
4.3.2.8	Transmitter unwanted emissions in the spurious domain.....	29
4.3.2.8.1	Definition.....	29
4.3.2.8.2	Limit	29
4.3.2.8.3	Conformance	29
4.3.2.9	Receiver spurious emissions	29
4.3.2.9.1	Definition.....	30
4.3.2.9.2	Limit	30
4.3.2.9.3	Conformance	30
4.3.2.10	Receiver Blocking.....	30
4.3.2.10.1	Definition.....	30
4.3.2.10.2	Limits	30
4.3.2.10.3	Conformance	30
5	Essential radio test suites.....	31
5.1	Conditions for testing	31
5.1.1	Normal and extreme test conditions.....	31
5.1.1.1	Normal test conditions	31
5.1.1.1.1	Normal temperature and humidity.....	31
5.1.1.1.2	Normal power source	31
5.1.1.2	Extreme test conditions	31
5.1.1.2.1	Extreme temperatures.....	31
5.1.1.2.2	Extreme power source voltages.....	31
5.1.2	Test mode.....	31

5.1.3	Antennas and transmit operating modes	32
5.1.3.1	Integrated and dedicated antennas.....	32
5.1.3.2	Smart antenna systems and related operating modes	32
5.1.3.2.1	Operating mode 1 (single antenna).....	32
5.1.3.2.2	Operating mode 2 (multiple antennas, no beamforming)	32
5.1.3.2.3	Operating mode 3 (multiple antennas, with beamforming)	32
5.1.3.3	Output power setting.....	32
5.1.4	Adaptive and Non-adaptive equipment.....	33
5.1.5	Presentation of equipment	33
5.1.5.1	Testing of stand-alone equipment	33
5.1.5.2	Testing of host connected equipment and plug-in radio equipment.....	33
5.1.5.2.1	The use of a host or test jig for testing Plug-In radio equipment.....	33
5.1.5.2.2	Testing of combinations	33
5.1.6	Test Fixture	34
5.2	Interpretation of the measurement results	34
5.3	Test procedures for essential radio test suites.....	35
5.3.1	Product Information.....	35
5.3.2	RF output power, Duty Cycle, Tx-sequence, Tx-gap, Medium Utilisation	36
5.3.2.1	Test conditions	36
5.3.2.2	Test method.....	36
5.3.2.2.1	Conducted measurements	36
5.3.2.2.2	Radiated measurements	38
5.3.3	Power density.....	38
5.3.3.1	Test conditions	38
5.3.3.2	Test method.....	38
5.3.3.2.1	Conducted measurement.....	38
5.3.3.2.2	Radiated measurement.....	39
5.3.4	Dwell time, Minimum Frequency Occupation and Hopping Sequence.....	40
5.3.4.1	Test conditions	40
5.3.4.2	Test method.....	40
5.3.4.2.1	Conducted measurements	40
5.3.4.2.2	Radiated measurements	41
5.3.5	Hopping Frequency Separation.....	42
5.3.5.1	Test conditions	42
5.3.5.2	Test method.....	42
5.3.5.2.1	Conducted measurements	42
5.3.5.2.2	Radiated measurements	44
5.3.6	Void	44
5.3.7	Adaptivity (Channel access mechanism)	44
5.3.7.1	Test conditions	44
5.3.7.2	Test Method	44
5.3.7.2.1	Conducted measurements	44
5.3.7.2.2	Radiated measurements	51
5.3.8	Occupied Channel Bandwidth	51
5.3.8.1	Test conditions	51
5.3.8.2	Test method.....	52
5.3.8.2.1	Conducted measurement.....	52
5.3.8.2.2	Radiated measurement.....	52
5.3.9	Transmitter unwanted emissions in the out-of-band domain	52
5.3.9.1	Test conditions	52
5.3.9.2	Test method.....	53
5.3.9.2.1	Conducted measurement.....	53
5.3.9.2.2	Radiated measurement.....	54
5.3.10	Transmitter unwanted emissions in the spurious domain	54
5.3.10.1	Test conditions	54
5.3.10.2	Test method.....	55
5.3.10.2.1	Conducted measurement.....	55
5.3.10.2.1.1	Pre-scan.....	55
5.3.10.2.2	Radiated measurement.....	57
5.3.11	Receiver spurious emissions	57
5.3.11.1	Test conditions	57
5.3.11.2	Test method.....	57

5.3.11.2.1	Conducted measurement.....	57
5.3.11.2.2	Radiated measurement.....	59

Annex A (normative):	HS Requirement and conformance Test specifications Table (HS-RTT).....	60
-----------------------------	---	-----------

Annex B (normative):	Test sites and arrangements for radiated measurement	63
-----------------------------	---	-----------

B.1	Radiation test sites.....	63
B.1.1	Open Area Test Site (OATS)	63
B.1.2	Semi Anechoic Room.....	64
B.1.3	Fully Anechoic Room (FAR).....	65
B.1.4	Measurement Distance	66
B.2	Antennas.....	67
B.2.1	Measurement antenna.....	67
B.2.2	Substitution antenna	67
B.3	Test fixture	68
B.3.1	Conducted measurements and use of test fixture	68
B.3.2	Description of the test fixture.....	68
B.3.3	Using the test fixture for relative measurements	68
B.4	Guidance on the use of radiation test sites	68
B.4.1	Power supplies for the battery powered UUT	69
B.4.2	Site preparation	69
B.5	Coupling of signals.....	69
B.5.1	General	69
B.5.2	Data Signals.....	69

Annex C (normative):	Measurement procedures for radiated measurement	70
-----------------------------	--	-----------

C.1	Radiated measurements in an OATS or SAR.....	70
C.2	Radiated measurements in a FAR	70
C.3	Substitution measurement	71
C.4	Guidance for testing technical requirements	71
C.4.1	Essential radio test suites and corresponding test sites.....	71
C.4.2	Guidance for testing Adaptivity (Channel Access Mechanism).....	72
C.4.2.1	Measurement Set-up	72
C.4.2.2	Calibration of the measurement Set-up.....	72
C.4.2.3	Test method	73

Annex D (informative):	Guidance for testing IEEE 802.11n™ Equipment.....	74
-------------------------------	--	-----------

D.1	Introduction	74
D.2	Possible Modulations	74
D.2.1	Guidance for Testing	74
D.2.1.1	Modulation Used for Conformance Testing	74
D.3	Possible Operating Modes.....	75
D.3.1	Guidance for Testing	75

Annex E (informative):	Application form for testing.....	76
-------------------------------	--	-----------

E.1	Information as required by EN 300 328 V1.8.1, clause 5.3.1	76
E.2	Combination for testing (see clause 5.1.3.3 of EN 300 328 V1.8.1).....	81
E.3	Additional information provided by the applicant	81
E.3.1	Modulation:	81
E.3.2	Duty Cycle.....	81
E.3.3	About the UUT.....	81
E.3.4	Additional items and/or supporting equipment provided	82

Annex F (informative):	The EN title in the official languages	83
History		84

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 300 328 V1.8.1 \(2012-06\)](https://standards.iteh.ai/catalog/standards/etsi/e756bcee-2a57-4112-9bd1-a58f7fea8018/etsi-en-300-328-v1-8-1-2012-06)

<https://standards.iteh.ai/catalog/standards/etsi/e756bcee-2a57-4112-9bd1-a58f7fea8018/etsi-en-300-328-v1-8-1-2012-06>