



**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Wideband transmission systems;
Data transmission equipment operating
in the 2,4 GHz ISM band and
using wide band modulation techniques;**

**Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

ReferenceREN/ERM-TG11-009

Keywordsdata, ISM, LAN, mobile, radio, regulation, spread spectrum, SRD, testing, transmission, UHF

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	8
Foreword.....	8
Introduction	8
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references	10
3 Definitions, symbols and abbreviations	11
3.1 Definitions	11
3.2 Symbols	13
3.3 Abbreviations	13
4 Technical specifications	14
4.1 Environmental profile.....	14
4.2 Equipment types	14
4.2.1 Modulation types	14
4.2.2 Adaptive and non-adaptive equipment	14
4.3 Technical requirements	15
4.3.1 Technical requirements for Frequency Hopping equipment.....	15
4.3.1.1 RF output power.....	15
4.3.1.1.1 Definition.....	15
4.3.1.1.2 Limit	15
4.3.1.1.3 Conformance	15
4.3.1.2 Duty Cycle, Tx-sequence, Tx-gap.....	15
4.3.1.2.1 Definition.....	15
4.3.1.2.2 Limit	16
4.3.1.2.3 Conformance	16
4.3.1.3 Dwell time, Minimum Frequency Occupation and Hopping Sequence	16
4.3.1.3.1 Definition.....	16
4.3.1.3.2 Limit	16
4.3.1.3.3 Other Requirements.....	16
4.3.1.3.4 Conformance	17
4.3.1.4 Hopping Frequency Separation.....	17
4.3.1.4.1 Definition.....	17
4.3.1.4.2 Limit	17
4.3.1.4.3 Conformance	17
4.3.1.5 Medium Utilisation (MU) factor	17
4.3.1.5.1 Definition.....	17
4.3.1.5.2 Limit	17
4.3.1.5.3 Conformance	17
4.3.1.6 Adaptivity (Adaptive Frequency Hopping).....	18
4.3.1.6.1 Adaptive Frequency Hopping using LBT based DAA	18
4.3.1.6.2 Adaptive Frequency Hopping using other forms of DAA (non-LBT based)	19
4.3.1.6.3 Short Control Signalling Transmissions.....	20
4.3.1.7 Occupied Channel Bandwidth.....	20
4.3.1.7.1 Definition.....	20
4.3.1.7.2 Limits	20
4.3.1.7.3 Conformance	20
4.3.1.8 Transmitter unwanted emissions in the out-of-band domain	20
4.3.1.8.1 Definition.....	21
4.3.1.8.2 Limit	21
4.3.1.8.3 Conformance	21
4.3.1.9 Transmitter unwanted emissions in the spurious domain.....	21
4.3.1.9.1 Definition.....	21

4.3.1.9.2	Limit	22
4.3.1.9.3	Conformance	22
4.3.1.10	Receiver spurious emissions	22
4.3.1.10.1	Definition.....	22
4.3.1.10.2	Limit	22
4.3.1.10.3	Conformance	22
4.3.1.11	Receiver Blocking.....	22
4.3.1.11.1	Definition.....	22
4.3.1.11.2	Limits	23
4.3.1.11.3	Conformance	23
4.3.2	Technical requirements for other types of Wide Band modulation	23
4.3.2.1	RF output power.....	23
4.3.2.1.1	Definition.....	23
4.3.2.1.2	Limit	23
4.3.2.1.3	Conformance	23
4.3.2.2	Power Spectral Density	23
4.3.2.2.1	Definition.....	24
4.3.2.2.2	Limit	24
4.3.2.2.3	Conformance	24
4.3.2.3	Duty Cycle, Tx-sequence, Tx-gap.....	24
4.3.2.3.1	Definition.....	24
4.3.2.3.2	Limit	24
4.3.2.3.3	Conformance	24
4.3.2.4	Medium Utilisation (MU) factor	24
4.3.2.4.1	Definition.....	25
4.3.2.4.2	Limit	25
4.3.2.4.3	Conformance	25
4.3.2.5	Adaptivity (adaptive equipment using modulations other than FHSS)	25
4.3.2.5.1	Non-LBT based Detect and Avoid	25
4.3.2.5.2	LBT based Detect and Avoid	26
4.3.2.5.3	Short Control Signalling Transmissions.....	28
4.3.2.6	Occupied Channel Bandwidth.....	28
4.3.2.6.1	Definition.....	28
4.3.2.6.2	Limits	28
4.3.2.6.3	Conformance	28
4.3.2.7	Transmitter unwanted emissions in the out-of-band domain	28
4.3.2.7.1	Definition.....	29
4.3.2.7.2	Limit	29
4.3.2.7.3	Conformance	29
4.3.2.8	Transmitter unwanted emissions in the spurious domain.....	29
4.3.2.8.1	Definition.....	29
4.3.2.8.2	Limit	30
4.3.2.8.3	Conformance	30
4.3.2.9	Receiver spurious emissions	30
4.3.2.9.1	Definition.....	30
4.3.2.9.2	Limit	30
4.3.2.9.3	Conformance	30
4.3.2.10	Receiver Blocking.....	30
4.3.2.10.1	Definition.....	30
4.3.2.10.2	Limits	31
4.3.2.10.3	Conformance	31
5	Essential radio test suites.....	31
5.1	Conditions for testing	31
5.1.1	Normal and extreme test conditions.....	31
5.1.1.1	Normal test conditions	31
5.1.1.1.1	Normal temperature and humidity.....	31
5.1.1.1.2	Normal power source	31
5.1.1.2	Extreme test conditions	31
5.1.1.2.1	Extreme temperatures.....	31
5.1.1.2.2	Extreme power source voltages.....	32
5.1.2	Test mode.....	32

5.1.3	Antennas and transmit operating modes	32
5.1.3.1	Integrated and dedicated antennas.....	32
5.1.3.2	Smart antenna systems and related operating modes	32
5.1.3.2.1	Operating mode 1 (single antenna).....	32
5.1.3.2.2	Operating mode 2 (multiple antennas, no beamforming)	33
5.1.3.2.3	Operating mode 3 (multiple antennas, with beamforming)	33
5.1.3.3	Output power setting.....	33
5.1.4	Adaptive and Non-adaptive equipment.....	33
5.1.5	Presentation of equipment	33
5.1.5.1	Testing of stand-alone equipment	33
5.1.5.2	Testing of host connected equipment and plug-in radio equipment.....	33
5.1.5.2.1	The use of a host or test jig for testing Plug-In radio equipment.....	33
5.1.5.2.2	Testing of combinations	34
5.1.6	Test Fixture	34
5.2	Interpretation of the measurement results	35
5.3	Test procedures for essential radio test suites.....	35
5.3.1	Product Information.....	35
5.3.2	RF output power, Duty Cycle, Tx-sequence, Tx-gap, Medium Utilisation	36
5.3.2.1	Test conditions	36
5.3.2.2	Test method.....	37
5.3.2.2.1	Conducted measurements	37
5.3.2.2.2	Radiated measurements	39
5.3.3	Power Spectral Density.....	39
5.3.3.1	Test conditions	39
5.3.3.2	Test method.....	39
5.3.3.2.1	Conducted measurement.....	39
5.3.3.2.2	Radiated measurement.....	40
5.3.4	Dwell time, Minimum Frequency Occupation and Hopping Sequence.....	40
5.3.4.1	Test conditions	40
5.3.4.2	Test method.....	41
5.3.4.2.1	Conducted measurements	41
5.3.4.2.2	Radiated measurements	42
5.3.5	Hopping Frequency Separation.....	42
5.3.5.1	Test conditions	42
5.3.5.2	Test method.....	43
5.3.5.2.1	Conducted measurements	43
5.3.5.2.2	Radiated measurements	45
5.3.6	Void	45
5.3.7	Adaptivity (Channel access mechanism)	45
5.3.7.1	Test conditions	45
5.3.7.2	Test Method	45
5.3.7.2.1	Conducted measurements	45
5.3.7.2.2	Radiated measurements	52
5.3.8	Occupied Channel Bandwidth	52
5.3.8.1	Test conditions	52
5.3.8.2	Test method.....	52
5.3.8.2.1	Conducted measurement.....	52
5.3.8.2.2	Radiated measurement.....	53
5.3.9	Transmitter unwanted emissions in the out-of-band domain	53
5.3.9.1	Test conditions	53
5.3.9.2	Test method.....	53
5.3.9.2.1	Conducted measurement.....	53
5.3.9.2.2	Radiated measurement.....	55
5.3.10	Transmitter unwanted emissions in the spurious domain	55
5.3.10.1	Test conditions	55
5.3.10.2	Test method.....	55
5.3.10.2.1	Conducted measurement.....	55
5.3.10.2.1.1	Pre-scan.....	56
5.3.10.2.2	Radiated measurement.....	58
5.3.11	Receiver spurious emissions	58
5.3.11.1	Test conditions	58
5.3.11.2	Test method.....	58

5.3.11.2.1	Conducted measurement.....	58
5.3.11.2.2	Radiated measurement.....	60

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	61
-----------------------------	--	-----------

Annex B (normative):	Test sites and arrangements for radiated measurement	64
-----------------------------	---	-----------

B.1	Radiation test sites.....	64
B.1.1	Open Area Test Site (OATS)	64
B.1.2	Semi Anechoic Room.....	65
B.1.3	Fully Anechoic Room (FAR).....	66
B.1.4	Measurement Distance	67
B.2	Antennas.....	68
B.2.1	Measurement antenna.....	68
B.2.2	Substitution antenna	68
B.3	Test fixture	69
B.3.1	Conducted measurements and use of test fixture	69
B.3.2	Description of the test fixture.....	69
B.3.3	Using the test fixture for relative measurements	69
B.4	Guidance on the use of radiation test sites	69
B.4.1	Power supplies for the battery powered UUT	70
B.4.2	Site preparation	70
B.5	Coupling of signals.....	70
B.5.1	General	70
B.5.2	Data Signals.....	70

Annex C (normative):	Measurement procedures for radiated measurement	71
-----------------------------	--	-----------

C.1	Radiated measurements in an OATS or SAR.....	71
C.2	Radiated measurements in a FAR	71
C.3	Substitution measurement	72
C.4	Guidance for testing technical requirements	72
C.4.1	Essential radio test suites and corresponding test sites.....	72
C.4.2	Guidance for testing Adaptivity (Channel Access Mechanism).....	73
C.4.2.1	Measurement Set-up	73
C.4.2.2	Calibration of the measurement Set-up.....	73
C.4.2.3	Test method	74

Annex D (informative):	Guidance for testing IEEE 802.11n™ Equipment.....	75
-------------------------------	--	-----------

D.1	Introduction	75
D.2	Possible Modulations	75
D.2.1	Guidance for Testing	75
D.2.1.1	Modulation Used for Conformance Testing	75
D.3	Possible Operating Modes.....	76
D.3.1	Guidance for Testing	76

Annex E (informative):	Application form for testing.....	77
-------------------------------	--	-----------

E.1	Information as required by EN 300 328 V1.8.1, clause 5.3.1	77
E.2	Combination for testing (see clause 5.1.3.3 of EN 300 328 V1.8.1).....	82
E.3	Additional information provided by the applicant	82
E.3.1	Modulation:	82
E.3.2	Duty Cycle.....	82
E.3.3	About the UUT.....	83
E.3.4	Additional items and/or supporting equipment provided	83

Annex F (informative):	Void	84
History		85

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 300 328 V1.8.1 \(2012-06\)](https://standards.iteh.ai/catalog/standards/etsi/e756bcee-2a57-4112-9bd1-a58f7fea8018/etsi-en-300-328-v1-8-1-2012-06)

<https://standards.iteh.ai/catalog/standards/etsi/e756bcee-2a57-4112-9bd1-a58f7fea8018/etsi-en-300-328-v1-8-1-2012-06>