

ETSI EN 300 392-12-13 V1.2.1 (2012-03)



**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 12: Supplementary services stage 3;
Sub-part 13: Call Completion to Busy Subscriber (CCBS)**

[ETSI EN 300 392-12-13 V1.2.1 \(2012-03\)](https://standards.iteh.ai/catalog/standards/etsi/2062a53c-271d-4430-96ac-092a22249bfc/etsi-en-300-392-12-13-v1-2-1-2012-03)

<https://standards.iteh.ai/catalog/standards/etsi/2062a53c-271d-4430-96ac-092a22249bfc/etsi-en-300-392-12-13-v1-2-1-2012-03>

ReferenceREN/TETRA-03213

KeywordsCCBS, data, radio, speech, stage 3,
supplementary service, TETRA, V+D

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references.....	10
3 Definitions, symbols and abbreviations	10
3.1 Definitions.....	10
3.2 Symbols.....	12
3.3 Abbreviations	12
4 SS-CCBS Service Description	13
4.1 General	13
4.2 SS-CCBS services offered over the TNSS-SAP	13
4.2.1 CALL-INFORMATION-RELEASE indication	14
4.2.2 CALL-INFORMATION-RETENTION indication	14
4.2.3 CANCEL request.....	15
4.2.4 CANCEL confirm.....	15
4.2.5 CANCELLED indication.....	15
4.2.6 FAILED indication	16
4.2.7 LIST-CCBS request.....	16
4.2.8 LIST-CCBS confirm.....	16
4.2.9 RECALL request	16
4.2.10 RECALL-ACCEPTED request	17
4.2.11 REQUEST request.....	17
4.2.12 REQUEST confirm.....	17
4.2.13 USER-B-FREE indication	17
4.3 Parameter description	18
5 Signaling protocol for the support of SS-CCBS.....	20
5.1 SS-CCBS Operational requirements	20
5.1.1 Requirements on the served user MS.....	20
5.1.2 Requirements on the Originating SwMI	20
5.1.3 Requirements on the Terminating SwMI.....	20
5.1.4 Requirements on a Participating SwMI	20
5.1.5 Requirements on the Group Controlling SwMI.....	20
5.2 SS-CCBS Coding Requirements	21
5.2.1 SS-CCBS PDUs.....	21
5.2.1.1 CALL-INFORMATION-RELEASE PDU	21
5.2.1.2 CALL-INFORMATION-RETENTION PDU	21
5.2.1.3 CANCEL PDU.....	22
5.2.1.4 CANCEL ACK PDU	22
5.2.1.5 CANCELLATION PDU	23
5.2.1.6 CANCELLED PDU	23
5.2.1.7 CCBSI PDU	24
5.2.1.8 FAILED PDU	24
5.2.1.9 FREE-NOTIFICATION PDU.....	24
5.2.1.10 LIST PDU	25
5.2.1.11 LIST ACK PDU.....	25
5.2.1.12 MONITOR PDU	26
5.2.1.13 MONITOR ACK PDU.....	27
5.2.1.14 RECALL PDU	27
5.2.1.15 RECALL-ACCEPTED PDU	28
5.2.1.16 REQUEST PDU.....	28
5.2.1.17 REQUEST ACK PDU	29

5.2.1.18	RESUME-COMPLETION PDU.....	29
5.2.1.19	SUSPEND-COMPLETION PDU	30
5.2.1.20	USER-B-FREE PDU	30
5.2.2	TETRA PDU information element coding	30
5.2.2.1	Accept/Reject.....	30
5.2.2.2	Basic Service Information.....	30
5.2.2.3	Call Priority.....	31
5.2.2.4	Called party extension.....	31
5.2.2.5	Called party SSI	32
5.2.2.6	Called party type identifier.....	32
5.2.2.7	Calling party extension	32
5.2.2.8	Calling party SSI	32
5.2.2.9	Calling party type identifier	32
5.2.2.10	Cancellation Cause.....	33
5.2.2.11	Cancellation Result	33
5.2.2.12	CCBS-PDU type	34
5.2.2.13	CCBSI.....	34
5.2.2.14	Failure Cause.....	35
5.2.2.15	Length of CCBS List.....	35
5.2.2.16	Number of CCBS requests	35
5.2.2.17	Reject Cause.....	35
5.2.2.18	List Request.....	36
5.2.2.19	Request Maintained.....	36
5.2.2.20	Retain Capability.....	37
5.2.2.21	SS-Type.....	37
5.2.2.22	TETRA Call Identifier	37
5.2.3	Additional coding requirements over the ISI	37
5.2.3.1	Remote operations protocol and application association control	37
5.3	SS-CCBS State Definitions	39
5.3.1	States at User A MS.....	39
5.3.1.1	CCBS-Idle.....	39
5.3.1.2	CCBS-Wait-ACK.....	39
5.3.1.3	CCBS-Invoked_User_A.....	39
5.3.1.4	CCBS-Wait-User-A-Answer.....	39
5.3.1.5	Wait-Alert/Connect	39
5.3.1.6	CCBS-LIST-Requested.....	39
5.3.1.7	CCBS-CANCEL-Requested	39
5.3.1.8	CCBS_Wait_UserA_Free	40
5.3.1.9	CCBS-Retention-Idle	40
5.3.1.10	CCBS-Retention-Active.....	40
5.3.2	States at the Originating SwMI.....	40
5.3.2.1	CCBS-Idle.....	40
5.3.2.2	CCBS-Invoked-User-A	40
5.3.2.3	CCBS-WAIT-ACK	40
5.3.2.4	CCBS-Wait-User-A-Answer.....	40
5.3.2.5	CCBS-Path-Setup.....	40
5.3.2.6	CCBS-Wait-User-A-Free	40
5.3.2.7	CCBS-Retention-Idle	40
5.3.2.8	CCBS-Retention-Active.....	40
5.3.3	States at the Group Controlling SwMI.....	40
5.3.3.1	CCBS-Idle.....	40
5.3.3.2	CCBS-Await-Call-Completion	41
5.3.3.3	CCBS-Invoked-Group.....	41
5.3.3.4	CCBS-Path-Complete	41
5.3.3.5	CCBS-Suspended-Group	41
5.3.3.6	CCBS-Wait-Group-Alert	41
5.3.4	States at the Terminating SwMI	41
5.3.4.1	CCBS-Idle.....	41
5.3.4.2	CCBS-Await-Call-Completion	41
5.3.4.3	CCBS-Invoked-User-B	41
5.3.4.4	CCBS-Suspended-User-B	41
5.3.4.5	CCBS-Wait-User-B-Alert	41

5.3.5	States at User B.....	41
5.4	SS-CCBS Signaling Procedures	42
5.4.1	Major Options	42
5.4.2	Actions at the served user MS	42
5.4.2.1	Normal procedures	42
5.4.3	Actions at the Originating SwMI	42
5.4.3.1	Normal Procedures.....	42
5.4.3.1.1	Invocation	42
5.4.3.1.2	Operation	44
5.4.3.1.3	User initiated cancellation procedure	46
5.4.3.1.4	CCBS List Request.....	47
5.4.3.2	Exceptional Procedures.....	47
5.4.3.2.1	Invocation	47
5.4.3.2.2	User initiated cancellation procedure	48
5.4.3.2.3	CCBS List request	48
5.4.3.2.4	Operation.....	48
5.4.4	Actions at the Terminating SwMI.....	50
5.4.4.1	Normal Procedures.....	50
5.4.4.1.1	Determination that CCBS is available	50
5.4.4.1.2	Acceptance of a CCBS MONITOR request	50
5.4.4.1.3	Queue B processing.....	50
5.4.4.1.4	Determination of user B free	51
5.4.4.1.5	CCBS Call set-up	51
5.4.4.1.6	CCBS Call without Path Reservation	51
5.4.4.2	Exceptional Procedures.....	51
5.4.4.2.1	CCBS Invocation.....	51
5.4.4.2.2	Acceptance of a CCBS Monitor Request	52
5.4.4.2.3	Queue B processing.....	52
5.4.4.2.4	Determination of user B free	52
5.4.4.2.5	CCBS Call set-up	52
5.4.5	Actions at the Group Controlling SwMI.....	52
5.4.5.1	Normal Procedures.....	53
5.4.5.1.1	Determination that CCBS is available	53
5.4.5.1.2	Acceptance of a CCBS Monitor Request	53
5.4.5.1.3	Queue B processing.....	53
5.4.5.1.4	Determination of Group B free.....	53
5.4.5.1.5	CCBS Call set-up	54
5.4.5.1.6	Acceptance of a CCBS Monitor Request	54
5.4.5.1.7	Queue B processing.....	54
5.4.5.1.8	Determination of group B free.....	54
5.4.5.1.9	CCBS Call set-up	55
5.4.6	Actions at the Participating SwMI	55
5.5	Impact of inter-working with public ISDN	55
5.5.1	Incoming Gateway SwMI procedures: SS-CCBS request from a public ISDN	55
5.5.2	Outgoing Gateway SwMI procedures: SS-CCBS request to a public ISDN	56
5.6	Protocol Interaction between SS-CCBS and Other Supplementary Services and ANFs.....	56
5.6.1	Calling/Connected Line Identification Restriction (SS-CLIR).....	56
5.6.2	Call Completion on Busy Subscriber (SS-CCBS)	57
5.6.3	Call Completion on No Reply (SS-CCNR)	57
5.6.4	Call Forwarding Unconditional (SS-CFU)	57
5.6.4.1	Originating SwMI procedures for invoking SS-CCBS at a SS-CFU diverted-to user	57
5.6.4.2	Originating SwMI procedures if SS-CFU is activated by User A MS	57
5.6.4.3	Terminating SwMI procedures if SS-CFU is activated by User B after SS-CCBS has been invoked.....	57
5.6.5	Call Forwarding Busy (SS-CFB).....	58
5.6.5.1	Originating SwMI procedures for invoking SS-CCBS at a SS-CFB diverted-to user	58
5.6.5.2	Originating SwMI procedures if SS-CFB is activated by User A MS	58
5.6.5.3	Terminating SwMI procedures if SS-CFB is activated by User B after SS-CCBS has been invoked.....	58
5.6.6	Call Forwarding on No Reply (SS-CFNR).....	58
5.6.7	List Search Call (SS-LSC).....	58
5.6.8	Call Authorized by Dispatcher (SS-CAD).....	58

5.6.9	Area Selection (SS-AS)	58
5.6.10	Priority Call (SS-PC)	58
5.6.11	Interactions with ISI Mobility Management (ANF-ISIMM)	59
5.6.12	User A MS migrates	59
5.6.12.1	PROFILE EXCHANGE PDUS	60
5.6.12.1.1	PROFILE REJECT	60
5.6.12.1.2	PROFILE UPDATE	60
5.6.12.1.3	PROFILE UPDATE RESPONSE	61
5.6.12.1.4	SS-PROFILE UPDATE	61
5.6.12.1.5	SS-PROFILE UPDATE RESPONSE	62
5.6.12.1.6	Individual basic migration profile	62
5.6.12.1.7	SS-migration profile (original and temporary)	62
5.6.12.1.8	SS-information	63
5.6.12.1.9	SS-information response	63
5.6.12.1.10	SS-response status	63
5.6.12.1.11	SS-status	63
5.6.12.1.12	SS-type	63
5.6.12.2	SS-CCBS profiles	64
5.6.12.2.1	SS-CCBS migration original profile	64
5.6.12.3	User A MS SS-CCBS migration information PDU	64
5.6.12.3.1	SS-CCBS state at User A MS SwMI at the time of the User A MS migration information element	65
5.6.12.3.2	Timer T _j (i) running Information Element content	65
5.6.12.4	User B migrates	66
5.6.12.4.1	SS-CCBS state at terminating SwMI at the time of the user B migration information element	67
5.6.12.4.2	Timer T6(i) running Information Element content	68
5.7	Parameter values (timers)	68
5.7.1	Timers at the Originating SwMI	68
5.7.2	Timers at the Terminating SwMI	69
Annex A (informative):	SDL Representation of Procedures	70
A.1	Behavior of the Originating SwMI	70
A.2	Behavior of the Group Controlling SwMI	79
A.3	Behavior of the Terminating SwMI	79
A.4	Behavior at CCBS User A MS	84
Annex B (informative):	Bibliography	89
Annex C (informative):	Change requests	90
History		91

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (EN) has been produced by ETSI Technical Committee Terrestrial Trunked Radio (TETRA).

The present document is part 12, sub-part 13 of a multi-part deliverable covering Voice plus Data (V+D), as identified below:

EN 300 392-1: "General network design";

EN 300 392-2: "Air Interface (AI)";

EN 300 392-3: "Interworking at the Inter-System Interface (ISI)";

ETS 300 392-4: "Gateways basic operation";

EN 300 392-5: "Peripheral Equipment Interface (PEI)";

EN 300 392-7: "Security";

EN 300 392-9: "General requirements for supplementary services";

EN 300 392-10: "Supplementary services stage 1";

EN 300 392-11: "Supplementary services stage 2";

EN 300 392-12: "Supplementary services stage 3";

EN 300 392-12-1: "Call Identification (CI)";

ETS 300 392-12-2: "Call Report (CR)";

EN 300 392-12-3: "Talking Party Identification (TPI)";

EN 300 392-12-4: "Call Forwarding (CF)";

ETS 300 392-12-5: "List Search Call (LSC)";

EN 300 392-12-6: "Call Authorized by Dispatcher (CAD)";

ETS 300 392-12-7: "Short Number Addressing (SNA)";

EN 300 392-12-8: "Area Selection (AS)";

ETS 300 392-12-9: "Access Priority (AP)";

EN 300 392-12-10: "Priority Call (PC)";

ETS 300 392-12-11: "Call Waiting (CW)";

EN 300 392-12-12: "Call Hold (HOLD)";