



**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 12: Supplementary services stage 3;
Sub-part 23: Call Completion on No Reply (CCNR)**

[ETSI EN 300 392-12-23 V1.2.1 \(2012-04\)](https://standards.iteh.ai/catalog/standards/etsi/9f0ea539-4445-47c4-9f79-aa4efa9d3289/etsi-en-300-392-12-23-v1-2-1-2012-04)

<https://standards.iteh.ai/catalog/standards/etsi/9f0ea539-4445-47c4-9f79-aa4efa9d3289/etsi-en-300-392-12-23-v1-2-1-2012-04>

Reference

REN/TETRA-03218

Keywords

CCNR, radio, stage 3, supplementary service,
TETRA, V+D, voice**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88(https://standards.iteh.ai)
Document Preview**Important notice**

ETSI EN 300 392-12-23 V1.2.1 (2012-04)

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp**Copyright Notification**

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	9
3 Definitions, symbols and abbreviations	9
3.1 Definitions.....	9
3.2 Symbols.....	11
3.3 Abbreviations	11
4 SS-CCNR Service Description.....	12
4.1 General	12
4.2 SS-CCNR services offered over the TNSS-SAP	12
4.2.1 CALL-INFORMATION-RELEASE indication	12
4.2.2 CALL-INFORMATION-RETENTION indication	12
4.2.3 CANCEL request.....	12
4.2.4 CANCEL confirmation.....	13
4.2.5 CANCELLED indication.....	13
4.2.6 FAILED indication	13
4.2.7 LIST-CCNR request	13
4.2.8 LIST-CCNR confirmation.....	13
4.2.9 RECALL request	13
4.2.10 RECALL-ACCEPTED request	13
4.2.11 REQUEST request.....	13
4.2.12 REQUEST confirmation.....	13
4.2.13 USER-B-FREE indication	13
4.3 Parameter description	13
5 Signaling protocol for the support of SS-CCNR.....	13
5.1 SS-CCNR Operational requirements.....	13
5.1.1 Requirements on the served user MS/LS	13
5.1.2 Requirements on the Originating SwMI	14
5.1.3 Requirements on the Terminating SwMI.....	14
5.1.4 Requirements on a Participating SwMI	14
5.2 SS-CCNR Coding Requirements	14
5.2.1 SS-CCNR PDUs	14
5.2.1.1 CALL-INFORMATION-RELEASE PDU	14
5.2.1.2 CALL-INFORMATION-RETENTION PDU	14
5.2.1.3 CANCEL PDU.....	14
5.2.1.4 CANCEL ACK PDU	14
5.2.1.5 CANCELLATION PDU	14
5.2.1.6 CANCELLED PDU	14
5.2.1.7 CCNRI PDU	14
5.2.1.8 FAILED PDU	14
5.2.1.9 FREE NOTIFICATION PDU	14
5.2.1.10 LIST PDU	15
5.2.1.11 LIST ACK PDU.....	15
5.2.1.12 MONITOR PDU	15
5.2.1.13 MONITOR ACK PDU.....	15
5.2.1.14 RECALL PDU	15
5.2.1.15 RECALL PDU	15
5.2.1.16 RECALL-ACCEPTED PDU	15
5.2.1.17 REQUEST PDU.....	16
5.2.1.18 REQUEST ACK PDU	16

5.2.1.19	RESUME-COMPLETION PDU	16
5.2.1.20	SUSPEND-COMPLETION PDU	16
5.2.1.21	USER-B-FREE PDU	16
5.2.2	TETRA PDU information element coding	17
5.2.2.1	Accept/Reject	17
5.2.2.2	Basic Service Information	17
5.2.2.3	Call Priority	17
5.2.2.4	Called party extension	17
5.2.2.5	Called party SSI	17
5.2.2.6	Called party type identifier	17
5.2.2.7	Calling party extension	17
5.2.2.8	Calling party SSI	17
5.2.2.9	Calling party type identifier	17
5.2.2.10	Cancellation Cause	17
5.2.2.11	Cancellation Result	17
5.2.2.12	CCNR-PDU type	18
5.2.2.13	CCNR-I	18
5.2.2.14	Failure Cause	18
5.2.2.15	Length of CCNR List	19
5.2.2.16	Number of CCNR requests	19
5.2.2.17	Reject Cause	19
5.2.2.18	List Request	19
5.2.2.19	Request Maintained	19
5.2.2.20	Retain Capability	19
5.2.2.21	SS-Type	19
5.2.2.22	TETRA Call Identifier	19
5.2.3	Additional coding requirements over the ISI	19
5.3	SS-CCNR State Definitions	19
5.3.1	States at User A MS/LS	19
5.3.1.1	CCNR-Idle	19
5.3.1.2	CCNR-Requested	19
5.3.1.3	CCNR-Active	20
5.3.1.4	CCNR-Recall	20
5.3.1.5	CCNR-Call	20
5.3.1.6	CCNR-List-Requested	20
5.3.1.7	CCNR-Cancel	20
5.3.1.8	CCNR-Retention-Idle	20
5.3.2	States at the Originating SwMI	20
5.3.2.1	CCNR-Idle	20
5.3.2.2	CCNR-InvokeD-User-A	20
5.3.2.3	CCNR-Path-Setup	20
5.3.2.4	CCNR-Wait-ACK	20
5.3.2.5	CCNR-Wait-User-A-Answer-N	20
5.3.2.6	CCNR-Wait-User-A-Answer-R	20
5.3.2.7	CCNR-Wait-User-A-Free	20
5.3.3	States at the Terminating SwMI	21
5.3.3.1	CCNR-Idle	21
5.3.3.2	CCNR-Await-Call-Completion	21
5.3.3.3	CCNR-InvokeD-User-B	21
5.3.3.4	CCNR-Path-Complete	21
5.3.3.5	CCNR-SuspendD-User-B	21
5.3.3.6	CCNR-Wait-User-B-Alert	21
5.3.4	States at User B	21
5.4	SS-CCNR Signaling Procedures	21
5.4.1	Major Options	21
5.4.2	Actions at the served user MS/LS	21
5.4.2.1	Normal procedures	21
5.4.3	Actions at the Originating SwMI	21
5.4.3.1	Normal Procedures	21
5.4.3.1.1	Invocation	21
5.4.3.1.2	Operation	23
5.4.3.1.3	User initiated cancellation procedure	25

5.4.3.1.4	List CCNR request	25
5.4.3.2	Exceptional Procedures	25
5.4.3.2.1	Invocation	25
5.4.3.2.2	User initiated cancellation procedure	26
5.4.3.2.3	List CCNR requests	27
5.4.3.2.4	Operation	27
5.4.4	Actions at the Terminating SwMI	28
5.4.4.1	Normal Procedures	28
5.4.4.1.1	Determination that CCNR is available	28
5.4.4.1.2	Acceptance of a CCNR Request	29
5.4.4.1.3	Queue B processing	29
5.4.4.1.4	Determination of user B free after a period of activity	29
5.4.4.1.5	CCNR Call Set-Up	30
5.4.4.1.6	CCNR Call without Path Reservation	30
5.4.4.2	Exceptional Procedures	30
5.4.4.2.1	CCNR Invocation	30
5.4.4.2.2	Acceptance of a CCNR Request	30
5.4.4.2.3	Queue B processing	31
5.4.4.2.4	Determination of user B free after a period of activity	31
5.4.4.2.5	CCNR Call set-up	31
5.4.5	Actions at the Participating SwMI	31
5.5	Inter-working	31
5.5.1	Incoming Gateway SwMI	31
5.5.2	Outgoing Gateway SwMI	32
5.6	Protocol Interaction between SS-CCNR and Other Supplementary Services and ANFs	33
5.6.1	Call Completion on No Reply (CCNR)	33
5.6.2	Call Completion to Busy Subscriber (CCBS)	33
5.6.3	Call Forwarding Busy (CFB)	33
5.6.4	Call Forwarding No Reply (CFNR)	34
5.6.5	Call Forwarding Unconditional (CFU)	34
5.6.6	Barring of Outgoing Call (BOC)	35
5.6.7	List Search Call (SS-LSC)	35
5.6.8	Call Authorized by Dispatcher (SS-CAD)	35
5.6.9	Area Selection (SS-AS)	35
5.6.10	Priority Call (SS-PC)	35
5.6.11	Interactions with ISI Mobility Management (ANF-ISIMM)	35
5.7	Parameter values (timers)	35
Annex A (informative):	Bibliography	36
Annex B (informative):	Change requests	37
History		38