

ETSI EN 300 392-12-8 V1.2.1 (2010-07)

European Standard (Telecommunications series)

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 12: Supplementary services stage 3; Sub-part 8: Area Selection (AS)

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 300 392-12-8 V1.2.1 \(2010-07\)](https://standards.iteh.ai/catalog/standards/etsi/b343b7ab-b71e-447c-a6fa-ba8cb1f8cbb5/etsi-en-300-392-12-8-v1-2-1-2010-07)

<https://standards.iteh.ai/catalog/standards/etsi/b343b7ab-b71e-447c-a6fa-ba8cb1f8cbb5/etsi-en-300-392-12-8-v1-2-1-2010-07>



ReferenceREN/TETRA-03198

Keywordsarea select, data, radio, speech, stage 3,
supplementary service, TETRA, V+D

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM, TIPHONTM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references.....	10
3 Definitions and abbreviations.....	10
3.1 Definitions.....	10
3.2 Abbreviations	11
4 SS-AS service description	11
4.1 General	11
4.2 SS-AS services offered over the TNSS-SAP	11
4.2.1 ASSIGN indication.....	12
4.2.2 DEFINE request.....	12
4.2.3 DEFINE ACK indication.....	13
4.2.4 INTERROGATE request.....	13
4.2.5 INTERROGATE ACK indication	14
4.2.6 INVOKE request	14
4.2.7 INVOCATION FAILURE indication.....	14
4.3 Parameter description.....	15
5 Signalling protocol for the support of SS-AS.....	17
5.1 SS-AS operational requirements	17
5.1.1 Served user MS/LS	17
5.1.2 Served user SwMI.....	17
5.1.3 Called user home SwMI	18
5.1.4 Group home SwMI	18
5.1.5 Group controlling SwMI.....	18
5.1.6 Participating SwMI	19
5.1.7 New participating SwMI.....	19
5.1.8 Terminating SwMI.....	19
5.1.9 Authorized user MS/LS	19
5.1.10 Authorized user SwMI.....	19
5.1.11 Served user/group home SwMI	19
5.2 Coding requirements	20
5.2.1 SS-AS PDUs	20
5.2.1.1 ASSIGN PDU	20
5.2.1.2 ASSIGN ACK PDU	20
5.2.1.3 DEFINE PDU	21
5.2.1.4 DEFINE ACK PDU	21
5.2.1.5 INTERROGATE PDU	22
5.2.1.6 INTERROGATE ACK PDU	23
5.2.1.7 INVOCATION FAILURE PDU	23
5.2.1.8 INVOCATION QUALIFIER PDU.....	24
5.2.1.9 INVOKE PDU	24
5.2.1.10 INVOKE CONFIRM PDU	25
5.2.1.11 INVOKE EXT PDU.....	25
5.2.1.12 Selected area number information element in ANF-ISIIC and ANF-ISIGC PDUs	25
5.2.2 TETRA PDU information element and sub-element coding	26
5.2.2.1 Acknowledgement requested	26
5.2.2.2 Address type of served user/group	26
5.2.2.3 Area selection.....	26
5.2.2.4 Assignment requested	27
5.2.2.5 Assignment result.....	27

5.2.2.6	Definition failure cause	27
5.2.2.7	Definition result	28
5.2.2.8	Interrogation failure cause.....	28
5.2.2.9	Interrogation result	28
5.2.2.10	Invocation failure cause	28
5.2.2.11	Multiple selected area numbers / multiple served users/groups mask and multiple selected area numbers / multiple served users/groups mask present	28
5.2.2.12	Range type for selected area number(s) / for served user(s)/group(s).....	29
5.2.2.13	Selected area definition	29
5.2.2.13.1	General on area definition	29
5.2.2.13.2	Area type	30
5.2.2.13.3	Area by circle	30
5.2.2.13.4	Area by line	31
5.2.2.13.5	Area by rectangular	31
5.2.2.13.6	Area by site list.....	31
5.2.2.13.7	Area defined by SwMI	31
5.2.2.13.8	Latitude direction.....	31
5.2.2.13.9	Longitude direction	32
5.2.2.13.10	Registered cell	32
5.2.2.13.11	Registered location area.....	32
5.2.2.14	Selected area definition length indicator	32
5.2.2.15	Selected area number	32
5.2.2.16	Served user/group extension	33
5.2.2.17	Served user/group short number address.....	33
5.2.2.18	Served user/group SSI.....	33
5.2.2.19	SS-AS inhibition requested/supported	33
5.2.2.20	AS PDU type.....	34
5.2.3	Coding requirements over the ISI	34
5.2.3.1	SS-AS profile	34
5.2.3.2	SS-AS profile ACK information element	35
5.2.3.3	SS-AS profile information elements	35
5.2.3.3.1	General on SS-AS profile information elements	35
5.2.3.3.2	Void	35
5.2.3.3.3	Result of profile exchange	36
5.2.3.3.4	Supported area definitions	36
5.2.3.4	Additional coding requirements over the ISI	36
5.3	SS-AS state definition	37
5.3.1	States at the served user MS/LS.....	37
5.3.1.1	States for invocation and operation	37
5.3.1.2	State for assignment	37
5.3.2	States at the served user SwMI	37
5.3.2.1	States for invocation and operation	37
5.3.2.2	State for assignment	37
5.3.3	States at the called user home SwMI	38
5.3.4	States at the group home SwMI	38
5.3.4.1	States for operation	38
5.3.4.2	State for definition or interrogation.....	38
5.3.5	States at the group controlling SwMI	38
5.3.6	States at a participating SwMI	38
5.3.7	States at a new participating SwMI	38
5.3.8	States at the terminating SwMI	39
5.3.9	State at the authorized user MS/LS.....	39
5.3.10	State at the authorized user SwMI	39
5.3.11	State at the served user home SwMI.....	39
5.4	SS-AS signalling procedures.....	39
5.4.1	Actions at the served user MS/LS.....	39
5.4.1.1	Normal procedures	39
5.4.1.1.1	Invocation and operation	39
5.4.1.1.2	Assignment	40
5.4.1.2	Exceptional procedures	40
5.4.1.2.1	Invocation	40
5.4.1.2.2	Assignment	41

5.4.2	Actions at the served user SwMI	41
5.4.2.1	Normal procedures	42
5.4.2.1.1	Operation	42
5.4.2.1.2	Assignment	45
5.4.2.2	Exceptional procedures	45
5.4.2.2.1	Operation	45
5.4.2.2.2	Assignment	48
5.4.3	Actions at the called user home SwMI	48
5.4.3.1	Normal operation procedures	48
5.4.3.2	Exceptional operation procedures	49
5.4.4	Actions at the group home SwMI	50
5.4.4.1	Normal procedures	50
5.4.4.1.1	Operation	50
5.4.4.1.2	Definition or interrogation	52
5.4.4.2	Exceptional procedures	52
5.4.4.2.1	Operation	52
5.4.4.2.2	Definition or interrogation	53
5.4.5	Actions at the group controlling SwMI	53
5.4.5.1	Normal operation procedures	53
5.4.5.2	Exceptional operation procedures	56
5.4.6	Actions at a participating SwMI	57
5.4.6.1	Normal operation procedures	57
5.4.6.2	Exceptional operation procedures	58
5.4.7	Actions at a new participating SwMI	58
5.4.7.1	Normal operation procedures	58
5.4.7.2	Exceptional operation procedures	58
5.4.8	Actions at the terminating SwMI	58
5.4.8.1	Normal operation procedures	58
5.4.8.2	Exceptional operation procedures	59
5.4.9	Actions at authorized user MS/LS	60
5.4.9.1	Normal procedures	60
5.4.9.2	Exceptional procedures	60
5.4.10	Actions at the authorized user SwMI	60
5.4.11	Actions at the served user/group home SwMI	61
5.4.11.1	Normal procedures	61
5.4.11.1.1	Case where the served user/group home SwMI coincides with the authorized user SwMI	61
5.4.11.1.2	Case where the served user/group home SwMI is different from the authorized user SwMI	61
5.4.11.2	Exceptional procedures	61
5.5	SS-AS impact of interworking with other networks	62
5.5.1	SS-AS impact of interworking with other TETRA networks	62
5.5.2	SS-AS impact of interworking with external networks	62
5.6	Protocol interactions between SS-AS and other supplementary services and ANFs	62
5.6.1	Interactions with ISI Mobility Management (ANF-ISIMM)	62
5.6.1.1	Migration of individual subscriber	62
5.6.1.2	SS-AS definition updates for individual subscriber	63
5.6.1.3	Group attachment	63
5.6.1.4	Group linking	63
5.6.2	Interactions with ISI Short Data Service (ANF-ISISDS)	64
5.7	SS-AS parameter values (timers)	64

Annex A (informative):	Examples of message sequences	65
-------------------------------	--	-----------

Annex B (informative):	Specification and Description Language (SDL) representation of procedures	66
-------------------------------	--	-----------

B.1	SDL representation of SS-AS at the served user MS/LS	66
B.2	SDL representation of SS-AS at the served user SwMI	71
B.3	SDL representation of SS-AS at the called user home SwMI	82
B.4	SDL representation of SS-AS at the group home SwMI	85
B.5	SDL representation of SS-AS at the group controlling SwMI	91

B.6	SDL representation of SS-AS at a participating SwMI.....	91
B.7	SDL representation of SS-AS at a new participating SwMI	96
B.8	SDL representation of SS-AS at the terminating SwMI	100
B.9	SDL representation of SS-AS at the authorized user MS/LS.....	101
B.10	SDL representation of SS-AS at the authorized user SwMI	103
B.11	SDL representation of SS-AS at the served user/group home SwMI.....	105
Annex C (informative):	Change requests	107
History		108

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ETSI EN 300 392-12-8 V1.2.1 (2010-07)

<https://standards.iteh.ai/catalog/standards/etsi/b343b7ab-b71e-447c-a6fa-ba8cb1f8cbb5/etsi-en-300-392-12-8-v1-2-1-2010-07>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Terrestrial Trunked Radio (TETRA).

The present document is part 12, sub-part 8 of a multi-part deliverable covering Voice plus Data (V+D), as identified below:

EN 300 392-1: "General network design";

EN 300 392-2: "Air Interface (AI)";

EN 300 392-3: "Interworking at the Inter-System Interface (ISI)";

ETS 300 392-4: "Gateways basic operation";

EN 300 392-5: "Peripheral Equipment Interface (PEI)";

EN 300 392-7: "Security";

EN 300 392-9: "General requirements for supplementary services";

EN 300 392-10: "Supplementary services stage 1";

EN 300 392-11: "Supplementary services stage 2";

EN 300 392-12: "Supplementary services stage 3";

EN 300 392-12-1: "Call Identification (CI)";

ETS 300 392-12-2: "Call Report (CR)";

EN 300 392-12-3: "Talking Party Identification (TPI)";

EN 300 392-12-4: "Call Forwarding (CF)";

ETS 300 392-12-5: "List Search Call (LSC)";

EN 300 392-12-6: "Call Authorized by Dispatcher (CAD)";

ETS 300 392-12-7: "Short Number Addressing (SNA)";

EN 300 392-12-8: "Area Selection (AS)";

ETS 300 392-12-9: "Access Priority (AP)";

EN 300 392-12-10: "Priority Call (PC)";

ETS 300 392-12-11: "Call Waiting (CW)";

EN 300 392-12-12: "Call Hold (HOLD)";