



EUROPEAN STANDARD

**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 15: Transport layer independent Additional Network
Feature, Mobility Management (ANF-ISIMM)**

ReferenceREN/TCCE-03277

Keywordsmanagement, mobility, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied. In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Contents

| | |
|---|----|
| Intellectual Property Rights | 16 |
| Foreword..... | 16 |
| Modal verbs terminology..... | 17 |
| 1 Scope | 18 |
| 2 References | 19 |
| 2.1 Normative references | 19 |
| 2.2 Informative references..... | 20 |
| 3 Definition of terms, symbols and abbreviations..... | 20 |
| 3.1 Terms..... | 20 |
| 3.2 Symbols..... | 23 |
| 3.3 Abbreviations | 23 |
| 4 Overview | 25 |
| 4.1 General | 25 |
| 4.2 Applicability..... | 25 |
| 4.2.1 Entities | 25 |
| 4.2.2 Services..... | 25 |
| 4.3 Testability..... | 26 |
| 4.4 Provision/withdrawal..... | 26 |
| 4.5 Activation/deactivation | 26 |
| 4.6 Charging..... | 26 |
| 5 The generic ANF-ISIMM stage 1 service model | 26 |
| 5.1 ANF-ISIMM - the service provider..... | 26 |
| 5.2 SwMI MMs - the ANF-ISIMM service users..... | 27 |
| 5.3 Stage 1 description conventions | 28 |
| 6 Migration service description - stage 1 | 29 |
| 6.1 Pre-requisite requirements for the migration service..... | 29 |
| 6.2 Service definition | 29 |
| 6.3 Service description | 29 |
| 6.4 Service architecture | 30 |
| 6.5 Normal procedures | 31 |
| 6.5.1 Invocation | 31 |
| 6.5.1.1 Invocation criteria | 31 |
| 6.5.1.2 Invocation of ANF-ISIMM..... | 31 |
| 6.5.2 Operation | 33 |
| 6.5.2.1 General..... | 33 |
| 6.5.2.2 Migration with pre-defined migration profile(s) (applicable for case 1)..... | 34 |
| 6.5.2.2.1 Support for call restoration..... | 34 |
| 6.5.2.2.2 Final migration approval | 34 |
| 6.5.2.3 Migration with migration profile exchange (applicable for case 2, 3a and 3b)..... | 36 |
| 6.5.2.3.1 Basic migration profile exchange | 36 |
| 6.5.2.3.2 SS-migration profile(s) exchange (applicable for case 3a)..... | 46 |
| 6.5.2.3.3 Support for call restoration..... | 48 |
| 6.5.2.3.4 Final migration approval (applicable for cases 2), 3a) and 3b))..... | 48 |
| 6.5.2.3.5 SS-migration profile exchange after final migration approval (applicable for case 3b))..... | 49 |
| 6.6 Interactions | 49 |
| 6.6.1 Interactions with the authentication service..... | 49 |
| 6.6.2 Interactions with the group attachment and the group detachment services | 49 |
| 7 Restricted migration service description - stage 1..... | 49 |
| 7.1 Pre-requisite requirements for the restricted migration service..... | 49 |
| 7.2 Service definition | 50 |
| 7.3 Service description | 50 |
| 7.4 Service architecture | 51 |

| | | |
|----------|---|----|
| 7.5 | Normal procedures | 51 |
| 7.5.1 | Invocation | 51 |
| 7.5.1.1 | Invocation criteria | 51 |
| 7.5.1.2 | Invocation of ANF-ISIMM | 52 |
| 7.5.2 | Operation | 54 |
| 7.5.2.1 | General | 54 |
| 7.5.2.2 | Operation when the individual subscriber visited SwMI MM invokes restricted migration | 55 |
| 7.5.2.3 | Invocation of RSI | 56 |
| 7.5.2.4 | Support for emergency call restoration | 56 |
| 7.5.2.5 | Receipt of restricted migration approval | 56 |
| 7.6 | Exceptional procedures | 56 |
| 7.6.1 | General | 56 |
| 7.6.2 | Detected by the individual subscriber visited SwMI MM | 57 |
| 7.6.3 | Detected by the individual subscriber home SwMI MM | 58 |
| 7.7 | Interactions | 58 |
| 7.7.1 | Interactions with the authentication service | 58 |
| 7.7.2 | Interactions with the group attachment and the group detachment services | 58 |
| 8 | Removal of Subscriber Information (RSI) service description - stage 1 | 58 |
| 8.1 | Service definition | 58 |
| 8.2 | Service description | 58 |
| 8.3 | Service architecture | 59 |
| 8.4 | Normal procedures | 59 |
| 8.4.1 | Invocation | 59 |
| 8.4.1.1 | Invocation criteria | 59 |
| 8.4.1.2 | Invocation of ANF-ISIMM | 60 |
| 8.4.2 | Operation | 61 |
| 8.5 | Exceptional procedures | 63 |
| 8.6 | Interaction with authentication | 64 |
| 9 | De-registration service description - stage 1 | 64 |
| 9.1 | Service definition | 64 |
| 9.2 | Service description | 64 |
| 9.3 | Service architecture | 64 |
| 9.4 | Normal procedures | 65 |
| 9.4.1 | Invocation | 65 |
| 9.4.1.1 | Invocation criteria | 65 |
| 9.4.1.2 | Invocation of ANF-ISIMM | 65 |
| 9.4.2 | Operation | 66 |
| 9.5 | Exceptional procedures | 67 |
| 10 | Profile update service description - stage 1 | 68 |
| 10.1 | Service definition | 68 |
| 10.2 | Service description | 68 |
| 10.3 | Service architecture | 68 |
| 10.4 | Normal procedures | 69 |
| 10.4.1 | Invocation | 69 |
| 10.4.1.1 | Invocation criteria | 69 |
| 10.4.1.2 | Invocation of ANF-ISIMM | 70 |
| 10.4.2 | Operation | 80 |
| 10.5 | Exceptional operation | 90 |
| 11 | SS-profile update service description - stage 1 | 90 |
| 11.1 | Service definition | 90 |
| 11.2 | Service description | 91 |
| 11.3 | Service architecture | 91 |
| 11.4 | Normal procedures | 91 |
| 11.4.1 | Invocation | 91 |
| 11.4.1.1 | Invocation criteria | 91 |
| 11.4.1.2 | Invocation of ANF-ISIMM | 92 |
| 11.4.2 | Operation | 92 |
| 11.4.2.1 | Creation of temporary SS-migration profiles | 92 |
| 11.4.2.2 | Informing home SwMI MM about the temporary SS-migration profiles | 93 |

| | | |
|------------|---|-----|
| 11.5 | Exceptional operation..... | 94 |
| 12 | Authentication service description - stage 1..... | 95 |
| 12.1 | Pre-requisite requirements for the authentication service..... | 95 |
| 12.2 | Service definition | 96 |
| 12.3 | Service description | 96 |
| 12.4 | Service architecture | 96 |
| 12.5 | Normal procedures | 96 |
| 12.5.1 | Invocation | 96 |
| 12.5.1.1 | Invocation criteria | 96 |
| 12.5.1.2 | Invocation of ANF-ISIMM..... | 97 |
| 12.5.2 | Operation (relevant for case 1) | 98 |
| 12.5.2.1 | Exchange of authentication parameters..... | 98 |
| 12.5.2.2 | Sending of authentication result..... | 98 |
| 12.6 | Exceptional procedures | 99 |
| 12.6.1 | General..... | 99 |
| 12.6.2 | Detected by the individual subscriber visited SwMI MM | 100 |
| 12.6.3 | Detected by the individual subscriber home SwMI MM | 100 |
| 12.7 | Interaction with migration and restricted migration | 101 |
| 12.7.1 | Normal operation | 101 |
| 12.7.2 | Exceptional procedures..... | 101 |
| 13 | Over The Air Re-keying (OTAR) service description - stage 1..... | 102 |
| 13.1 | Pre-requisite requirements..... | 102 |
| 13.2 | Service definition | 102 |
| 13.3 | Service description | 102 |
| 13.4 | Service architecture | 103 |
| 13.5 | Normal procedures | 103 |
| 13.5.1 | Invocation | 103 |
| 13.5.1.1 | Invocation criteria | 103 |
| 13.5.1.2 | Invocation of ANF-ISIMM..... | 104 |
| 13.5.1.2.1 | Case 1)..... | 104 |
| 13.5.1.2.2 | Case 2)..... | 104 |
| 13.5.1.2.3 | Case 3)..... | 104 |
| 13.5.1.2.4 | Case 4)..... | 105 |
| 13.5.2 | Operation | 105 |
| 13.5.2.1 | Case 1) | 105 |
| 13.5.2.2 | Case 2) | 106 |
| 13.5.2.3 | Case 3) | 107 |
| 13.5.2.4 | Case 4) | 108 |
| 13.6 | Exceptional procedures | 108 |
| 13.6.1 | General..... | 108 |
| 13.6.2 | Detected by the individual subscriber visited SwMI MM | 109 |
| 13.6.3 | Detected by the individual subscriber home SwMI MM | 110 |
| 14 | Individual subscriber Database Recovery (IDR) service description - stage 1 | 110 |
| 14.1 | Service definition | 110 |
| 14.2 | Service description | 110 |
| 14.3 | Service architecture | 111 |
| 14.4 | Normal procedures | 111 |
| 14.4.1 | Invocation | 111 |
| 14.4.1.1 | Invocation criteria | 111 |
| 14.4.1.2 | Invocation of ANF-ISIMM | 112 |
| 14.4.2 | Operation (relevant for case 1 and 2 unless otherwise stated) | 114 |
| 14.4.2.1 | The individual subscriber visited SwMI MM receives the HMM recovery indication..... | 114 |
| 14.4.2.2 | The individual subscriber home SwMI MM receives the VMM recovery indication..... | 114 |
| 14.4.2.3 | The virtual migration or restricted migration | 115 |
| 14.4.2.4 | The virtual RSI..... | 115 |
| 14.4.2.5 | The iteration | 116 |
| 14.4.2.6 | The completion of the IDR | 116 |
| 14.4.2.6.1 | VMM recovery | 116 |
| 14.4.2.6.2 | HMM recovery | 116 |
| 14.5 | Exceptional procedures | 117 |

| | | |
|------------|---|-----|
| 15 | Group attachment service description - stage 1 | 118 |
| 15.1 | Service definition | 118 |
| 15.2 | Service description | 118 |
| 15.3 | Service architecture | 119 |
| 15.4 | Normal procedures | 119 |
| 15.4.1 | Invocation | 119 |
| 15.4.1.1 | Invocation criteria | 119 |
| 15.4.1.2 | Invocation of ANF-ISIMM | 121 |
| 15.4.1.2.1 | Case 1) | 121 |
| 15.4.1.2.2 | Cases 2) to 4) | 122 |
| 15.4.1.2.3 | Case 5) | 123 |
| 15.4.1.2.4 | Case 6) | 128 |
| 15.4.2 | Operation | 129 |
| 15.4.2.1 | Case 1) | 129 |
| 15.4.2.1.1 | General | 129 |
| 15.4.2.1.2 | Group attachment with pre-defined migration profile(s) | 130 |
| 15.4.2.1.3 | Group attachment with migration profile exchange | 132 |
| 15.4.2.1.4 | SS-migration profile(s) exchange | 137 |
| 15.4.2.2 | Cases 2) to 4) | 140 |
| 15.4.2.2.1 | Updates to G-HDB | 140 |
| 15.4.2.2.2 | Sending of group attachment approval | 140 |
| 15.4.2.2.3 | Receipt of group attachment approval | 141 |
| 15.4.2.3 | Case 5) | 141 |
| 15.4.2.3.1 | General | 141 |
| 15.4.2.3.2 | Group home SwMI MM initiated group attachment with pre-defined migration profile(s) | 141 |
| 15.4.2.3.3 | Group home SwMI MM initiated group attachment with migration profile exchange | 143 |
| 15.4.2.4 | Case 6) | 145 |
| 15.4.2.4.1 | Additional Group home SwMI MM initiated group attachment | 145 |
| 15.5 | Exceptional procedures | 146 |
| 15.5.1 | General | 146 |
| 15.5.2 | Detected by the group visited SwMI MM | 147 |
| 15.5.3 | Detected by the group home SwMI MM | 148 |
| 15.6 | Interactions | 148 |
| 16 | Group detachment service description (stage 1) | 149 |
| 16.1 | Service definition | 149 |
| 16.2 | Service description | 150 |
| 16.3 | Service architecture | 151 |
| 16.4 | Normal procedures | 151 |
| 16.4.1 | Invocation | 151 |
| 16.4.1.1 | General | 151 |
| 16.4.1.2 | Invocation of ANF-ISIMM | 152 |
| 16.4.1.2.1 | Cases 1) to 3) | 152 |
| 16.4.1.2.2 | Case 4) | 153 |
| 16.4.2 | Operation | 154 |
| 16.4.2.1 | Cases 1) to 3) | 154 |
| 16.4.2.2 | Case 4) | 155 |
| 16.5 | Exceptional procedures | 156 |
| 16.6 | Interactions | 157 |
| 17 | Group Database Recovery (GDR) service description - stage 1 | 158 |
| 17.1 | Service definition | 158 |
| 17.2 | Service description | 158 |
| 17.3 | Service architecture | 159 |
| 17.4 | Normal procedures | 159 |
| 17.4.1 | Invocation | 159 |
| 17.4.1.1 | Invocation criteria | 159 |
| 17.4.1.2 | Invocation of ANF-ISIMM | 160 |
| 17.4.2 | Operation (applicable for cases 1) and 2) unless otherwise stated) | 161 |
| 17.4.2.1 | Verification of age information | 161 |
| 17.4.2.2 | The group visited SwMI MM receives the G-HDR indication | 162 |
| 17.4.2.3 | The group home SwMI MM receives the G-VDR indication | 162 |

| | | |
|------------|--|-----|
| 17.4.2.4 | The virtual group attachment and detachment | 163 |
| 17.4.2.5 | The iteration | 164 |
| 17.4.2.6 | The completion of the GDR | 164 |
| 17.4.2.6.1 | G-HDR | 164 |
| 17.4.2.6.2 | G-VDR | 164 |
| 17.5 | Exceptional procedures | 165 |
| 18 | Group linking/unlinking service description - stage 1 | 166 |
| 18.1 | Service definition | 166 |
| 18.2 | Service description | 167 |
| 18.3 | Service architecture | 167 |
| 18.4 | Normal procedures | 168 |
| 18.4.1 | Invocation | 168 |
| 18.4.1.1 | Invocation criteria | 168 |
| 18.4.1.2 | Invocation of ANF-ISIMM | 168 |
| 18.4.1.2.1 | Case 1) - group linking service - Sending of Linking_req | 168 |
| 18.4.1.2.2 | Case 2) - group unlinking service | 169 |
| 18.4.1.2.3 | Case 3) - remote group unlinking service | 169 |
| 18.4.2 | Operation | 170 |
| 18.4.2.1 | General | 170 |
| 18.4.2.2 | Case 1) - group linking service | 170 |
| 18.4.2.2.1 | First phase of group linking service | 170 |
| 18.4.2.2.2 | Second phase of group linking service | 171 |
| 18.4.2.3 | Case 2) - group unlinking service | 173 |
| 18.4.2.4 | Case 3) - remote group unlinking service | 174 |
| 18.5 | Exceptional procedures | 174 |
| 18.5.1 | General | 174 |
| 18.5.2 | Case 1) - group linking service | 174 |
| 18.5.3 | Case 2) - group unlinking service | 175 |
| 18.5.4 | Case 3) - remote group unlinking service | 176 |
| 18.6 | Interactions | 177 |
| 19 | Linked group attachment service description - stage 1 | 177 |
| 19.1 | Service definition | 177 |
| 19.2 | Service description | 177 |
| 19.3 | Service Architecture | 177 |
| 19.4 | Normal Procedure | 178 |
| 19.4.1 | Invocation | 178 |
| 19.4.1.1 | Invocation criteria | 178 |
| 19.4.1.2 | Invocation of ANF-ISIMM | 178 |
| 19.4.1.2.1 | Case 1 | 178 |
| 19.4.1.2.2 | Case 2 | 179 |
| 19.4.2 | Operation | 179 |
| 19.5 | Exceptional cases | 179 |
| 19.6 | Interactions | 179 |
| 20 | Linked group detachment service description - stage 1 | 180 |
| 20.1 | Service definition | 180 |
| 20.2 | Service description | 180 |
| 20.3 | Service architecture | 180 |
| 20.4 | Normal procedure | 180 |
| 20.4.1 | Invocation | 180 |
| 20.4.1.1 | Invocation criteria | 180 |
| 20.4.1.2 | Invocation of ANF-ISIMM | 181 |
| 20.4.1.2.1 | Case 1 | 181 |
| 20.4.1.2.2 | Case 2 | 181 |
| 20.4.2 | Operation | 182 |
| 20.5 | Exceptional cases | 182 |
| 20.6 | Interactions | 182 |
| 21 | ANF-ISIMM stage 2 specification | 182 |
| 21.1 | General | 182 |
| 21.2 | Functional model | 182 |

| | | |
|----------|---|-----|
| 21.3 | Information flow diagrams | 183 |
| 22 | Migration - stage 2 information flow sequences | 183 |
| 22.1 | General | 183 |
| 22.2 | Normal operation..... | 183 |
| 22.2.1 | Migration with pre-defined profile(s) | 183 |
| 22.2.2 | Migration with basic migration profile exchange | 184 |
| 22.2.3 | Migration with basic migration and SS-migration profiles exchange..... | 186 |
| 22.2.3.1 | SS-migration profiles exchanged before final migration approval..... | 186 |
| 22.2.3.2 | SS-migration profiles exchanged after final migration approval | 188 |
| 22.3 | Exceptional operation..... | 190 |
| 22.3.1 | Migration rejection request upon receipt of the Migration_ind | 190 |
| 22.3.2 | Migration rejection request upon receipt of Profile update result and SS-profile update result | 191 |
| 22.4 | FE actions for subscriber migration | 193 |
| 22.4.1 | FE actions of FE1 | 193 |
| 22.4.2 | FE actions of FE3 | 193 |
| 23 | Restricted migration - stage 2 information flow sequences | 194 |
| 23.1 | General | 194 |
| 23.2 | Normal operation..... | 194 |
| 23.2.1 | Restricted migration requested by individual subscriber visited SwMI MM..... | 194 |
| 23.2.2 | Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the individual subscriber visited SwMI MM..... | 194 |
| 23.2.3 | Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the individual subscriber visited SwMI MM | 195 |
| 23.3 | Exceptional operation..... | 195 |
| 23.4 | FE actions for restricted migration | 195 |
| 23.4.1 | FE actions of FE1 | 195 |
| 23.4.2 | FE actions of FE3 | 196 |
| 24 | Removal of Subscriber Information - stage 2 information flow sequences | 196 |
| 24.1 | General | 196 |
| 24.2 | Normal operation..... | 196 |
| 24.3 | Exceptional operation..... | 197 |
| 24.4 | FE actions for subscriber migration | 197 |
| 24.4.1 | FE actions of FE1 | 197 |
| 24.4.2 | FE actions of FE4 | 198 |
| 25 | De-registration - stage 2 information flow sequences | 198 |
| 25.1 | General | 198 |
| 25.2 | Normal operation..... | 198 |
| 25.2.1 | Individual subscriber visited SwMI MM initiated de-registration..... | 198 |
| 25.3 | Exceptional operation..... | 200 |
| 25.3.1 | Individual subscriber visited SwMI MM initiated de-registration rejected | 200 |
| 25.4 | FE actions | 200 |
| 25.4.1 | FE actions of FE1 | 200 |
| 25.4.2 | FE actions of FE3 | 201 |
| 26 | Profile update - stage 2 information flow sequences..... | 201 |
| 26.1 | General | 201 |
| 26.2 | Normal operation..... | 202 |
| 26.3 | Profile update rejection | 203 |
| 26.4 | FE actions for Profile update | 203 |
| 26.4.1 | FE actions of FE1 | 203 |
| 26.4.2 | FE actions of FE3 | 203 |
| 27 | SS-profile update - stage 2 information flow sequences | 204 |
| 27.1 | General | 204 |
| 27.2 | Normal operation..... | 204 |
| 27.3 | SS-profile update rejection | 205 |
| 27.4 | FE actions for SS-profile update | 205 |
| 27.4.1 | FE actions of FE1 | 205 |
| 27.4.2 | FE actions of FE3 | 205 |

| | | |
|--------|--|-----|
| 28 | Authentication - stage 2 information flow sequences | 206 |
| 28.1 | General | 206 |
| 28.2 | Normal operation..... | 206 |
| 28.2.1 | Authentication..... | 206 |
| 28.2.2 | Successful subsequent authentication | 207 |
| 28.3 | Authentication invoked in conjunction with migration | 208 |
| 28.4 | Exceptional operation..... | 209 |
| 28.4.1 | Authentication failure in the individual subscriber visited SwMI | 209 |
| 28.5 | FE actions for authentication..... | 211 |
| 28.5.1 | FE actions of FE1 | 211 |
| 28.5.2 | FE actions of FE3 | 212 |
| 29 | Over The Air Re-keying (OTAR) - stage 2 information flow sequences..... | 212 |
| 29.1 | General | 212 |
| 29.2 | Normal operation..... | 212 |
| 29.2.1 | OTAR SCK generation service..... | 212 |
| 29.2.2 | Individual subscriber visited SwMI MM initiated OTAR SCK delivery service | 214 |
| 29.2.3 | Individual subscriber home SwMI MM initiated OTAR SCK delivery service | 215 |
| 29.2.4 | OTAR SCK generation service, subsequent use of parameters | 216 |
| 29.3 | Exceptional operation..... | 217 |
| 29.3.1 | Failed OTAR SCK generation service..... | 217 |
| 29.3.2 | Failed individual subscriber visited SwMI MM initiated OTAR SCK delivery..... | 219 |
| 29.3.3 | Failed individual subscriber home SwMI MM initiated OTAR SCK delivery..... | 220 |
| 29.3.4 | Failed subsequent use of OTAR SCK generation parameters | 221 |
| 29.4 | FE actions for OTAR | 221 |
| 29.4.1 | FE actions of FE1 | 221 |
| 29.4.2 | FE actions of FE3 | 222 |
| 30 | Individual subscriber database recovery - stage 2 information flow sequences..... | 222 |
| 30.1 | General | 222 |
| 30.2 | Normal operation..... | 222 |
| 30.2.1 | HMM recovery | 222 |
| 30.2.2 | VMM recovery | 226 |
| 30.3 | Exceptional operation..... | 229 |
| 30.3.1 | Rejection of HMM recovery | 229 |
| 30.3.2 | Rejection of VMM recovery..... | 230 |
| 30.4 | FE actions | 230 |
| 30.4.1 | FE actions of FE1 | 230 |
| 30.4.2 | FE actions of FE3 | 231 |
| 30.4.3 | FE actions of FE4 | 231 |
| 31 | Group attachment - stage 2 information flow sequences | 232 |
| 31.1 | Normal operation..... | 232 |
| 31.1.1 | Group visited SwMI MM initiated group attachment without migration profile exchange..... | 232 |
| 31.1.2 | Group visited SwMI MM initiated first group attachment with migration profile exchange | 233 |
| 31.1.3 | Group home SwMI MM initiated group attachment without migration profile exchange..... | 235 |
| 31.1.4 | Group home SwMI MM initiated group attachment with migration profile exchange..... | 235 |
| 31.2 | Exceptional operation..... | 238 |
| 31.2.1 | Rejection of group visited SwMI MM initiated group attachment without migration profile exchange .. | 238 |
| 31.2.2 | Rejection of profile update in connection to group home SwMI MM initiated group attachment with migration profile exchange | 239 |
| 31.2.3 | Rejection of group home SwMI MM initiated group attachment without migration profile exchange | 240 |
| 31.2.4 | Rejection of group home SwMI MM initiated group attachment with migration profile exchange | 241 |
| 31.3 | FE actions | 242 |
| 31.3.1 | FE actions of FE2 | 242 |
| 31.3.2 | FE actions of FE6 | 242 |
| 32 | Normal operation for group detachment - stage 2 information flow sequences..... | 243 |
| 32.1 | Normal operation..... | 243 |
| 32.1.1 | Group visited SwMI MM initiated group detachment | 243 |
| 32.1.2 | Group home SwMI MM initiated group detachment..... | 244 |
| 32.2 | Exceptional operation..... | 245 |
| 32.2.1 | Rejection of group visited SwMI MM initiated group detachment | 245 |

| | | |
|--------|---|-----|
| 32.2.2 | Rejection of group home SwMI MM initiated group detachment rejection | 246 |
| 32.3 | FE actions | 246 |
| 32.3.1 | FE actions of FE2 | 246 |
| 32.3.2 | FE actions of FE3 | 247 |
| 33 | Group database recovery - stage 2 information flow sequences | 248 |
| 33.1 | Normal operation..... | 248 |
| 33.1.1 | G-HDR..... | 248 |
| 33.1.2 | G-VDR..... | 250 |
| 33.2 | Exceptional operation..... | 252 |
| 33.2.1 | Rejection of G-HDR | 252 |
| 33.2.2 | Rejection of G-VDR | 253 |
| 33.3 | FE actions | 253 |
| 33.3.1 | FE actions of FE2 | 253 |
| 33.3.2 | FE actions of FE6 | 254 |
| 34 | Group linking/unlinking - stage 2 information flow scenarios..... | 254 |
| 34.1 | Normal operation..... | 254 |
| 34.2 | Exceptional operation - group linking rejected by participating SwMI | 254 |
| 34.3 | FE actions | 254 |
| 34.3.1 | FE actions of FE5 | 254 |
| 34.3.2 | FE actions of FE6 | 254 |
| 35 | Linked group attachment/detachment - stage 2 information flow scenarios..... | 255 |
| 35.1 | Normal operation..... | 255 |
| 35.1.1 | Group linking participating SwMI MM initiated attachment to a linked group | 255 |
| 35.1.2 | Group linking participating SwMI MM initiated detachment from a linked group..... | 255 |
| 35.2 | Exceptional operation - attach linked group rejected by linking controlling SwMI..... | 256 |
| 35.3 | FE actions | 257 |
| 35.3.1 | FE actions of FE2 | 257 |
| 35.3.2 | FE actions of FE5 | 258 |
| 36 | Definition of stage 2 information flows | 258 |
| 36.1 | General | 258 |
| 36.2 | ATTACH LINKED GROUP | 258 |
| 36.3 | ATTACH LINKED GROUP REJECT | 259 |
| 36.4 | AUTHENTICATION DEMAND | 259 |
| 36.5 | AUTHENTICATION RESPONSE..... | 259 |
| 36.6 | AUTHENTICATION RESULT..... | 260 |
| 36.7 | AUTH REJECT..... | 260 |
| 36.8 | DE-REGISTRATION | 260 |
| 36.9 | DE-REG REJECT | 261 |
| 36.10 | DETACH LINKED GROUP | 261 |
| 36.11 | GROUP ATTACHMENT | 261 |
| 36.12 | GROUP ATT REJECT | 262 |
| 36.13 | GROUP DETACHMENT | 262 |
| 36.14 | GROUP DET REJECT | 263 |
| 36.15 | HMM RECOVERY | 263 |
| 36.16 | HMM RECOVERY COMPLETED..... | 263 |
| 36.17 | HMM RECOVERY REJECT | 264 |
| 36.18 | LINKING | 264 |
| 36.19 | LINKING COMMAND | 264 |
| 36.20 | LINKING REJECT | 264 |
| 36.21 | MIGRATION | 265 |
| 36.22 | MIGRATION REJECT | 265 |
| 36.23 | OTAR-KEY DEMAND | 266 |
| 36.24 | OTAR-KEY PROVIDE | 266 |
| 36.24a | OTAR-EXTENDED KEY PROVIDE | 267 |
| 36.25 | OTAR-KEY REJECT | 267 |
| 36.26 | OTAR-KEY RESULT | 267 |
| 36.27 | OTAR-PARAM DEMAND | 268 |
| 36.28 | OTAR-PARAM PROVIDE | 268 |
| 36.28a | OTAR-EXTENDED PARAM PROVIDE..... | 268 |

| | | |
|-----------|--|-----|
| 36.29 | OTAR-PARAM REJECT | 269 |
| 36.30 | OTAR-PARAM RESULT | 269 |
| 36.31 | PROFILE REJECT | 269 |
| 36.32 | PROFILE UPDATE | 270 |
| 36.33 | REMOTE UNLINKING | 270 |
| 36.34 | REMOVE REJECT | 270 |
| 36.35 | REMOVE SUBS | 270 |
| 36.36 | SS-PROFILE REJECT | 271 |
| 36.37 | SS-PROFILE UPDATE | 271 |
| 36.38 | UNLINKING | 272 |
| 36.39 | UNLINKING REJECT | 272 |
| 36.40 | VMM RECOVERY | 272 |
| 36.41 | VMM RECOVERY COMPLETED | 272 |
| 36.42 | VMM RECOVERY REJECT | 273 |
| 36.43 | Profiles | 273 |
| 36.43.1 | Basic migration profiles | 273 |
| 36.43.1.1 | Group basic migration profile (original and temporary) | 273 |
| 36.43.1.2 | Individual basic migration profile | 274 |
| 36.43.2 | SS-migration profile (original and temporary) | 276 |
| 37 | ANF-ISIMM encoding requirements - stage 3 | 276 |
| 37.1 | Introduction | 276 |
| 37.2 | ANF-ISIMM PDU description tables | 276 |
| 37.2.1 | General | 276 |
| 37.2.2 | ATTACH LINKED GROUP | 277 |
| 37.2.3 | ATTACH LINKED GROUP RESPONSE | 277 |
| 37.2.4 | ATTACH LINKED GROUP REJECT | 278 |
| 37.2.5 | AUTHENTICATION DEMAND | 278 |
| 37.2.6 | AUTHENTICATION RESPONSE | 279 |
| 37.2.7 | AUTHENTICATION RESULT | 279 |
| 37.2.8 | AUTH REJECT | 280 |
| 37.2.9 | DE-REGISTRATION | 280 |
| 37.2.10 | DE-REGISTRATION RESPONSE | 281 |
| 37.2.11 | DE-REG REJECT | 281 |
| 37.2.12 | DETACH LINKED GROUP | 281 |
| 37.2.13 | DETACH LINKED GROUP RESPONSE | 282 |
| 37.2.14 | GROUP ATTACHMENT | 282 |
| 37.2.15 | GROUP ATTACHMENT RESPONSE | 283 |
| 37.2.16 | GROUP ATT REJECT | 284 |
| 37.2.17 | GROUP DETACHMENT | 284 |
| 37.2.18 | GROUP DETACHMENT RESPONSE | 285 |
| 37.2.19 | GROUP DET REJECT | 285 |
| 37.2.20 | HMM RECOVERY | 286 |
| 37.2.21 | HMM RECOVERY COMPLETED | 286 |
| 37.2.22 | HMM RECOVERY REJECT | 287 |
| 37.2.23 | HMM RECOVERY RESPONSE | 287 |
| 37.2.24 | LINKING | 287 |
| 37.2.25 | LINKING COMMAND | 287 |
| 37.2.26 | LINKING COMMAND RESPONSE | 287 |
| 37.2.27 | LINKING REJECT | 288 |
| 37.2.28 | LINKING RESPONSE | 288 |
| 37.2.29 | MIGRATION | 288 |
| 37.2.30 | MIGRATION REJECT | 288 |
| 37.2.31 | MIGRATION REJECT RESPONSE | 289 |
| 37.2.32 | MIGRATION RESPONSE | 289 |
| 37.2.33 | OTAR-KEY DEMAND | 290 |
| 37.2.34 | OTAR-KEY PROVIDE | 290 |
| 37.2.34a | OTAR-EXTENDED-KEY PROVIDE | 291 |
| 37.2.35 | OTAR-KEY REJECT | 291 |
| 37.2.36 | OTAR-KEY RESULT | 292 |
| 37.2.37 | OTAR-PARAM DEMAND | 292 |
| 37.2.38 | OTAR-PARAM PROVIDE | 292 |

| | | |
|----------|--|-----|
| 37.2.38a | OTAR-EXTENDED PARAM PROVIDE..... | 293 |
| 37.2.39 | OTAR-PARAM REJECT..... | 293 |
| 37.2.40 | OTAR-PARAM RESULT..... | 294 |
| 37.2.41 | PROFILE REJECT..... | 294 |
| 37.2.42 | PROFILE UPDATE..... | 295 |
| 37.2.43 | PROFILE UPDATE RESPONSE..... | 295 |
| 37.2.44 | REMOTE UNLINKING..... | 296 |
| 37.2.45 | REMOVE REJECT..... | 296 |
| 37.2.46 | REMOVE SUBS..... | 296 |
| 37.2.47 | REMOVE SUBS RESPONSE..... | 297 |
| 37.2.48 | SS-PROFILE REJECT..... | 297 |
| 37.2.49 | SS-PROFILE UPDATE..... | 297 |
| 37.2.50 | SS-PROFILE UPDATE RESPONSE..... | 298 |
| 37.2.51 | UNLINKING..... | 298 |
| 37.2.52 | UNLINKING REJECT..... | 298 |
| 37.2.53 | UNLINKING RESPONSE..... | 298 |
| 37.2.54 | VMM RECOVERY..... | 299 |
| 37.2.55 | VMM RECOVERY COMPLETED..... | 299 |
| 37.2.56 | VMM RECOVERY REJECT..... | 299 |
| 37.2.57 | VMM RECOVERY RESPONSE..... | 300 |
| 37.3 | PDU information element encoding..... | 300 |
| 37.3.1 | Advanced link..... | 300 |
| 37.3.2 | Age stamp..... | 301 |
| 37.3.3 | AI encryption state list..... | 301 |
| 37.3.4 | ANF-ISIMM invoke id..... | 302 |
| 37.3.5 | Attach linked group rejection cause..... | 302 |
| 37.3.6 | Authentication invocation..... | 302 |
| 37.3.7 | Authentication rejection cause..... | 303 |
| 37.3.8 | Authentication service..... | 303 |
| 37.3.9 | Authentication type..... | 304 |
| 37.3.10 | Basic migration profile info..... | 304 |
| 37.3.11 | Call restoration support..... | 304 |
| 37.3.12 | Call time-out set-up phase timer (T301)..... | 304 |
| 37.3.13 | Call time-out timer (T310)..... | 305 |
| 37.3.14 | Circuit mode protected (high) data service..... | 306 |
| 37.3.15 | Circuit mode protected (low) data service..... | 306 |
| 37.3.16 | Circuit mode unprotected speech + data service..... | 307 |
| 37.3.17 | Default SS-information..... | 307 |
| 37.3.18 | De-registration rejection cause..... | 308 |
| 37.3.19 | De-registration type..... | 308 |
| 37.3.20 | Duplex service..... | 308 |
| 37.3.21 | End-to-end encryption service..... | 309 |
| 37.3.22 | First/Subsequent Group attachment..... | 309 |
| 37.3.23 | Following conditional element(s) present..... | 309 |
| 37.3.24 | Forced removal..... | 310 |
| 37.3.25 | Group attachment/detachment..... | 310 |
| 37.3.26 | Group attachment rejection cause..... | 310 |
| 37.3.27 | Group basic migration profile (original and temporary)..... | 311 |
| 37.3.28 | Group detachment rejection cause..... | 312 |
| 37.3.29 | Group information..... | 312 |
| 37.3.30 | Group information in subscriber profile..... | 312 |
| 37.3.31 | Group priority..... | 313 |
| 37.3.32 | GSSI..... | 313 |
| 37.3.33 | Home/Visited SwMI MM initiated..... | 313 |
| 37.3.34 | Individual basic migration profile (original and temporary)..... | 314 |
| 37.3.35 | Interleaving depth..... | 315 |
| 37.3.36 | IP service..... | 315 |
| 37.3.37 | ISSI..... | 316 |
| 37.3.38 | Last group detachment..... | 316 |
| 37.3.39 | Linking rejection cause..... | 316 |
| 37.3.40 | Maximum number of timeslots..... | 316 |
| 37.3.41 | Migration rejection cause..... | 317 |

| | | |
|---------|--|-----|
| 37.3.42 | Migration type | 317 |
| 37.3.43 | MNI | 318 |
| 37.3.44 | Not supported SS | 318 |
| 37.3.45 | Number of not supported SSs | 318 |
| 37.3.46 | Number of SS-information | 318 |
| 37.3.47 | Original/Subsequent use of param | 318 |
| 37.3.48 | OTAR SCK delivery service | 318 |
| 37.3.49 | OTAR SCK generation service | 319 |
| 37.3.50 | OTAR SCK key rejection cause | 320 |
| 37.3.51 | OTAR SCK param rejection cause | 320 |
| 37.3.52 | Other linked group | 320 |
| 37.3.53 | PDU type | 321 |
| 37.3.54 | Pre-defined profile set reference(s) | 322 |
| 37.3.55 | Profile exchange support | 323 |
| 37.3.56 | Profile rejection cause | 323 |
| 37.3.57 | Profile type | 323 |
| 37.3.58 | Point-to-multipoint acknowledged service | 323 |
| 37.3.59 | Point-to-multipoint broadcast service | 324 |
| 37.3.60 | Point-to-multipoint service | 324 |
| 37.3.61 | Point-to-point service | 325 |
| 37.3.62 | Profile status | 325 |
| 37.3.63 | Proprietary | 326 |
| 37.3.64 | Recovery | 326 |
| 37.3.65 | Recovery rejection cause | 326 |
| 37.3.66 | Recovery type | 326 |
| 37.3.67 | Restricted migration support | 326 |
| 37.3.68 | RSI rejection cause | 327 |
| 37.3.69 | SDS profile | 327 |
| 37.3.70 | Speech service | 327 |
| 37.3.71 | SS-information | 328 |
| 37.3.72 | SS-information response | 328 |
| 37.3.73 | SS-migration profile (original) | 328 |
| 37.3.74 | SS-migration profile response (temporary) | 329 |
| 37.3.75 | SS-profile response status | 329 |
| 37.3.76 | SS-profile update indicator | 329 |
| 37.3.77 | SS-response status | 329 |
| 37.3.78 | SS-status | 330 |
| 37.3.79 | SS-type | 330 |
| 37.3.80 | Subscriber information | 330 |
| 37.3.81 | Subscriber information in group profile | 330 |
| 37.3.82 | Subscriber status | 331 |
| 37.3.83 | Type 3 element identifier | 331 |
| 37.3.84 | Unlinking rejection cause | 331 |
| 37.3.85 | Validity time | 331 |
| 37.3.86 | Validity time type | 332 |
| 38 | ANF-ISIMM procedures - stage 3 | 332 |
| 38.1 | General | 332 |
| 38.2 | Generic procedures | 332 |
| 38.2.1 | General | 332 |
| 38.2.2 | Invoking SwMI | 332 |
| 38.2.3 | Receiving SwMI | 332 |
| 38.2.4 | Clearing of ISI GFP transport connection | 332 |
| 38.2.5 | Convert primitive to PDU | 333 |
| 38.2.6 | Convert PDU to primitive | 333 |
| 38.2.7 | Correspondence between ANF-ISIMM primitives and PDUs | 333 |
| 38.3 | SDL descriptions | 334 |
| 38.4 | Migration | 334 |
| 38.4.1 | General | 334 |
| 38.4.2 | Individual subscriber visited SwMI ANF-ISIMM | 334 |
| 38.4.3 | Individual subscriber home SwMI ANF-ISIMM | 335 |
| 38.5 | Restricted migration | 337 |

| | | |
|-----------|--|-----|
| 38.5.1 | General..... | 337 |
| 38.5.2 | Individual subscriber visited SwMI ANF-ISIMM..... | 337 |
| 38.5.3 | Individual subscriber home SwMI ANF-ISIMM..... | 338 |
| 38.6 | Removal of Subscriber Information..... | 340 |
| 38.6.1 | Individual subscriber home SwMI ANF-ISIMM..... | 340 |
| 38.6.2 | Previous visited SwMI ANF-ISIMM..... | 341 |
| 38.7 | De-registration..... | 342 |
| 38.7.1 | Individual subscriber visited SwMI ANF-ISIMM..... | 342 |
| 38.7.2 | Individual subscriber home SwMI ANF-ISIMM..... | 343 |
| 38.8 | Profile update..... | 344 |
| 38.8.1 | Individual subscriber or group home SwMI ANF-ISIMM..... | 344 |
| 38.8.2 | Individual subscriber or group visited SwMI ANF-ISIMM..... | 345 |
| 38.9 | SS-profile update..... | 346 |
| 38.9.1 | Individual subscriber or group home SwMI ANF-ISIMM..... | 346 |
| 38.9.2 | Individual subscriber or group visited SwMI ANF-ISIMM..... | 347 |
| 38.10 | Authentication..... | 348 |
| 38.10.1 | Individual subscriber visited SwMI ANF-ISIMM..... | 348 |
| 38.10.2 | Individual subscriber home SwMI ANF-ISIMM..... | 349 |
| 38.11 | Over the air re-keying..... | 350 |
| 38.11.1 | OTAR SCK generation..... | 350 |
| 38.11.1.1 | Individual subscriber visited SwMI ANF-ISIMM..... | 350 |
| 38.11.1.2 | Individual subscriber home SwMI ANF-ISIMM..... | 351 |
| 38.11.2 | OTAR SCK delivery..... | 352 |
| 38.11.2.1 | Individual subscriber visited SwMI ANF-ISIMM..... | 352 |
| 38.11.2.2 | Individual subscriber home SwMI ANF-ISIMM..... | 352 |
| 38.12 | Individual subscriber database recovery..... | 353 |
| 38.12.1 | HMM recovery..... | 353 |
| 38.12.1.1 | Individual subscriber visited SwMI ANF-ISIMM..... | 353 |
| 38.12.1.2 | Individual subscriber home SwMI ANF-ISIMM..... | 354 |
| 38.12.1.3 | Previous visited SwMI ANF-ISIMM..... | 355 |
| 38.12.2 | VMM recovery..... | 356 |
| 38.12.2.1 | Individual subscriber visited SwMI ANF-ISIMM..... | 356 |
| 38.12.2.2 | Individual subscriber home SwMI ANF-ISIMM..... | 358 |
| 38.12.2.3 | Previous visited SwMI ANF-ISIMM..... | 359 |
| 38.13 | Group attachment..... | 359 |
| 38.13.1 | Group visited SwMI ANF-ISIMM..... | 359 |
| 38.13.2 | Group Home SwMI ANF-ISIMM..... | 360 |
| 38.14 | Group detachment..... | 363 |
| 38.14.1 | Group visited SwMI ANF-ISIMM..... | 363 |
| 38.14.2 | Group home SwMI ANF-ISIMM..... | 364 |
| 38.15 | Group database recovery..... | 365 |
| 38.15.1 | Group visited SwMI ANF-ISIMM..... | 365 |
| 38.15.2 | Group home SwMI ANF-ISIMM..... | 367 |
| 38.16 | Linked Group Attachment..... | 370 |
| 38.16.1 | Participating SwMI ANF-ISIMM..... | 370 |
| 38.16.2 | Controlling SwMI ANF-ISIMM..... | 371 |
| 38.17 | Detach Linked Group..... | 372 |
| 38.17.1 | Participating SwMI ANF-ISIMM..... | 372 |
| 38.17.2 | Controlling SwMI ANF-ISIMM..... | 373 |
| 38.18 | Group linking/unlinking..... | 373 |
| 39 | General ANF-ISIMM service and protocol principles - stage 3..... | 373 |
| 39.1 | General..... | 373 |
| 39.2 | ANF-ISIMM invoke id..... | 374 |
| 39.3 | Inclusion of Short Subscriber Identity in PDUs..... | 374 |
| 39.4 | PISN number exchange between SwMI MMs..... | 374 |
| 39.5 | Timers..... | 374 |
| 39.6 | Exceptional procedures..... | 374 |

| | | |
|-----------------------------|---|------------|
| Annex A (normative): | The SwMI scenarios and the migration, the restricted migration and the RSI services..... | 375 |
|-----------------------------|---|------------|

| | | |
|-------------------------------|--|------------|
| Annex B (informative): | ANF-ISIMM services requirements for databases | 376 |
| Annex C (informative): | Bibliography | 378 |
| Annex D (informative): | Change Requests | 379 |
| History | | 380 |

Sample Document

get full document from standards.iteh.ai