

**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 3: Additional Network Feature
Group Call (ANF-ISIGC)**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 300 392-3-3 V1.3.1 \(2011-11\)](https://standards.iteh.ai/catalog/standards/etsi/2fa8793a-411d-43a4-934c-6a48680d3ccb/etsi-en-300-392-3-3-v1-3-1-2011-11)

[https://standards.iteh.ai/catalog/standards/etsi/2fa8793a-411d-43a4-934c-6a48680d3ccb/etsi-en-300-392-3-3-v1-3-1-2011-](https://standards.iteh.ai/catalog/standards/etsi/2fa8793a-411d-43a4-934c-6a48680d3ccb/etsi-en-300-392-3-3-v1-3-1-2011-11)

11



ReferenceREN/TETRA-03207

Keywordsinterworking, radio, TETRA, V+D

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	9
Foreword.....	9
1 Scope	11
2 References	12
2.1 Normative references	12
2.2 Informative references.....	13
3 Definitions and abbreviations.....	13
3.1 Definitions.....	13
3.2 Abbreviations	14
4 ANF-ISIGC stage 1 specification.....	15
4.1 Description	15
4.1.1 General description.....	15
4.1.2 Qualifications on applicability to TETRA basic services	16
4.2 Procedures	16
4.2.1 Provision/withdrawal.....	16
4.2.2 Normal procedures.....	16
4.2.2.1 Activation/deactivation/registration/interrogation	16
4.2.2.2 Invocation and operation.....	16
4.2.2.3 ANF-ISIGC - the service provider.....	16
4.2.2.3.1 Establishing the group call at the originating and controlling TETRA SwMI	17
4.2.2.3.2 Establishing the group call at a participating TETRA SwMI	18
4.2.2.3.3 Delaying the group call	20
4.2.2.3.4 Control of call time-out timers	20
4.2.2.3.5 Acknowledged group call procedures.....	21
4.2.2.3.6 Colliding calls.....	21
4.2.2.3.7 Maintenance of the group call	22
4.2.2.3.8 Termination of the group call	25
4.2.3 Exceptional procedures.....	25
4.2.3.1 Activation/deactivation/registration/interrogation	25
4.2.3.2 Invocation and operation.....	25
4.3 Interaction with other PISN supplementary services and PISN ANFs.....	26
4.4 Interaction with TETRA supplementary services and other TETRA ANFs	26
4.4.1 Calling Line Identification Presentation (SS-CLIP)	26
4.4.2 Connected Line Identification Presentation (SS-COLP)	26
4.4.3 Calling/Connected Line Identification Restriction (SS-CLIR).....	26
4.4.4 Call Report (SS-CR)	26
4.4.5 Talking Party Identification (SS-TPI).....	27
4.4.6 Call Forwarding Unconditional (SS-CFU)	27
4.4.7 Call Forwarding on Busy (SS-CFB).....	27
4.4.8 Call Forwarding on No Reply (SS-CFNRY).....	27
4.4.9 Call Forwarding on Not Reachable (SS-CFNRC)	27
4.4.10 List Search Call (SS-LSC).....	27
4.4.11 Call Authorized by Dispatcher (SS-CAD).....	27
4.4.12 Short Number Addressing (SS-SNA)	27
4.4.13 Area Selection (SS-AS)	27
4.4.14 Access Priority (SS-AP)	27
4.4.15 Priority Call (SS-PC).....	28
4.4.16 Call Waiting (SS-CW).....	28
4.4.17 Call Hold (SS-HOLD)	28
4.4.18 Call Completion to Busy Subscriber (SS-CCBS).....	28
4.4.19 Late Entry (SS-LE)	28
4.4.20 Transfer of Control (SS-ToC).....	28
4.4.21 Pre-emptive Priority Call (SS-PPC).....	28
4.4.22 Include Call (SS-IC)	29

4.4.23	Advice of Charge (SS-AoC)	29
4.4.24	Barring of Outgoing Calls (SS-BOC)	29
4.4.25	Barring of Incoming Calls (SS-BIC)	29
4.4.26	Discreet Listening (SS-DL)	29
4.4.27	Ambience Listening (SS-AL)	29
4.4.28	Dynamic Group Number Assignment (SS-DGNA).....	29
4.4.29	Call Completion on No Reply (SS-CCNR)	29
4.4.30	Call Retention (SS-CRT)	29
4.4.31	Additional Network Features - Inter-System Interface Individual Call (ANF-ISIIC)	30
4.4.32	ISI Short Data (ANF-ISISD)	30
4.4.33	ISI Mobility Management (ANF-ISIMM)	30
4.5	Interworking considerations	30
4.6	Static description of ANF- ISIGC using attributes.....	31
4.7	Overall SDL	32
5	ANF-ISIGC stage 2 specification.....	45
5.1	Functional model.....	45
5.1.1	Functional model description.....	45
5.1.2	Description of functional entities.....	46
5.1.2.1	ISI group call originating entity, FE1.....	46
5.1.2.2	Originating SwMI CC application functional entity, FE1'	47
5.1.2.3	ISI group call controlling entity, FE2.....	47
5.1.2.4	Controlling SwMI CC application functional entity, FE2'	48
5.1.2.5	ISI group call participating entity, FE3.....	48
5.1.2.6	Participating SwMI CC application functional entity, FE3'	49
5.1.2.7	ISI Calling MS Database entity (ITSI), FE4	49
5.1.2.8	ISI Called Group Database entity (GTSI), FE5.....	49
5.1.3	Relationship of functional model to PSS1 basic call functional model	50
5.2	Information flow	50
5.2.1	Information flow diagrams	50
5.2.1.1	Successful group call set-up over ISI using ANF-ISIGC.....	51
5.2.1.2	Acknowledged group call set-up over ISI using ANF-ISIGC.....	64
5.2.1.3	Partial group call set-up over ISI using ANF-ISIGC	65
5.2.1.4	Delay of group call set-up over ISI using ANF-ISIGC	68
5.2.1.5	Interaction with an active group call	72
5.2.1.6	Unsuccessful group call set-up over ISI using ANF-ISIGC.....	74
5.2.1.7	Call Maintenance procedures - Request to transmit.....	79
5.2.1.8	Call maintenance procedures - Cease transmission.....	88
5.2.1.9	Call Maintenance procedures - Withdraw/Continue from an active group call	92
5.2.1.10	Call Maintenance procedures - Information flow to participating SwMI(s)	94
5.2.1.11	Call Maintenance procedures - Group call restoration over ISI using ANF-ISIGC.....	94
5.2.1.12	Call Disconnection procedures - Controlling SwMI disconnects the call.....	101
5.2.1.13	Call Disconnection procedures - Participating SwMI disconnects from the call	102
5.2.1.14	Call Disconnection procedures - Call Owner disconnects the whole call.....	104
5.2.2	Definitions of information flows	105
5.2.2.1	ISI_CALL RESTORATION.....	105
5.2.2.2	ISI_CALL RESTORATION Reject.....	106
5.2.2.3	ISI_CONNECT	107
5.2.2.4	ISI_DISCONNECT.....	107
5.2.2.5	ISI_ORIGINATING SETUP	108
5.2.2.6	ISI_INFO	108
5.2.2.7	ISI_INTERACT	109
5.2.2.8	ISI_POLL.....	110
5.2.2.9	ISI_REJECT.....	110
5.2.2.10	ISI_RELEASE	111
5.2.2.11	ISI_REROUTE	111
5.2.2.12	ISI_RESOURCE	112
5.2.2.13	ISI_SETUP.....	112
5.2.2.14	ISI_TX-CEASED.....	113
5.2.2.15	ISI_TX-CONTINUE.....	113
5.2.2.16	ISI_TX-DEMAND.....	114
5.2.2.17	ISI_TX-GRANTED	114

5.2.2.18	ISI_TX-INTERRUPT	115
5.2.2.19	ISI_TX-WAIT	115
5.2.2.20	VERIFY_GROUP	115
5.2.2.21	VERIFY_INDIV	116
5.3	Functional Entity Actions (FEAs)	116
5.3.1	FEA of FE1	116
5.3.2	FEA of FE1'	117
5.3.3	FEA of FE2	117
5.3.4	Functional entity actions of FE2'	121
5.3.5	FEA of FE3	121
5.3.6	Functional entity actions of FE3'	123
5.3.7	Functional entity actions of FE4	124
5.3.8	Functional entity actions of FE5	125
6	ANF-ISIGC stage 3 specification	125
6.1	ANF-ISIGC description	125
6.2	ANF-ISIGC operational requirements	125
6.2.1	PISN connection oriented call related connection	125
6.2.1.1	Requirements on the originating SwMI	125
6.2.1.1.1	PSS1 SETUP message	125
6.2.1.2	Requirements on the group home SwMI	126
6.2.1.2.1	PSS1 DISCONNECT or PSS1 RELEASE COMPLETE message	126
6.2.1.3	Requirements on the controlling SwMI	126
6.2.1.3.1	PSS1 DISCONNECT or PSS1 RELEASE COMPLETE message	126
6.2.1.3.2	PSS1 SETUP message	126
6.2.1.3.3	PSS1 CONNECT message	127
6.2.1.4	Requirements on the participating SwMI	128
6.2.1.4.1	PSS1 DISCONNECT or PSS1 RELEASE COMPLETE message	128
6.2.1.4.2	PSS1 CONNECT message	128
6.2.1.5	Requirements on the originating SwMI with PSTN/ISDN/PISN incoming gateway	128
6.2.1.5.1	PSS1 SETUP message	128
6.2.2	PISN connection oriented, call independent connection	129
6.3	ANF-ISIGC coding requirements	130
6.3.1	TETRA ANF-ISIGC PDUs	130
6.3.1.1	PISN connection oriented call related connection	131
6.3.1.1.1	TETRA PDU giving complementary information in the PSS1 SETUP, PSS1 CONNECT or PSS1 FACILITY message	131
6.3.1.1.2	TETRA PDU giving complementary information in the PSS1 CONNECT or PSS1 FACILITY message	135
6.3.1.1.3	TETRA PDU giving complementary information in the PSS1 FACILITY message	137
6.3.1.1.4	TETRA PDU giving complementary information in the PSS1 DISCONNECT or PSS1 FACILITY message	145
6.3.1.1.5	TETRA PDU giving complementary information in the PSS1 DISCONNECT, PSS1 FACILITY or PSS1 RELEASE message	146
6.3.1.1.6	TETRA PDU giving complementary information in the PSS1 DISCONNECT or PSS1 RELEASE COMPLETE message	147
6.3.1.2	PISN connection oriented, call independent connections	148
6.3.1.2.1	TETRA PDU sent by the participating SwMI of the migrated user - used to initiate call restoration	148
6.3.1.2.2	TETRA PDU sent by the controlling SwMI - used to confirm call restoration	149
6.3.1.2.3	TETRA PDU sent by the controlling SwMI - used to reject call restoration	149
6.3.2	TETRA PDU information element coding	149
6.3.2.1	Additional information to existing information element at the ISI	150
6.3.2.1.1	Call status	150
6.3.2.1.1a	Call time-out, set-up phase	150
6.3.2.1.2	Call time-out	150
6.3.2.1.3	Disconnect cause information element	151
6.3.2.1.4	Temporary group basic migration profile	151
6.3.2.1.5	PDU type	152
6.3.2.1.6	SS-migration profile	152
6.3.2.2	New information elements used at the ISI	153
6.3.2.2.1	Call amalgamation	153

6.3.2.2.1a	Call resource time-out	153
6.3.2.2.2	Call diverted to dispatcher	153
6.3.2.2.3	Call owner request	153
6.3.2.2.4	Calling group identifier	154
6.3.2.2.4a	Calling party information present	154
6.3.2.2.5	Connected party SSI and extension	154
6.3.2.2.6	Controlling/originating/participating SwMI MNI	154
6.3.2.2.7	Critical connected party/requesting party/restoring party/transmitting party SSI and extension...	154
6.3.2.2.8	Critical user list	154
6.3.2.2.9	Disconnect type	155
6.3.2.2.10	Dispatcher acceptance	155
6.3.2.2.11	External group member identity	155
6.3.2.2.12	External subscriber number digits	155
6.3.2.2.13	External subscriber number length	156
6.3.2.2.14	External subscriber number parameter	156
6.3.2.2.15	Fail Cause	156
6.3.2.2.16	Group attachment indicator	157
6.3.2.2.16a	Group call SwMI type	157
6.3.2.2.17	Group information	157
6.3.2.2.17a	ISI-INFO type	158
6.3.2.2.17b	Linking group identifier	158
6.3.2.2.18	New calling party	158
6.3.2.2.19	Numbering plan identifier	159
6.3.2.2.20	Poll request type	159
6.3.2.2.21	Poll result identifier	159
6.3.2.2.22	Reject cause information element	159
6.3.2.2.23	Resource allocation	161
6.3.2.2.24	Resource indicator	161
6.3.2.2.25	Screening indicator	161
6.3.2.2.26	Security level at air interface/Security level used in other network	161
6.3.2.2.26a	Setup response time-out	161
6.3.2.2.27	Set-up type	162
6.3.2.2.28	Speech service chosen/requested/used	162
6.3.2.2.29	Speech services supported	162
6.3.2.2.30	SS-CLIR invoked for calling/transmitting/restoring/connected party	163
6.3.2.2.31	Temporary group member indication	163
6.3.2.2.32	Transmission Ceased	163
6.3.2.2.33	Type of number	164
6.3.3	PSS1 facility information element	164
6.4	ANF-ISIGC state definitions	165
6.4.1	States at the originating SwMI	165
6.4.1.1	IDLE	165
6.4.1.2	FORWARD CALL	165
6.4.1.3	WAIT CONNECT	165
6.4.1.4	DELAY ENTRY	166
6.4.1.5	DELAY GROUP CALL	166
6.4.1.6	CALL DISCONNECT	166
6.4.1.7	CALL RELEASE	167
6.4.2	States at the controlling SwMI	167
6.4.2.1	IDLE	167
6.4.2.2	GROUP CALL INITIATE	167
6.4.2.3	DELAY GROUP CALL	168
6.4.2.4	ACTIVE	168
6.4.2.5	Void	169
6.4.2.6	CALL RELEASE	169
6.4.3	States at the participating SwMI	169
6.4.3.1	IDLE	169
6.4.3.2	WAIT CONNECT	170
6.4.3.3	DELAY ENTRY	170
6.4.3.4	DELAY GROUP CALL	170
6.4.3.5	ACTIVE	171
6.4.3.6	CALL DISCONNECT	171

6.4.3.7	CALL RELEASE.....	171
6.5	ANF-ISIGC signalling procedures	172
6.5.1	Call set-up procedures	172
6.5.1.1	Forward set-up request and PISN called number sending.....	172
6.5.1.2	Group linking	172
6.5.1.3	Call request, information channel selection and PISN called number sending	172
6.5.1.4	Call confirmation and call characteristics notification by the originating and participating SwMI(s)	173
6.5.1.5	Call confirmation indication and call connected by the controlling SwMI.....	174
6.5.1.6	Delay of call set-up	174
6.5.1.7	Failure of call establishment	175
6.5.1.8	Multiple calling parties	175
6.5.1.8.1	A new calling party appears at a SwMI not currently in the group call.....	175
6.5.1.8.2	A new, compatible, calling party appears at a SwMI where a group call is active.....	175
6.5.1.8.3	A new, compatible, calling party appears at an OSwMI where a group call is still in the setup phase.....	175
6.5.1.8.4	A new, compatible, calling party appears at an PSwMI where a group call is still in the setup phase.....	175
6.5.1.8.5	A new calling party requesting an emergency call appears at a SwMI where the existing call is not at an emergency priority	176
6.5.1.8.6	A new, non compatible, calling party appears at a SwMI where a group call is already active	176
6.5.1.8.7	A new calling party appears at a CSwMI that only supports a single ISI-Originating-Setup.....	176
6.5.1.8.8	The sending of subsequent ISI-Originating-Setups to the CSwMI.....	176
6.5.1.9	Security level.....	177
6.5.2	Acknowledge group call	177
6.5.3	Call maintenance procedures	177
6.5.3.1	Transmission control procedures	177
6.5.3.2	Call modification and/or continuation.....	179
6.5.3.3	Call restoration	179
6.5.3.4	DTMF procedures	180
6.5.4	Call disconnection procedures	180
6.5.5	Call collisions	181
6.5.6	Mapping of PSS1 messages with ISI PDUs.....	181
6.6	ANF-ISIGC impact from interworking with ISDN/PISN/PSTN	183
6.6.1	Call set-up procedures	183
6.6.2	Call maintenance procedures	183
6.6.3	Call disconnection procedures	183
6.7	Protocol interaction between ANF-ISIGC and supplementary services and other ANFs	184
6.7.1	Call Forwarding Unconditional (SS-CFU)	184
6.7.2	Call Authorized by Dispatcher (SS-CAD).....	184
6.7.3	Area Selection (SS-AS) and selected area number	185
6.7.4	Priority Call (SS-PC)	185
6.7.5	Pre-emptive Priority Call (SS-PPC).....	185
6.7.6	Include Call (SS-IC)	185
6.7.7	Call Retention (SS-CRT)	186
6.7.8	Interactions with other supplementary services	186
6.8	ANF-ISIGC parameter values (timers).....	186

Annex A (normative): Specification and Description Language (SDL) representation of procedures187

A.1	SDL representation of an ANF-ISIGC entity at FE1	187
A.2	SDL representation of an ANF-ISIGC entity at FE2	191
A.3	SDL representation of an ANF-ISIGC entity at FE3	197

Annex B (normative): Stage 2 description of the interactions between ANF-ISIGC and SS-CAD when invoked for the called group.....201

B.1	Information flow diagrams	201
B.1.1	Group call set-up when SS-CAD is invoked for called group.....	201
B.2	Definition of information flows	212