



**Terrestrial Trunked Radio (TETRA);
Technical requirements for Direct Mode Operation (DMO);
Part 1: General network design**

Document Preview

[ETSI EN 300 396-1 V1.2.1 \(2011-12\)](https://standards.iteh.ai/catalog/standards/etsi/739dcc58-dc45-4ec4-9bbb-5c5c8b4d1f0e/etsi-en-300-396-1-v1-2-1-2011-12)

<https://standards.iteh.ai/catalog/standards/etsi/739dcc58-dc45-4ec4-9bbb-5c5c8b4d1f0e/etsi-en-300-396-1-v1-2-1-2011-12>

Reference

REN/TETRA-08196

Keywords

air interface, DMO, radio, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols.....	12
3.3 Abbreviations	12
4 DMO reference points	13
5 Protocol architecture for DMO.....	13
6 DM addressing and identities	13
6.1 Introduction	13
6.2 Mobile Network Identity (MNI).....	14
6.3 Subscriber identities	15
6.3.1 General.....	15
6.3.2 TETRA Subscriber Identity (TSI)	15
6.3.3 Short Subscriber Identity (SSI).....	16
6.3.3A Open identities	16
6.3.4 Installation of TSIs.....	16
6.3.5 Use of subscriber identities.....	16
6.4 DM repeater or gateway address	17
6.4.1 Contents of DM repeater or gateway address	17
6.4.2 Use of DM repeater or gateway address	17
6.5 TETRA Equipment Identity (TEI)	17
6.5.1 Contents of TEI.....	17
6.5.2 Allocation principles for TEI.....	17
6.6 Layer 2 addresses and labels	18
6.6.1 DM colour code	18
6.7 Use of TETRA addresses	18
6.7.1 Air interface addressing functions	18
6.7.2 Address placement in primitives and PDUs	19
6.7.2.1 Use of addresses at layer 2 for direct MS-MS operation.....	19
6.7.2.2 Use of TSI at layer 3 for direct MS-MS operation.....	20
6.7.2.3 Use of addresses for DM repeater operation.....	20
6.7.2.4 Use of addresses for DM gateway operation.....	20
6.7.3 Address and identity comparison.....	20
7 DM circuit mode teleservices and bearer services	21
8 DM intrinsic services.....	21
9 DM Short Data Service (SDS)	21
Annex A (informative): DMO reference points	22
A.1 Introduction	22
A.2 Reference configuration	22
A.2.1 Reference models	22
A.2.1.1 Direct mode mobile station (DM-MS).....	23
A.2.1.2 Dual watch mobile station (DW-MS)	23
A.2.1.3 Direct mode repeater (DM-REP)	24
A.2.1.4 Direct mode gateway (DM-GATE)	25

A.2.1.5	Direct mode repeater/gateway combination (DM-REP/GATE)	25
A.3	TETRA DM access	25
A.3.1	DM-MS access	25
A.3.2	MS functional groups	26
A.3.3	Reference points	27
Annex B (informative):	Protocol architecture for DMO	28
B.1	Introduction	28
B.2	DM-MS protocol architecture	28
B.2.1	Overview	28
B.2.2	Air interface layer 1	29
B.2.3	Air interface layer 2	30
B.2.4	Air interface layer 3	31
B.2.4.1	Direct Mode Call Control (DMCC) entity	31
B.2.4.1.1	Intrinsic services control	31
B.2.4.1.2	Short Data Service (SDS)	31
B.2.4.1.3	SDS-TL service	31
B.2.4.2	DMMM entity (optional)	32
B.2.5	Security management	32
B.2.5.1	Identity management (authentication)	32
B.2.5.2	Key management	32
Annex C (informative):	DM circuit mode teleservices and bearer services	33
C.1	Service definitions	33
C.1.1	Bearer service	33
C.1.2	Teleservice	33
C.1.3	Intrinsic service	33
C.2	Services offered in TETRA DMO	34
C.2.1	Direct Mode teleservices	34
C.2.1.1	Individual call	34
C.2.1.2	Group call	34
C.2.1.3	SDS based teleservices	35
C.2.2	Direct Mode bearer services	35
C.2.2.1	Circuit mode unprotected bearer services	35
C.2.2.2	Circuit mode protected bearer services	35
C.2.2.3	Short Data Service (SDS)	35
C.2.2.4	SDS-TL service	36
C.2.3	Intrinsic services	37
C.2.3.1	DM late entry	37
C.2.3.2	Transmitting Party Number Identification (TPNI)	37
C.2.3.3	Emergency calls	37
Annex D (normative):	TETRA type approval code information element	38
D.1	Encoding of the TAC information element	38
D.2	Application for the TAC value	38
Annex E (normative):	TETRA final assembly code information element	41
E.1	Encoding of the FAC information element	41
E.2	Application for the FAC value	41
E.3	WEB page contents for FAC data base	41
Annex F (normative):	TETRA electronic serial number information element	44
F.1	Encoding of the ESN information element	44
F.2	Usage of the ESN	44

F.3 Usage of check sum of the equipment identity	44
Annex G (informative): Bibliography	45
History	46

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ETSI EN 300 396-1 V1.2.1 (2011-12)

<https://standards.iteh.ai/catalog/standards/etsi/739dcc58-dc45-4ec4-9bbb-5c5c8b4d1f0e/etsi-en-300-396-1-v1-2-1-2011-12>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This final draft European Standard (EN) has been produced by ETSI Technical Committee Terrestrial Trunked Radio (TETRA), and is now submitted for the ETSI standards One-step Approval Procedure.

The present document is part 1 of a multi-part deliverable covering the Technical requirements for Direct Mode Operation (DMO), as identified below:

Part 1: "General network design";

Part 2: "Radio aspects";

Part 3: "Mobile Station to Mobile Station (MS-MS) Air Interface (AI) protocol";

Part 4: "Type 1 repeater air interface";

Part 5: "Gateway air interface";

Part 6: "Security";

Part 7: "Type 2 repeater air interface"; (Historical)

Part 8: "Protocol Implementation Conformance Statement (PICS) proforma specification"; (Historical)

Part 10: "Managed Direct Mode Operation (M-DMO)". (Historical)

NOTE: Part 7, part 8 and part 10 of this multi-part deliverable are of status "historical" and will not be updated according to this version of the standard.

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa