

ETSI EN 300 440-2 V1.4.1 (2010-08)

Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short range devices;
Radio equipment to be used
in the 1 GHz to 40 GHz frequency range;
Part 2: Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 300 440-2 V1.4.1 \(2010-08\)](https://standards.iteh.ai/catalog/standards/etsi/cbec72cb-f5ef-4e23-991e-d90f0d9091ad/etsi-en-300-440-2-v1-4-1-2010-08)

<https://standards.iteh.ai/catalog/standards/etsi/cbec72cb-f5ef-4e23-991e-d90f0d9091ad/etsi-en-300-440-2-v1-4-1-2010-08>



Reference

REN/ERM-TG28-045-2

Keywords

radio, regulation, SRD, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	5
1 Scope	6
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols.....	8
3.3 Abbreviations	8
4 Technical requirements specifications	8
4.1 Environmental profile.....	8
4.2 Conformance requirements	8
4.2.1 Transmitter requirements.....	8
4.2.1.1 Equivalent isotropically radiated power	8
4.2.1.2 Permitted range of operating frequencies.....	8
4.2.1.3 Unwanted emissions in the spurious domain	9
4.2.1.4 Duty cycle	9
4.2.2 Receiver requirements	9
4.2.2.1 Adjacent channel selectivity.....	9
4.2.2.2 Blocking or desensitization.....	9
4.2.2.3 Spurious radiations.....	9
4.2.3 2,45 GHz RFID systems.....	9
4.2.4 GBSAR systems	9
4.2.4.1 Effective radiated power	9
4.2.4.2 Permitted range of operating frequencies.....	9
4.2.4.3 DAA threshold	10
4.2.4.3.1 DAA timing parameters.....	10
4.2.4.4 Antenna pattern	10
4.2.4.5 Unwanted emissions in the spurious domain	10
5 Testing for compliance with technical requirements.....	10
5.1 Description of testing for compliance with technical requirements	10
5.1.1 Environmental conditions for testing.....	10
5.1.1.1 Normal and extreme test-conditions.....	10
5.1.1.2 Test power source	11
5.1.2 Choice of samples for test suites.....	11
5.2 Interpretation of the measurement results	11
5.3 Essential transmitter test suites.....	11
5.3.1 Equivalent isotropically radiated power	11
5.3.2 Permitted range of operation frequencies	11
5.3.3 Unwanted emissions in the spurious domain	12
5.4 Essential receiver test suites	12
5.4.1 Adjacent channel selectivity	12
5.4.2 Blocking or desensitization.....	12
5.4.3 Spurious radiations	12
5.5 Tests for RFID systems at 2,45 GHz.....	12
5.6 Tests for GBSAR systems.....	12
5.6.1 Effective radiated power	12
5.6.2 Permitted range of operating frequencies	12
5.6.3 DAA threshold.....	12
5.6.4 DAA timing parameters.....	13
5.6.4.1 Minimum listen time	13