

**Digital Video Broadcasting (DVB);
Specification for Service Information (SI) in DVB systems**



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 300 468 V1.12.1 \(2011-10\)](https://standards.iteh.ai/catalog/standards/etsi/636af240-f2f2-4cee-9497-986242f5a96d/etsi-en-300-468-v1-12-1-2011-10)



<https://standards.iteh.ai/catalog/standards/etsi/636af240-f2f2-4cee-9497-986242f5a96d/etsi-en-300-468-v1-12-1-2011-10>

ReferenceREN/JTC-DVB-294

Keywordsbroadcasting, digital, DVB, MPEG, service, TV,
video**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.

© European Broadcasting Union 2011.

All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	11
3 Definitions and abbreviations.....	11
3.1 Definitions.....	11
3.2 Abbreviations	14
4 Service Information (SI) description.....	15
5 Service Information (SI) tables	17
5.1 SI table mechanism	17
5.1.1 Explanation.....	18
5.1.2 Mapping of sections into Transport Stream (TS) packets.....	18
5.1.3 Coding of PID and table_id fields	19
5.1.4 Repetition rates and random access	20
5.1.5 Scrambling.....	20
5.2 Table definitions.....	20
5.2.1 Network Information Table (NIT).....	20
5.2.2 Bouquet Association Table (BAT).....	22
5.2.3 Service Description Table (SDT).....	23
5.2.4 Event Information Table (EIT).....	25
5.2.5 Time and Date Table (TDT).....	27
5.2.6 Time Offset Table (TOT).....	28
5.2.7 Running Status Table (RST).....	28
5.2.8 Stuffing Table (ST).....	29
5.2.9 Discontinuity Information Table (DIT).....	30
5.2.10 Selection Information Table (SIT).....	30
6 Descriptors	30
6.1 Descriptor identification and location	30
6.2 Descriptor coding	32
6.2.1 Adaptation field data descriptor.....	32
6.2.2 Ancillary data descriptor.....	32
6.2.3 Announcement support descriptor	33
6.2.4 Bouquet name descriptor	35
6.2.5 CA identifier descriptor	35
6.2.6 Cell frequency link descriptor.....	35
6.2.7 Cell list descriptor.....	36
6.2.8 Component descriptor.....	38
6.2.9 Content descriptor.....	40
6.2.10 Country availability descriptor	43
6.2.11 Data broadcast descriptor.....	44
6.2.12 Data broadcast id descriptor.....	45
6.2.13 Delivery system descriptors.....	45
6.2.13.1 Cable delivery system descriptor	45
6.2.13.2 Satellite delivery system descriptor.....	47
6.2.13.3 S2 satellite delivery system descriptor	48
6.2.13.4 Terrestrial delivery system descriptor	49
6.2.14 DSNG descriptor	51
6.2.15 Extended event descriptor.....	51
6.2.16 Extension descriptor	53
6.2.17 Frequency list descriptor.....	53
6.2.18 FTA content management descriptor.....	54

6.2.18.1	Scope of FTA content management descriptor	56
6.2.19	Linkage descriptor	56
6.2.19.1	Mobile hand-over linkage	58
6.2.19.2	Event linkage.....	58
6.2.19.3	Extended event linkage	59
6.2.20	Local time offset descriptor	62
6.2.21	Mosaic descriptor.....	63
6.2.22	Multilingual bouquet name descriptor.....	65
6.2.23	Multilingual component descriptor.....	66
6.2.24	Multilingual network name descriptor.....	67
6.2.25	Multilingual service name descriptor.....	67
6.2.26	Near Video On Demand (NVOD) reference descriptor.....	68
6.2.27	Network name descriptor.....	69
6.2.28	Parental rating descriptor	69
6.2.29	Partial Transport Stream (TS) descriptor	69
6.2.30	PDC descriptor.....	70
6.2.31	Private data specifier descriptor.....	70
6.2.32	Scrambling descriptor	70
6.2.33	Service descriptor	71
6.2.34	Service availability descriptor.....	72
6.2.35	Service list descriptor.....	73
6.2.36	Service move descriptor.....	73
6.2.37	Short event descriptor	74
6.2.38	Short smoothing buffer descriptor	74
6.2.39	Stream identifier descriptor.....	76
6.2.40	Stuffing descriptor	76
6.2.41	Subtitling descriptor.....	77
6.2.42	Telephone descriptor.....	78
6.2.43	Teletext descriptor	79
6.2.44	Time shifted event descriptor.....	80
6.2.45	Time shifted service descriptor.....	80
6.2.46	Transport stream descriptor	80
6.2.47	VBI data descriptor.....	81
6.2.48	VBI teletext descriptor.....	82
6.3	Extended descriptor identification and location	82
6.4	Extended descriptor coding	83
6.4.1	CP descriptor	83
6.4.2	CP identifier descriptor	84
6.4.3	CPCM delivery signalling descriptor.....	84
6.4.4	Delivery system descriptors	84
6.4.4.1	C2 delivery system descriptor	84
6.4.4.2	SH delivery system descriptor.....	85
6.4.4.3	T2 delivery system descriptor	89
6.4.5	Image icon descriptor.....	92
6.4.6	Message descriptor	94
6.4.7	Network change notify descriptor.....	94
6.4.8	Service relocated descriptor	96
6.4.9	Supplementary audio descriptor	97
6.4.10	Target region descriptor.....	98
6.4.11	Target region name descriptor	100
6.4.12	Video depth range descriptor	101
6.4.12.1	Production disparity hint	102
6.5	Scoping rules for scoping descriptors.....	102
7	Storage Media Interoperability (SMI) measures	103
7.1	SMI tables	103
7.1.1	Discontinuity Information Table (DIT)	103
7.1.2	Selection Information Table (SIT).....	104
7.2	SMI descriptors	105
7.2.1	Partial Transport Stream (TS) descriptor	105

Annex A (normative):	Coding of text characters	106
-----------------------------	--	------------

A.1	Control codes.....	106
A.2	Selection of character table	106
Annex B (normative):	CRC decoder model.....	119
Annex C (informative):	Conversion between time and date conventions	120
Annex D (informative):	Service information implementation of AC-3 and Enhanced AC-3 audio in DVB systems.....	122
D.1	AC-3 and Enhanced AC-3 component types.....	122
D.2	AC-3 Descriptor	123
D.3	AC-3 Descriptor Syntax	123
D.3.1	Semantics for the AC-3 descriptor	124
D.4	Enhanced_AC-3 Descriptor	125
D.5	Enhanced_AC-3 Descriptor Syntax	125
D.5.1	Semantics for the Enhanced AC-3 descriptor.....	126
Annex E (normative):	Usage of the Scrambling_descriptor	128
Annex F (informative):	ISO 639 Language Descriptor for "original audio" Soundtrack	129
Annex G (informative):	Service information implementation of DTS coded audio in DVB systems	130
G.1	DTS Audio descriptor	130
G.2	DTS Descriptor Syntax	130
G.2.1	Semantics for the DTS descriptor.....	130
Annex H (informative):	Service information implementation of AAC coded audio in DVB systems	133
H.1	AAC Audio descriptor.....	133
H.2	AAC Descriptor Syntax.....	133
H.2.1	Semantics for the AAC descriptor.....	133
Annex I (normative):	Assignment and interpretation of the service_type field.....	135
I.1	Background	135
I.2	Assignment of service_type	135
I.2.1	service_type "digital television service" (0x01).....	135
I.2.2	service_type "advanced codec" (various).....	136
I.2.3	service_type "advanced codec frame compatible stereoscopic HD" (various).....	136
Annex J (normative):	Signalling of Receiver-Mixed and Broadcast-Mixed Supplementary Audio	137
J.1	Overview	137
J.2	Receiver-mixed supplementary audio	137
J.2.1	Introduction	137
J.2.2	PSI PMT signalling	137
J.2.3	EIT signalling.....	137
J.3	Broadcast-mixed supplementary audio	138
J.3.1	Introduction	138
J.3.2	PSI PMT signalling	138
J.3.3	EIT signalling.....	138
J.4	PSI signalling of audio purpose.....	138

Annex K (informative):	Bibliography.....	140
History		141

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 300 468 V1.12.1 \(2011-10\)](https://standards.iteh.ai/catalog/standards/etsi/636af240-f2f2-4cee-9497-986242f5a96d/etsi-en-300-468-v1-12-1-2011-10)

<https://standards.iteh.ai/catalog/standards/etsi/636af240-f2f2-4cee-9497-986242f5a96d/etsi-en-300-468-v1-12-1-2011-10>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This final draft European Standard (EN) has been produced by Joint Technical Committee (JTC) Broadcast of the European Broadcasting Union (EBU), Comité Européen de Normalisation ELECTrotechnique (CENELEC) and the European Telecommunications Standards Institute (ETSI), and is now submitted for the ETSI standards One-step Approval Procedure.

NOTE: The EBU/ETSI JTC Broadcast was established in 1990 to co-ordinate the drafting of standards in the specific field of broadcasting and related fields. Since 1995 the JTC Broadcast became a tripartite body by including in the Memorandum of Understanding also CENELEC, which is responsible for the standardization of radio and television receivers. The EBU is a professional association of broadcasting organizations whose work includes the co-ordination of its members' activities in the technical, legal, programme-making and programme-exchange domains. The EBU has active members in about 60 countries in the European broadcasting area; its headquarters is in Geneva.

European Broadcasting Union
CH-1218 GRAND SACCONNEX (Geneva)
Switzerland
Tel: +41 22 717 21 11
Fax: +41 22 717 24 81

The Digital Video Broadcasting Project (DVB) is an industry-led consortium of broadcasters, manufacturers, network operators, software developers, regulatory bodies, content owners and others committed to designing global standards for the delivery of digital television and data services. DVB fosters market driven solutions that meet the needs and economic circumstances of broadcast industry stakeholders and consumers. DVB standards cover all aspects of digital television from transmission through interfacing, conditional access and interactivity for digital video, audio and data. The consortium came together in 1993 to provide global standardisation, interoperability and future proof specifications.

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa